

REFERÊNCIAS

- ABBAS, A.K.; MURPHY, K.M.; SHER, A. Functional diversity of helper T lymphocytes. *Nature*, 383: 787-793, 1996.
- ABRAHAM, W.M. Reactive oxygen species. In: BARNES, P.J.; GRUNSTEIN, M.M. *Asthma*. Lippincott-Raven Publishers, Philadelphia, P.A. USA, 623-638.
- ABRAMS, S.A.; Chronic pulmonary insufficiency in children and its effects on growth and development. *J Nutr* 131(3): 938-941, 2001.
- ACOG practice bulletin: Intrauterine growth restriction. *Int J Gynecol Obstet*. 2001; 72:85.
- Adabag AS. Birthweight and the future risk of cardiovascular disease: Does intrauterine malnutrition have a role in fetal programming? *J Lab Clin Med*. 2001;138:378.
- Adair LS, Cole TJ. Rapid child growth raises blood pressure in adolescent boys who were thin at birth. *Hypertension* 2003;4: 451-6.
- ADAMS, D. O.; HAMILTON, T. A. The cell biology of macrophage activation. *Ann. Rev. Immunol*, 2: 283-318, 1984.
- ADEREM, A.; ULEVITCH, R. J. Toll-like receptors in the induction of the innate immune response. *Nature*, 406:782, 2000.
- Adlerberth I, Carlsson B, de Man P, et al. Intestinal colonization with enterobacteraceae in Pakistani and Swedish hospital-delivered infants. *Acta Paediatr Scand* 1991; 80: 602-10.
- Adlerberth I. Establishment of normal intestinal microflora in the newborn infant. In: Hanson LA, Yolken RH, editors. *Probiotics, Other Nutritional Factors and Intestinal Microflora*. Nestlé Nutrition Workshop Series, vol 42. , Philadelphia: Lippincott-Raven Publishers; 1999. p. 63-78.
- Agarwal K, Czaja AJ, Jones DE, et al. Cytotoxic T lymphocyte antigen-4 (CTLA-4) gene polymorphism and susceptibility to type 1 autoimmune hepatitis. *Hepatology*, 31:49-53, 2000.
- Ahmed A, Kilby MD. Placental insufficiency: hypoxia or hyperoxia? *Lancet* 1997; 350:826-7
- Ahmed AS, Whittle MJ, Khaliq A. Differential expression of placenta growth factor (PlGF) and vascular endothelial growth factor (VEGF) in abnormal placentation. *J Soc Gynaecol Invest* 1997;4:A663
- Ahmed SF , Horrocks IA , Patterson T , Zaidi S , Ling SC , McGrogan P , Weaver LT. Bone mineral assessment by dual energy x-ray absorptiometry in children with inflammatory bowel disease: evaluation by age or bone area. *Journal of Pediatric Gastroenterology and Nutrition* 2004, 38:276-281.
- Aiton NR, Fox GF. The influence of sleeping position on functional residual capacity and effective pulmonary blood flow in healthy neonates. *Pediatr Pulmonol* 1996; 22:342-347.
- ALBUS, A.; SSALMANN, M.; TESCH, H. PEDERSEN, S. S.; DÖRING, G. Increase levels of IgG subclasses specific for *Pseudomonas aeruginosa* exoenzyme and polysaccharide antigens in chronically infected with cystic fibrosis. *AMPIS*, 1989; 97: 1146-1148.
- Alderson PO, Secker-Walker R H, Stominger DB, et al. Pulmonary deposition of aerosols in children with cystic fibrosis. *J Pediatric* 1974; 84: 479-484.
- Alderth I, Jalil F, Carlsson B, Mellander L, Hanson LA, Larsson P, et al. High turnover rate of *Escherichia coli* strains in the intestinal flora of infants in Pakistan. *Epidemiol Infect*. 1998; 121:587-98.
- Alexander GR, Himes JH, Kaufman RB, Mor J, Kogan M. A United States national reference for fetal growth. *Obstet Gynecol* 1996;87:163-8.
- Alkalay A. Teaching Files: Intrauterine growth retardation (IUGR), *Neonatology on the Web*, 1998. (on line). Available: [http://www.neonatology.org/syllabus/intrauterine growth retardation.html](http://www.neonatology.org/syllabus/intrauterine%20growth%20retardation.html)

Allcock RJ, Williams JH., Price P. The central MHC gene, BAT-1, may encode a protein that down-regulates cytokines production. *Genes Cells*, 6(5): 497-94, 2001.

Allen DB, Bielory L, Derendorf H, Dluhy R, Colice GL, Szefer SJ. Inhaled corticosteroids: Past lessons and future issues. *J Allergy Clin Immunol* 2003; 112:S1-40.

Allison SP. Malnutrition, disease, and outcome. *Nutrition* 2000; 16:590-591.

Almeida JAG. O Leite Humano: aspectos relativos à composição (filme vídeo). Rio de Janeiro: Núcleo Vídeo - CICT/ Fundação Oswaldo Cruz; 1992. VHS, 34min., son., color.

Almeida JAG. Qualidade do Leite Humano Coletado e Processado em Bancos de Leite, 1986. [Dissertação de Mestrado]. Viçosa: Universidade Federal de Viçosa, Imprensa Universitária.tária.

ALMEIDA PM, WICKERHAUSER H. Critério ABA (Associação Brasileira de Anunciantes) e ABIPEME (Associação Brasileira dos Institutos de Pesquisa de Mercado) 1991 ;1-29.

ALS, H. Neurobehavioral development of the preterm infant. In: FANAROFF, A. A.; MARTIN, R. J. Neonatal-perinatal medicine: disease of the fetus and infant, St. Louis: Mosby, 2002.

Altura BM, Altura BT. Magnesium in cardiovascular biology. *Sci Med* 1995;28-37.

Altura BM. Introduction: importance of Mg in physiology and medicine and the need for ion selective electrodes. *Scand J Clin Lab Invest* 1994;54 Suppl 217:5-9.

Alvarez FM, Berg PA, Bianchi FB, et al. International autoimmune hepatitis group. Report: review of criteria for diagnosis of autoimmune hepatitis. *J. Hepatol.*, 31: 929-38, 1999.

ALVES-MAZZOTTI, A. J.; GEWANDSZNAJDER, F. O método nas ciências naturais e sociais: pesquisa quantitativa e qualitativa. São Paulo: Pioneira, 2001.

Amatuzzi, M. Selective inner hair cell loss in premature infants and cochlea pathological patterns from neonatal intensive care unit autopsied. *Arch Otolaryngol Head Neck Surgery* 2001;127:629-36.

American Academy of Pediatrics . American College of Obstetricians and Gynecologists. Guidelines for Perinatal Care. 4th ed. Elk Grove Village, IL. 1997. p.288-90

American Academy of Pediatrics. Varicella-zoster infections. In: Pickering LK, ed. Red Book: 2003 Report of the Committee on Infectious Diseases. 26th ed. Elk Grove Village, IL: American Academy of Pediatrics; 2003: 672-86

American Thoracic Society. Standardization of spirometry – 1987. *Am Rev Respir Dis* 1987; 136:1285-1295

American Thoracic Society/Europen Respiratory Society. Respiratory mechanics in infants: physiologic evaluation in health and disease. *Am Rev Respir Dis* 1993; 147:474-496 and *Eur Resp J* 1993; 6:279-310.

Amin Jr J. Dopplerfluxometria da artéria umbilical. Valores normais e importância no diagnóstico do crescimento intra-uterino retardado na gestação de alto risco [Tese]. Rio de Janeiro: Universidade do Rio de Janeiro, 1989.

AMIN, N.; DOZER, A.J.; Effect of administration of aerolized recombination human deoxyribonucleose on resting energy expenditure in patients with cystic fibrosis. *Pediatr Pulmonol* 18(3): 150-154, 1994.

Anchieta LM, Xavier CC, Colosimo EA. Crescimento de recém-nascidos pré-termo nas primeiras 12 semanas de vida. *J Pediatr (Rio J)*. 2004;80:267-76.

ANDERSON D, BISPOP JB, GARNER RC, OSTROSKY-WEGMAN P, SELBY PB. Cyclophosphamide: review of its mutagenicity for an assessment of potential germ cell risks. *Mutat Res* 1995;330:115-81.

ANDERSON DC. Sex hormone binding globulin. *Clin. Endocrinol* 1974;3:69.

- Anderson GW. Studies on the nucleated red blood cell count in the chorionic capillaries and the cord blood of various ages of pregnancy. *Am J Obstet Gynecol* 1941;42:114.
- ANDRIOLE, V. T.: Infections with *Aspergillus* Species. *Clin Infect Dis*, 1993; 17 (Suppl 2): S481-486.
- APP, E.; KIESELMANN,R.; Sputum rheology changes in FC lung disease following 2 differents types of physiotherapy: flutter vs DA. *Chest.*, 114: 171-177, 1998.
- Arduini D, Rizzo G. Normal values for pulsatility index. *J Perinat Med* 1990;18:160.
- ARENS, R.; GOZAL, D.; Comparison of high frequency chest compression and conventional chest physiotherapy in hospitalized patients with cystic fibrosis. *Am J Resp Crit Care Med.*, 150 (4): 1154-57,1984.
- Arenz M, Meyer zum Buschenfelde KH, Lohr HF. Limited T cell receptor V beta-chain repertoire of liver-infiltrating T cells in autoimmune hepatitis. *J Hepatol.* 28(1):70-7, 1998.
- ARIS, R.M.; GILLIGAN, P.T.; NEURINGER, I. P.; GOTT, K.K.; REA, J. AND YANKASKAS, J.R. The effects of panresistant bacteria in cystic fibrosis patients on lung transplantation outcome. *Am J Respir Cirt Care Med*, 1997; 155: 1699-1704.
- ARIS, R.M.; ROUTH, J.C.; LiPUMA, J.J.; HEATH,.D.G. AND GILLIGAN, P.T. Lung transplantation for cystic fibrosis patients Burkholderia cepacia complex. Survival linked to genomavar type. *Am J Respir Cirt Care Med*, 2001; 164: 2102-2006
- Armstrong EF, Eastwood MA, Edwards CA, Brydon WG, MacIntyre CCA. The effect of weaning diet on the subsequent colonic metabolism of dietary fibre in the adult rat. *British Journal of Nutrition*, 1992; 68: 741-51.
- ARMSTRONG, D.S.; GRIMWOOD, K; CARZINO, R.: Lower respiratory infection and inflamation in infant with newly diagnosed cystic fibrosis. *BMJ*, 1995; 310: 1571-1572.
- ARNOFF, S. C.; QUINN, F. J.; CARPENTER, L.S. WILLIAM, N.J.: Effects of pentoxifylline on sputum neutrophil elastase and pulmonary fuctions in patients with cystic fibrosis: Preliminary observations. *J Pediatr*, 1994; 125(6); 992-997.
- Aros S, Cassorla F. Posibles determinantes perinatales de morbilidad en la edad adulta. *Rev Méd Chile* 2001;129:307-15.
- Arruda E, Boyle TR, Winther B, Pevear DC, Gwaltney JM, Jr., Hayden FG. Localization of human rhinovirus replication in the upper respiratory tract by in situ hybridization. *J Infect Dis* 1995; 171(5):1329-1333.
- Arvola T, Laiho K, Torkkeli S, Mykkänen H, Salminen S, Maunula L, et al. Profilactic *Lactobacillus GG* reduces antibiotics-associated diarrhea in children with respiratory infections: a randomized study. *Pediatrics*. 1999; 104(5):
- Ashmead GG. Maternal – fetal substrate relationship in the third trimester in human pregnancy. *Gynecol Obstet Invest* 1993; 35:18.
- Ashworth A, Millward DJ. Catch-up growth in children. *Nutr Revs* 1986;44:157-63.
- ASIN, S.; TAYLOR, J.A.; TRUSHIN, S.; BREN, G.; PAYA, C.V. Ikk mediates NF-kB activation in Human Immunodeficiency Virus- infected cells. *J. Virology*, 17 (5): 3893-3903, 1999.
- Asmus MJ, Sheman J, Hendeles L. Bronchoconstrictor additives in bronchodilatador solutions. *J Allergy Clin Immunol* 1999; 104: S53-S60.
- Associação Americana de Psiquiatria (1994). *Manual de Diagnóstico e Estatística de Distúrbios Mentais (DSM-IV)*. 3ª ed., São Paulo : Manole.
- Assumpção, F.B. Jr. & Carvalho, L.N. (1999). Realidade do Diagnóstico em Psiquiatria Infantil no Brasil. *Jornal Brasileiro de Psiquiatria*. 48 (10): 449-452.
- Atmar RL, Guy E, Guntupalli KK, Zimmerman JL, Bandi VD, Baxter BD et al. Respiratory tract viral infections in inner-city asthmatic adults. *Arch Intern Med* 1998; 158(22):2453-2459.

ATREYA, BH, RAFFERTY JH, SEHGAL GS, LAHITA RG. Adenohypophyseal and sex hormones in pediatric rheumatic diseases. *J Rheumatol* 1993;20:725-30.

Avery ME, Mead J. Surface properties in relation to atelectasis and hyaline membrane disease. *Am J Dis Child* 1959;97:517-23.

Axt-Fliedner R, Ertan K, Hendrik HJ, Schimidt W. Neonatal nucleated red blood cell counts: relationship to abnormal fetoplacental circulation detected by Doppler studies. *J Ultrasound med* 2001;20:183.

Axt-Fliedner R, Wrobel M, Hendrik HJ, Ertan Ak, Mink D, Konig J, Schmidt W. Nucleated red blood cell count and Doppler ultrasound in low and high-risk pregnancies. *Clin Exp Obst Gyn* 2000;27:85.

Bacharier L, Geha RS. Molecular mechanism of IgE regulation. *J Allergy Clin Immunol*, 105:S547-58, 2000.

BAEUERLE, P. A.; BALTIMORE, D. I κ B: a specific inhibitor of the NF- κ B transcription factor. *Science*, 242: 540-46, 1988.

Baker J, Liu P, Robertson EJ, Efstratiadis A. Role of insulin-like growth factors in embryonic and postnatal growth. *Cell* 1993; 75:73-82

BALBO, P.; SILVESTRI, M.; ROSSI, G.A.; CRIMI, E.; BURASTERO, S.E. Diferencial role of CD80 and CD86 on alveolar macrophages in the apresentation of allegen to T lynfocytes in asthma. *Clin. Exp. Allergy*, 31: 625-636, 2001.

Baldaci S. Omenaas E. Oryszczyn MP. Allergy markers in respiratory epidemiology. *Eur Respir J* 2001;17: 773-779.

BALDWIN JR, A. S. The NF κ B and I κ B proteins: new discoveries and insights. *Annu Rev Immunol*, 14: 649-683, 1996.

Bale JR. Creation of a research program to determine the etiology and epidemiology of acute respiratory tract infection among children in developing countries. *Rev Infect Dis* 1990; 12 Suppl 8:S861-S866.

BALLARD, J.; NOVAK, K.; DRIVER, M. A simplified score for assessment of fetal maturation of newly born infants. *J. Pediatr.*, v. 95, p. 769, 1979.

Barbagallo M, Dominguez LJ, Resnik,LM. Insulin-mimetic action of vanadate: role of intracellular magnesium. *Hypertension* 2001;38:701-4.

Barbosa NOE, Okay TS, Leone CR. Magnesium and intrauterine growth restriction. *J Am Coll Nutr*. 2005;24;10-15.

BARGON, J.; DAULTETBAEV, N.; KHÖLER, B.; WOLF, M.; POSSELT, H.-G., WAGNER, T. O.: Profilatic antibiotic therapy is associated with na increased prevalence of *Aspergillus* colonization in adult cystic fibrosis patients. *Respir Med*, 1999; 11: 835-838.

Barker DJ, Osmond C, Golding J – Growth in utero, blood pressure in childhood and adult life, and mortality from cardiovascular disease. *British Medical Journal*, 298: 564-567, 1989

Barker DJ & Osmond C – Infant mortality, childhood nutrition, and ischaemic heart disease in England and Wales. *Lancet*, i: 1077-81, 1986

Barker DJ, Osmond C. Infant mortality, childhood nutrition, and ischaemic heart disease in England and Wales. *Lancet* 1986;i:1077-81.

Barker DJP. Fetal nutrition and cardiovascular disease in later life. *BMJ* 1997;53:96-108.

Barker DJP. The long-term outcome of retarded fetal growth. *Clin Obstet Gynecol*. 1997;40:853.

Barker DPJ, Hales CN, Fall CHD, Osmond C, Phipps K, Clark PMS. Non insulin dependent diabetes, hypertension and hiperlipidaemia (Syndrome X): relation to reduced fetal growth. *Diabetologia* 1993c;36:62-7.

Barker DPJ, Martyn CN, Fall CHD, Osmond C. Growth in utero and serum cholesterol concentration in adult life. *BMJ* 1993b; 307:1524-7.

Barker DPJ, Osmond C, Simmonds SJ, Wield GA. The relation of small head circumference and thinness at birth to death from cardiovascular disease in adult life. *BMJ* 1993a;306:422-6.

Barker DPJ. Intrauterine programming of coronary heart disease and stroke. *Acta Paediatr Suppl* 1997;423:178-82.

Baron-Cohen e cols (1992). Can autism be detected at 18 months? The needle, the haystack, and the CHAT. *British Journal of Psychiatry*. 161: 839-843.

BARR SG; ZONANA-NACACH A; MAGDER LS; PETRI M. Patterns of disease activity in systemic lupus erythematosus. *Arthritis Rheum* 42: 2682-2688, 1999.

BARR SG; ZONANA-NACACH A; MAGDER LS; PETRI M. Patterns of disease activity in systemic lupus erythematosus. *Arthritis Rheum* 1999;42:2682-2688.

Barr SI, Murphy SP, Poos MI. Interpreting and using the Dietary References Intakes in dietary assessment of individuals and groups. *J Am Diet Assoc*; 2002;102 (6)780 – 788.

Barros FC et al. Comparison of the causes and consequences of prematurity and intrauterine growth retardation: a longitudinal study in southern Brazil. *Pediatrics* 1992;90:238-44.

Barros MD, Carneiro - Sampaio MM. Milk composition of low birth weight Infants' mothers. *Acta Paediatr. Scand.*, 1984;73: 693.

BARROS MD. Imunoglobulinas, lisozima, leucócitos, proteínas e eletrólitos no colostro e leite de mães de recém nascidos a termo pequenos para a idade gestacional, 1983. [Tese de Doutorado]. São Paulo: Faculdade de Medicina da Universidade de São Paulo..

Baschat AA, Gembruch U, Reiss I, Gortner L, Harmann CR, Weiner CP. Neonatal nucleated red blood cell counts in growth restricted fetuses. Relationship to arterial and venous Doppler studies. *Am J Obstet Gynecol* 1999;181:190.

BASS, J.L. et al. – Educating parents about injury prevention. *Pediatr. Clin. North Am.*, 32:233, 1985.

BATAGLIA, F.C.; LUBCHENCO, L.O. A practical classification of newborn infants by weight and gestational age. *J. Pediatr.*, v. 71, n. 2, p. 159-63, 1967.

BAUER, M. L.; DOUGAL, M. C. .J.; Comparison of manual and mechanical chest percussion in hospitalized patients with cystic fibrosis. *J Pediatr*, 124 (4): 250-254, 1994.

Bayley, N. (1993) *Bayley scales of infant development – Second Edition*. New York: Psychological Corporation.

Bear LM. Early identification at risk for developmental disabilities. *Pediatr Clin North Am* 2004;51:685-701.

BÉGHIN, L.; GOTTRAND, F.; MICHAUD, L.; LOEUILLE, G.A.; WIZLA- DERAMBURE, N.; SARDET, A.; GUIMBER, D.; DESCHILDRE A.; TURCK, D.; Impact of intravenous antibiotic therapy on total daily energy expenditure and physical activity in cystic fibrosis children with *Pseudomonas aeruginosa* pulmonary exacerbation. *Pediatr Res* 54(5): 756-761, 2003.

Behlm G, Jelinek J, Stahl B, van Laere K, Knol J, Fanaro S, et al. Prebiotics in infant formulas. *J Clin Gastroenterol*. 2004; 38 (suppl. 2): S76-S79.

Bentley D, Lifschitz C, Lawson M. *Pediatric Gastroenterology and Clinical Nutrition* 2001. ReMedica Publishing, London U.K.

Berenson GS, Srinivasan SR, Nicklas TA, Webber LS – Cardiovascular risk factors in children and early prevention of heart disease. *Clin Chem*, 34 (suppl): B115-B122, 1998

BERGER, M.R.; SORENSE, U.; TOSI, M.F.: Complement receptor expression on neutrophils at an inflammatory site, *Pseudomonas*-infected lung in cystic fibrosis. *J Clin Invest*, 1989; 84: 1302-1313.

Bergmann RL, Edenharter G. Predictability of early atopy by cord blood-IgE and parental history. *Clin Exp Allergy* 1997; 27:752-760.

Berman S, Shanks MB, Feiten D, Horgan JG, Rumack C. Acute respiratory infections during the first three months of life: clinical, radiologic and physiologic predictors of etiology. *Pediatr Emerg Care* 1990; 6(3):179-182.

Bernenstein, SWW. Practice parameters for allergy diagnosing testing. *Annals*

Bernstein CN in: *Trends in Inflammatory Bowel Disease Therapy 1999*, Kluwer Academic Publishers, p.147-162.

Bernstein PS, Minior VK, Divon MY. Neonatal nucleated red blood cell counts in small for gestational age fetuses with abnormal umbilical artery Doppler studies. *Am J Obstet Gynecol* 1997;177:1079.

Bernstein IM, Horbar JD, Badger GI, Ohlsson A, Golan A. Morbidity and mortality among very low birth weight neonates with intrauterine growth restriction. *Am J Obstet Gynecol* 2000;182:198-206.

Bicalho-Mancini PG, Velásquez-Meléndez G. Aleitamento materno exclusivo na alta de recém-nascidos internados em berçário de alto risco e os fatores associados a essa prática. *J Pediatr (Rio J)* 2004;80:241-8.

Bignon JD, Vinã MF. 12th IHWG HLA Class II Reference Protocol. In: *Technical Handbook of the 12th International Histocompatibility Workshop*, ed. R. Fauchet and D. Charron, HLA et Médecine, Paris, 1995.

Bilardo C, Nicolaidis KH, Campbell S. Doppler measurements of fetal and uteroplacental circulation: relationship with umbilical venous blood gases measured at cordocentesis. *Am J Obstet Gynecol* 1990;162:115.

Bilardo C, Nicolaidis KH, Campbell S. Doppler measurements of fetal and uteroplacental circulation: relationship with umbilical venous blood gases measured at cordocentesis. *Am J Obstet Gynecol* 1990;162:115.

BINES, J.E.; TRUBY, H.D.; Measurement of resting energy expenditure in infants. *J Paediatr Child Health* 40(7): 380-383, 2004.

Birkbeck J. Colon cancer: the potential involvement of normal microflora. In: Tannock GW, editor. *Medical Importance of Normal Microflora*.

Bittar RE. Crescimento intra-uterino retardado. In: Zugaib M (ed) *Medicina Fetal*. 2^a ed. São Paulo, Atheneu, 1998.

Bittencourt PL, Goldberg AC, Cançado ELR, Porta G, Carrilho FJ, Farias AQ, Palacios SA, Chiarella JM, Abrantes-Lemos CP, Baggio V, Laudanna AA, Kalil J. Genetic heterogeneity in susceptibility to autoimmune hepatitis types 1 and 2. *Am. J. Gastr.*, 94(7): 1906-13, 1999.

Bittencourt, P.L., Palacios, S.A., Cançado, E.L., Porta, G., Drigo, S., Carrilho, F.J., Laudanna, A.A., Kalil, J., Golberg., A.C. Autoimmune hepatitis in Brazilian patients is not linked to tumor necrosis factor alpha polymorphisms at position -308. *J. Hepatol.*, 35(1): 24-8, 2001.

Bittencourt, P.L., Palácios, S.A., Cançado, E.L.R., Porta, G., Carrilho, F.J., Laudanna, A.A., Kalil, J., Goldberg, A.C. Cytotoxic T lymphocyte antigen-4 gene polymorphism do not confer susceptibility to autoimmune hepatitis types 1 and 2 in Brazil. *Am. J. Gastroenterol.*, 98:1616-20, 2003.

Blanco CE. Critical period for programming: a never-ending story. *Pediatr Res* 2003;54:787-8.

Blaut M, Collins MD, Welling GW, Doré J, van Loo J, de Vos W. Molecular biological methods for studying the gut microbiota: the EU human flora project. *Br J Nutr.* 2002; 87(suppl 2): S203-S211.

Blun WF et al. Plasma leptin levels in healthy children and adolescents: dependence on body mass index, body fat mass, gender, pubertal stage and testosterone. *J Clin Endocrinol Metab* 1997. 8:2904-10.

BOAS, S.R.; DANDURAN, M.J.; MCCOLLEY, S.A.; Energy metabolism during anaerobic exercise in children with cystic fibrosis and asthma. *Med Sci Sports Exerc* 31(9): 1242-1249, 1999.

Boehm G, Melichar V, Senger H, Muleer D, Raiha NCR. Effects of varyang energy intakes on nitrogen retention and growth in very low birthweight infants fed fortified human milk. *Acta Paediatr Scand* 1990;79:228-9.

BOHAN, A.; PETER, J.B. Polymyositis and dermatomyositis. *N Engl J Méd*, 1975; 292: 344-7.

BOMBARDIER C, GLADMAN DD, UROWITZ MB, KARON D, CHANG CH. Derivation of the SLEDAI. A disease activity index for lupus patients. The Committee on Prognosis Studies in SLE. *Arthritis Rheum* 1992;35:630-40.

BORGES JÚNIOR E, HALLAK J. Avaliação mínima do homem infértil. In: NEWTON EB, COSTA, AA. *Indução da ovulação*. Ed. São Paulo, Atheneu, 1 999;82-9.

Borish, L., Aarons, A., Rumblyrt, J., Cvietusa, P., Negri, J., Wenzel, S. Interleukin-10 regulation in normal and asthmatic subjects. *J Allergy Clin Immunol*, 97:1288-96, 1996.

BOROWITZ, D.; The interrelationship of nutrition and pulmonary function in patients with cystic fibrosis. *Curr Opin Pulm Med* 2(6): 457-461, 1996.

Borres MP, Odelram H. Periferal blood eosinophilia in infants at 3 months of age is associated with subsequent development of atopic disease in early childhood. *J Allergy Clin Immunol* 1995; 95:694-698.

Bosworth DG, Nielson DW. Effectiveness of home versus hospital care in the routine treatment of cystic fibrosis. *Pediatr Pulmonol* 1997; 24:42-47.

Botelho MI, Quintella T, Silva AA. Distúrbio da deglutição (e Aspiração) na Infância In: Furkim AM, Santini CS. *Disfagias Orofaríngeas*. Carapiruiba: Editora Pró-Fono; 2001.

Botelho MI, SILVA AA. Avaliação funcional da disfagia de lactentes em UTI neonatal. *R ev Assoc Med Bras* 2003;49

BOWLBY, J. *Cuidados maternos e saúde mental*. São Paulo: Martins Fontes, 2002.

BRAGA, A.L.; SALDIVA, P.H.; PEREIRA, L.A.; MENEZES, J.J.; CONCEIÇÃO, G.M.; LIN, C.A.; ZANOBETTI, A.; SCHWARTZ, J.; DOCKERY, D.W. Health effects of air pollution exposure on children and adolescents in São Paulo, Brazil. *Ped. Pulmol.* v.31, p.106-113, 2001

BRAGGION, C.; CAPPELLETTI, M.; Short-term effects of 3 chest physiotherapy regimens in patients hospitalized for pulmonary exacerbation of cystic fibrosis: a cross-over randomized study. *Pediatr Pulmonol*, 19 (1): 16-22, 1995.

Brasil, Ministério da Saúde. Incidência da tuberculose no Brasil. Disponível <http://portal.sude.gov.br/saude/>

Brasil. (1984). Ministério da saúde. Secretaria de programas especiais. Divisão nacional de saúde materno-infantil. *Acompanhamento do Crescimento e Desenvolvimento – Normas Técnicas*. Brasília : DINSAMI.

BRASIL. Ministério da Saúde. Secretaria de Políticas de Saúde. Área de Saúde da Criança. *Atenção humanizada ao recém-nascido de baixo peso: método mãe-canguru*. Manual do curso / Secretaria de Políticas de Saúde. Área de Saúde da Criança. – 1ª edição – Brasília: Ministério da Saúde, 2002.

Braude AC Horstein A, Klein M, et al. Pulmonary deposition of tobramycin. *Am Rev Resp Dis* 1983;127: 563-565.

Braun-Fahrlander, C; Riedler J, herz U Eder W, . Grize MWL, Maisch L, Carr D, Gerlach L, Bufe A, LauenerRP; R Schiel, H Renz, D Nowak, E von Mutius. The Allergy and Endotoxin Study Team. Environmental exposure to endotoxin and its relation to asthma in school-age children. *N Engl J Med* 2002, 347: 869-877.

- BRIGHTBILL, H.D.; LIBRATY, D.H.; KRUTZIK, S.R.; YANG, R.B.; BELISLE, J.T.; BLEHARSKI, J.R.; MAITLAND, M.; NORGARD, M.V.; PLEVY, S.E.; SMALE, S.T.; BRENNAN, P.J.; BLOOM, B.R.; GODOWSKI, P.J.; MODLIN, R. L. Host defense mechanisms triggered by microbial lipoproteins through toll-like receptors. *Science* 285:732, 1999.
- Brink, P. J. Violence on TV and Aggression in Children. *West J Nur Res* 23(1):5-7; 2001.
- BRITTO MT; ROSENTHAL SL; TAYLOR J; PASSO MH: Improving rheumatologists screening for alcohol use and sexual activity. *Arch Pediatr Adolesc Med* 154: 478-483, 2000.
- BROOK, I. Bacteriology Features of Chronic Sinusitis in Children. *JAMA*, 1981; 246: 967-969.
- Brosens I, Dixon HG, Robertson WB. Fetal growth retardation and the arteries of the placental bed. *Br J Obstet Gynaecol* 1997; 84:656-64
- BROWN, K.; GERSTBERGER, S. CARLSON, L.; FRANZOSO, G.; SIEBENLIST, U. Control of I κ B proteolysis by site-specific signal-induced phosphorylation. *Science*, 267: 1485–1488, 1995.
- BRUNNER HI; SILVERMAN ED; TO T; BOMBARDIER C; FELDMAN BM. Risk factors for damage in childhood-onset systemic lupus erythematosus. *Arthritis Rheum* 46: 436-444, 2001.
- BRUNNER HI; SILVERMAN ED; TO T; BOMBARDIER C; FELDMAN BM. Sensitivity of the Systemic Lupus Erythematosus Disease Activity Index, British Isles Lupus Assessment Group Index, and Systemic Lupus Activity Measure in the evaluation of clinical change in childhood-onset systemic lupus erythematosus. *Arthritis Rheum* 42: 1354-60, 1999.
- Bruno G, Giampietor PG. Results of a multicentric study for the prevention of atopic allergy. 48 months of follow-up. *Minerva Pediatr* 1996; 48:413-419.
- Buckley RH . Pulmonary complications of primary immunodeficiencies. *Paediatr Respiratory Review*, 2004, 5 (suppl A): S225-33.
- Buckley RH. Advances in the understanding and treatment of human severe combined immunodeficiency. *Immunology Reseach* 2000;22:237-51.
- BUEHRING, I; FRIEDRICH, B; SCHAFF, J; SCHIMIDT, H; AHRENS, P; ZIELEN,S. Chronic sinusitis refractory to Standard management in patients with humoral immunodeficiencies. *Clinical & Experimental Immunology*, 1997; 109: 468-472.
- Bullen CL, Willis AT. Resistance of the breast-fed infant to gastroenteritis. *BMJ*. 1971; 3:338-43.
- Bullinger, M., Mackensen, S., and Landgraf, 3.M. (1994). Assessing the quality of life of child Quality of Life Research. 1994;3(1):41.
- BUSH, A. & GUEDDES, D. Cystic fibrosis in adolescence. *Eur Respir Mon*, 2002; 19: 225-253.
- Busse WW; Lemanske RF Jr. Advances in Immunology: Asthma. *N Engl J Med* 2001; 344(5):350-362 .
- Busse W, Banks-Schlegel S, Noel P, Ortega H, Taggart V, Elias J; NHLBI Working Group. Future research directions in asthma: an NHLBI Working Group report. *Am J Respir Crit Care Med*. 2004 Sep 15;170(6):683-90. Epub 2004 Jun 23.
- BUSSE, W.W. & LEMANSKE, R.F. Advances in immunology: asthma. *New England J. Med.*, 344: 350-362, 2001.
- BUSSE, W.W.; LEMANSKE, R.F. Asthma. *N. Engl. J. Med.*, 344: 350-362, 2001.
- Butte NF. The role of breastfeeding in obesity. *Pediatr. Clin. North Am.*, 2001; 48:189-98.
- Butterworrrth CE. The skeleton in hospital closet. *Nutrition Today* 1974; 94-98.
- CAEIRO F; MICHELSON FCM; BERNSTEIN R; HUGHES GRV; ANSELL BM. Systemic lupus erythematosus in childhood. *Annals Rheum Dis* 40: 325-331, 1981
- Calabria MD. Bronchiolitis obliterans in the child. *Allergol Immunopathol* 1995; 23: 267-270.
- Calhoun WJ, Swenson CA, Dick EC, Schwartz LB, Lemanske RF, Jr., Busse WW. Experimental rhinovirus 16 infection potentiates histamine release after antigen bronchoprovocation in allergic subjects. *Am Rev Respir Dis* 1991; 144(6):1267-1273

- CALIL VMTL .Composição Nutricional do Coloostro de Mães de Recém nascidos de Termo Adequados e Pequenos para Idade Gestacional. [Dissertação de Mestrado]. São Paulo: Faculdade de Medicina da Universidade de São Paulo; 1990. 172p.
- CANOVA EG; ROSA DC; VALLADA MG; SILVA, C.A. Invasive aspergillosis in juvenile systemic lupus erythematosus. A clinicopathologic case. *Clin Exp Rheumatol* 20:736, 2002.
- CARLIER JG, STEENO OP. OLIGARCHE: the age at first ejaculation. *Andrologia* 1 985;1 7:104-6.
- Carlsen, H., Alexander, G., Austenaa, L.M.I., Ebihara, K., Blomhoff, R. Molecular imaging of transcription factor NF- κ B, a primary regulator of stress response. *Mutation Research*, 551:199-211, 2004.
- CARLSEN, H.; MOSKAUG, J.O. L.; FROMM, S.H.; BLOMHOFF, R. In vivo imaging of NF κ B activity. *J. Immunol.*, 168: 1441-446, 2002.
- Carneiro-Sampaio, MMS, Carbonare, SB, Rozentraub, RB, Araujo, MN, Ribeiro, MA, Porto, MHO – Frequency of Selective IgA Deficiency among Brazilian blood donors and healthy pregnant women. *Allergologia et Immunopathologia*, 17: 213-216, 1989.
- CARTER, L.L.; DUTTON, R.W.; Type 1 and Type 2: a fundamental dichotomy for all T-cell subsets? *Curr. Opin. Immunol.*, 8: 336-342, 1996.
- Cashman KD, Flynn A. Optimal nutrition: calcium, magnesium and phosphorus. *Proc Nutr Soc* 1999; 58:477-87.
- CASSIDY JT.; PETTY RE. Systemic lupus erythematosus, In: Cassidy JT, Petty RE. *Textbook of Pediatric Rheumatology*. 4ed. Philadelphia: WB Saunders Company, 2001, p396-449.
- CASSIDY JT.; PETTY RE. Systemic lupus erythematosus, In: Cassidy JT, Petty RE. *Textbook of Pediatric Rheumatology*. 2ed. Philadelphia: WB Saunders Company, 1995, p260.
- CASSIDY JT; PETTY RE. Juvenile Rheumatoid Arthritis, In: Cassidy JT, Petty RE. *Textbook of Pediatric Rheumatology*. 4ed. Philadelphia: WB Saunders Company, 2001, p218.
- CASSIDY JT; PETTY RE. Juvenile Rheumatoid Arthritis, In: Cassidy JT, Petty RE. *Textbook of Pediatric Rheumatology*. 2ed. Philadelphia: WB Saunders Company, 2001, p219-221.
- CASSIDY JT; PETTY RE. Juvenile Rheumatoid Arthritis, In: Cassidy JT, Petty RE. *Textbook of Pediatric Rheumatology*. 2ed. Philadelphia: WB Saunders Company, 2001, p272-273.
- CASSIDY JT; PETTY RE. Juvenile Rheumatoid Arthritis, In: Cassidy JT, Petty RE. *Textbook of Pediatric Rheumatology*. 2ed. Philadelphia: WB Saunders Company, 2001, p291-292.
- CASSIDY JT; SULLIVAN DB; PETTY RE; RAGSDALE C. Lupus nephritis and encephalopathy. Prognosis in 58 children. *Arthritis Rheum* 20: 315-322, 1977.
- Castillo-Durán C, Cassorla F. Trace minerals in human growth and development. *J Pediatr Endocrinol Metab*. 1999;12:589-601.
- Castro APBM.. A resposta alérgica em Grumach AS. *Alergia e Imunologia na*
- CASTRO, M.; DIAMANTI, A.; GAMBARARA, M.; BELLA, S.; LUCIDI, V.; PAPADATOU, B.; FERRETTI, F.; ROSATI, P.; RUPI, E.; Resting energy expenditure in young patients with cystic fibrosis receiving antibiotic therapy for acute respiratory exacerbations. *Clin Nutr* 21(2): 141-144, 2002.
- Catache MM. Importância dos níveis séricos de fósforo na Detecção precoce da deficiência mineral em recém nascidos de muito baixo peso. [Dissertação de Mestrado]. São Paulo: Faculdade de Medicina da Universidade de São Paulo; 1999.
- Catillo-Duron C, Cassorla F. Trace mineral in human growth and development. *J Pediatr Endocrinol Metab* 1999;12:589-61.
- Ceccon MJ, Krebs VLJ, Melluzzi MP, Silva MHBM, Diniz EMA,.; Feferbaum, R.; Araújo MCK, Vaz FAC. Morbimortalidade em recém-nascidos com muito baixo peso admitidos em Unidade de Cuidados Intensivos Neonatal (resumo). *Anais do XIV Congresso Brasileiro de*

Perinatologia, XIV Reunião de Enfermagem Perinatal, Florianópolis, de 10 a 14 de novembro de 2001.

CEDENHO AP, BORTOLUZZO C, VIEIRA M. O que é importante na propedêutica do homem infértil. In: GLINA 5, DAMIAO R. 1 Consenso Brasileiro de Infertilidade Masculina. Ed. São Paulo, BG editora e Produções Culturais Ltda, 1999;17-26.

Centers for Disease Control and Prevention (CDC) (2005). Trends in tuberculosis – United States, 2004. MMWR Morbid Mortal Wkly Rep, 54: 245-9.

Centro de Vigilância Epidemiológica (CVE) (2005). Casos confirmados e coeficiente de incidência de casos autóctones de doenças de notificação compulsória no Estado de São Paulo, no período de 1998 a 2004. Disponível: http://www.cve.saude.sp.gov.br/html/sh_9802.htm

CESAR, C.L.G.; FIGUEIREDO, G.M.; WESTPAL, M.F.; CARDOSO, M.R.A.; COSTA, M.Z.A.; GATTÁS, V.L. Morbidade referida e utilização de serviços de saúde em localidades urbanas brasileiras: metodologia. Rev. Saúde Pública, v.30, p.153-60, 1996.

Cetin I, Marconi AM, Bozzetti P, Sereni LP, Corbetta C, Pardi G. Umbilical amino acid concentrations in appropriate and small for gestational age infants: a biochemical difference present in utero. Am J Obstet Gynecol 1988;158:120-6.

Cetin I, Marconi AM, Bozzetti P, Sereni LP, Corbetta C, Pardi G. Umbilical amino acid concentrations in appropriate and small for gestational age infants: a biochemical difference present in utero. Am J Obstet Gynecol 1988;158:120-6.

CHAAD, U. B.; LANG, A. B.; WEDGWOOD, J.; BUEHLAMNN, U.; FUERER, E. Serotype-specific serum IgG antibodies to lipopolysaccharides of *Pseudomonas aeruginosa* in cystic fibrosis: correlation to disease, subclass distribution, and experimental protective capacity. Pediatric Research, 1990; 27(5): 508- 513.

Chadwick VS, Chen W. The intestinal microflora and inflammatory bowel disease. In: Tannock GW, editor. Medical Importance of Normal Microflora. Netherlands: Kluwer Academic Publishers, 1999. p. 1-23.

Chan K & Puck JM. Development of population-based newborn screening for severe combined immunodeficiency, Journal of Allergy Clinical Immunology 2005;115:391-8.

CHAN, D.K. Enteral nutrition of the very low birth weight infant. Ann Acad Med Singapore, v. 30, p. 174-82, Mar., 2001.

Chang AB, Masel JP. Post-infectious bronchiolitis obliterans: clinical, radiological and pulmonary function sequelae. Pediatr Radiol 1998; 28:23-29.

CHANOCK, S.J.; EL BENNA, J.; SMITH, R.M.; BABIOR, B.M. The respiratory burst oxidase. J. Biol. Chem., 269: 24519-22, 1994.

CHAPARRO, C.; MAUER, J.; GUTIERREZ, C.; KRAJDEN, M.; CHAN, C.; WINTON, T.; KESHAVJEE, S.; SCAVUZZO, M.; TULLIS, E.; HUTCHEON, M.; KESTEN, S. Infection with *Burkholderia cepacia* in Cystic Fibrosis. Outcome following Lung Transplantation. Am J Respir Crit Care Med, 2001; 163: 43-48.

Chapman AL, Munkanta M, Wilkinson KA, et al (2002). Rapid detection of active and latent tuberculosis infection in HIV-positive individuals by enumeration of *Mycobacterium tuberculosis*-specific T cells. AIDS, 16: 2285-93.

Charnock-Jones DS, Sharkey AM, Boocock CA, et al. Vascular endothelial growth factor receptor localization and activation in human trophoblast and choriocarcinoma cells. Biol Reprod 1994;51:524-30

CHEE, L; GRAHAM, S.M; CAROTHERS, D. G; BALLAS, Z. K. Immune Dysfunction in Refractory Sinusitis in a Tertiary Care Setting. Laryngoscopy, 2001; 111: 233-235.

Chen IC, Chen CL, Wong MK, Chung CY, Chen CH, Sun CH.

- Cheong, K.Y., Allcock, R.J., Eerligh, P. Witts, C.S., Christiansen, F.T., McCann, V., Price, P. Localization of central MHC genes influencing type I diabetes. *Hum. Immunol.*, 62(12): 1363-70, 2001.
- Cherňavsky, A.C., Paladino, N., Rubio, A.E. et al. Simultaneous expresión of Th1 cytokines and IL-4 confers severe characteristics to type I autoimmune hepatitis in children. *Human Immunology*, 65:683-91, 2004.
- Children: improving the prevention and early advancement in children with behavioral- and developmental disorders in the Ennepe-Ruhr District. *Gesundheitswesen*. 2004;66:196-201.
- Children: improving the prevention and early advancement in children with behavioral- and developmental disorders in the Ennepe-Ruhr District. *Gesundheitswesen*. 2004;66:196-201.
- CHIPKEVITCH E. Estirão puberal. In: Puberdade e adolescência. Ed. São Paulo, 1995;31-51.
- CHOMCZYNSKI, P.; SACCHI, N. Single-step method of RNA isolation by acid guanidinium thiocyanate-phenol-chloroform extraction. *Anal. Biochem.*, 1: 156-9, 1987.
- Chomitz VR, Cheung LW, Lieberman E. The role of lifestyle in preventing low birth weight. *Future Child*. 1995;5:121-38.
- Chong Y, Nabeshima S, Furusyo N, Murata M, Yamaji K, Hayashi J. (2004). Downregulation of CXCR5 in CD27- B cells of HIV-1 infected patients. *J. Med. Virol.*, 73: 362-7.
- Cinco Principais causas de morte segundo a faixa etária no Município de São Paulo (2001) – fonte – PRO-AIM (Programa de Aprimoramento de Informações sobre Mortalidade)
- Cjaza, A.J., Doherty, D.G., Donaldson, P.T. Genetic bases of autoimmune hepatitis. *Dig Dis Sci*, 47(10): 2139-50, 2002.
- Clark JÁ, Callicot PA, Brenner NA, Bradley CA, Smith DM Jr. Selective IgA deficiency in blood donors. *American Journal Clinical Pathology* 1983;80:210-3.
- CLARK, J. C.; Noinvasive assesment of blood gases. *Am Rev Respir Dis* (145): 220-32, 1992.
- Clayton RG, Diaz CE. Pulmonary function in hospitalized infants and toddlers with cystic fibrosis. *J Pediatr* 1998; 132:405-408.
- CLEMENTS PJ, DAVIS J. Cytotoxic drugs: their clinical application to the rheumatic diseases. *Sem Arthritis Rheum* 1996;15:231-54. Colli AS, Berquió ES, Marques RM. Crescimento e desenvolvimento pubertário em crianças e adolescentes brasileiros. IV. Volume testicular. São Paulo: Ed. Brasileira de Ciências Ltda, 1984.
- CLEVELAND, M. D.; GORHAM, J.M.; MURPHY, T.L. TOUMANEN, E.; MURPHY, K.M. Lipoteichoic acid preparations of Gram-positive bacteria induced interleukin-12 through a CD14-dependent pathway. *Infect. Immun.*, 64(6): 1906-1912, 1996.
- COHN, R.; HOMER, R.; NIU, N.; BOTTMOLY, K. T helper 1 cells and interferon gamma regulate allergic airway inflammation and mucus production. *J. Exp. Med.*, 190 (9): 1309-1319, 1999.
- Comroe JH. Pulmonary and respiratory physiology, Parts I and II. Stroudsburg, PA: Dowden, Hutchinson and Ross, 1976.
- CONDINO-NETO, A.; NEWBURGER, P.E. NADPH oxidase activity and cytochrome b558 content of human Epstein-Barr-virus-transformed B lymphocytes correlate with expression of genes encoding components of the oxidase system. *Arch. Biochem. Biophys.*, 360(2):158-64, 1998.
- CONDINO-NETO, A.; WHITNEY, C.; NEWBURGER, P. E. Dexamethasone but not indomethacin inhibits human phagocyte nicotinamide adenine dinucleotide phosphate oxidase activity by down-regulating expression of genes encoding oxidase components. *J. Immunol.*, 161: 4960-7, 1998.

Conferencia Internacional sobre la Promocion de la Salud. Carta de Ottawa para la Promocion de la salud. Ottawa,17 a 21 de noviembre de 1986.

Conferencia Internacional sobre la Promocion de la Salud. Declaración de Santa Fé de Bogotá, 1992.

Conley ME, Notarangelo LD, Etzioni A. Diagnostic criteria for primary immunodeficiencies. Representing PAGID (Pan-American Group for Immunodeficiency) and ESID (European Society for Immunodeficiencies). Clin Immunol. 1999 Dec;93(3):190-7.

Cook, J.T.E; Levy, J.C.; Page, R.C.L.; Haw, J.A.G.; Hattersley, A.T.; Turner, C.C. Association of low birth weight with beta cell function in the adult first degree relatives of non-insulin dependent diabetic subjects. Br.Med.J 1993;306:303-6.

Cookson, s., Constantini, P.K., Clare, M., Underhill, J.A., Bernal, W., Czaja, A., Donaldson, P.T. Frequency and Nature of Cytokine Gene Polymorphisms in Type 1 Autoimmune Hepatitis. Hepatology, 30:851-6, 1999.

COOKSON, W. The alliance of genes and environment in asthma and allergy. Nature, 402: B5-B11, 1999.

COONEY, T.R; HUISSON, A.P; POWELL, R.J; JONES, N.S. Investigation for immunodeficiency in patients with recurrent ENT infeccions. Clinical Otolaryngology, 2001; 26: 184-188.

Coppa GV, Bruni S, Morelli L, Soldi S, Gabrielli O. The first prebiotics in humans – Human milk oligosaccharides. J Clin Gastroenterol. 2004; 38 (supp. 2): S80-S83.

Correia MITD, Campos ACL. Prevalence of hospital malnutrition in Latin America: the multicenter ELAN study. Nutrition 2003; 19: 823-825.

Correia MITD, Waitzberg DL. The impact of malnutrition on morbidity, mortality, length of hospital stay and costs evaluated through a multivariate model analysis. Clin Nutr 2003; 22:235-239.

Cowan FJ , Warner JT , Dunstan FDJ. , Evans WD , Gregory JW , Jenkins HR.Inflammatory bowel disease and predisposition to osteopenia. Archives of Disease in Childhood 1997, 76:325-329.

Cullinan P, MacNeill SJ, Harris JM at al. Early allergen exposure, skin prick responses and atopic wheeze at age five in English children: a cohort study, Thorax 2004; 59: 855-61.

CUNHA, S.S.; CRUZ, A.A.; DOURADO, I.; BARRETO, M.L.; FERREIRA, L.D.A.; RODRIGUES, L.C. Lower prevalence of reported asthma in adolescents with symptoms of rhinitis that received neonatal BCG. Allergy, 59: 857-862, 2004.

CURRY SL; LEVINE SB; CORTY E; JONES PK; KURIT DM. The Impact of Systemic Lupus Erythematosus on Womens's Sexual Functioning. Journal of Rheumatology 21:12, 1994.

Cystic Fibrosis Foundation - Clinical Practice Guidelines for Cystic Fibrosis Comittee 1997; 1-54.

CYSTIC FIBROSIS FOUNDATION - Clinical Practice guidelines for Cystic Fibrosis: 1997.

CYSTIC FIBROSIS TRUST- Clinical Guidelines for the physiotherapy management of cystic fibrosis: 2002.

DAFTARY, S.S.; ALHOUN, W.J. Macrophages and macrophage diversity in asthma. In: HOLTATE, S.T.; BUSSE, W.W., EDS. Inflammatory Mechanisms in Asthma. New York: Marcel Dekker Inc., 361-386, 1998.

DAKIN,C.; HENRY, R.L.; FIELD, P. AND MORTON, J. Defining na exacerbation of pulmonary disease in cystic fibrosis. Pediatric Pulmonary, 2001; 31: 436-442.

Dallas, C. Family matters: how mothers of adolescents parents experience adolescent pregnancy and parenting. Public Health Nursing 2004; 21:347-353.

- DALTON, D.K.; PITTS, M.; KESHAV, S.; FIGARI, I.S.; BRADLEY, A.; STEWART, T.A. Multiple defects of immune cell function in mice with disrupted interferon- γ genes. *Science*, 259:1739, 1993.
- DARIEVA, Z.A.; LASUNSKAIA, E.B.; KIPNIS, T.L.; DIAS DA SILVA, W. Two BCG vaccine formulations prepared from the same strain with different J774 macrophage activation capacities and patterns of NF-kappaB induction. *Int. J. Mol. Med.* 6(5): 575-580, 2000.
- Das UG, Sysyn GD. Abnormal fetal growth: intrauterine growth retardation, small for gestational age, large for gestational age. *Pediatr Clin North Am* 2004;51:639-54.
- Davies NT, Williams RB. The effect of pregnancy and lactation on the absorption of zinc and lysine by the rat duodenum in situ. *Br J Nutr.* 1977;38:417-23.
- DAVIES, E. G. Infeccion in patient with primary immunodeficiency disorders. *Current Opinion of Infectious Diseases*, 2000; 13: 349-353.
- DAVIES, P.S.; Energy requirements for growth and development in infancy. *Am J Clin Nutr* 68(4): 939-943, 1998.
- Davis PB. The decline and fall of pulmonary function in cystic fibrosis: new models, new lessons. *J Pediatr* 1997; 131:789-790.
- DAVIS, B.P.: Cystic Fibrosis. *Pediatrics in Review*, 2001; 22: 257-264
- DAVIS, P. B.; The decline and fall of pulmonary function in cystic fibrosis : new models, new lessons. *The Journal of Pediatrics*, 131 (6): 789 - 790, 1997. [editorials]
- De Curtis M, Rigo J. Extrauterine growth restriction in very-low-birthweight infants *Acta Paediatr* 2004;93:1563-8.
- De Milito, A.; Mörch, C.; Sönnnerborg, A; Chiodi, F. (2001). Loss of memory (CD27) B lymphocytes in HIV-1 infection. *AIDS*, 15: 957-64.
- De Moraes-Pinto, MI; Almeida, ACM; Kenj, G; Filgueiras, TE; Tobias, W; Santos, AMN; Carneiro-Sampaio, MMS; Farhat, CK; Milligan, P; Johnson, PM; Hart, CA (1996). Placental transfer and maternally acquired neonatal IgG immunity in HIV infection. *J Infect Dis*, 173: 1077-84.
- DEMARINI, S. ; TSANG, R.C. Calcium and phosphorus nutrition in infants. *J. Pediatr. Gastroenterol. Nutr.* , v.21 , n.4 , p.367-73 , 1995.
- Dewan, N., Brabin, B., Wood, L., Dramond, S., & Cooper, C. The effects of smoking on birthweight-for-gestacional-age curves in teenage and adult primigravidae. *Public Health* 2003;117:31-35.
- Dewan, N., Brabin, B., Wood, L., Dramond, S., & Cooper, C. The effects of smoking on birthweight-for-gestacional-age curves in teenage and adult primigravidae. *Public Health* 2003;117:31-35.
- Dezateux C, Stocks J. Lung development and early origins of childhood respiratory illness. *Br Med Bull* 1997; 53:40-57.
- DHAR JP; KMAK D; BHAN R; PISHORODI L; AGER J; SOKOL RJ. Abnormal cervicovaginal cytology in women with lupus: a retrospective cohort study. *Gynecol Oncol* 82:4-6,2001.
- Di Benedetto G. Passive smoking in childhood. *J R Soc Health* 1995; 115:13-16.
- Díaz-Gómez NM, Doménech E, Barroso F, Castells S, Cortabarria C, Jiménez A. The effect of zinc supplementation on linear growth, body composition, and growth factors in preterm infants. *Pediatrics*. 2003;111:1002-9.
- DIDONATO, J.A.; HAYAKAWA, M.; ROTHWARF, D.M.; ZANDI, E.; KARIN, M.A cytokine-responsive I κ B kinase that activates the transcription factor NF κ B. *Nature*, 388: 548–554, 1997.
- DIENER, J.R.C.; Calorimetria Indireta. *Rev Ass Med Brasil* 43(3): 245-253, 1997.
- DIETZSCH, H. .J.; Research and treatment in cystic fibrosis. *European J. Pediatr* 153(11): 783, 1994.

- Dimasi N, Moretta L, Biassoni R. Structure of the Ly49 family of natural killer (NK) cell receptors and their interaction with MHC class I molecules. *Immunol Res.* 2004;30(1):95-104.
- Djilali-Saiah, I., Renous, R., Caillat-Zucman, S., Debray, D., Alvarez, F. Linkage disequilibrium between HLA class II regions and autoimmune hepatitis in pediatric patients. *J. Hepatology*, 40(6): 904-9, 2004.
- DOCKERY, D.W.; CUNNINGHAM, J.; DAMOKOSH, A.I.; NEAS, L.M.; SPENGLER, J.D.; KOUTRAKIS, P.; WARE, J.H.; RAIZANNE, M.; SPEIZER, F.E. Health effects of acid aerosols on north american children: respiratory symptoms. *Environ. Health Perspect.* v. 104, p.500-5, 1.996.
- DOCKERY, D.W.; SCHWARTZ, J.; SPENGLER, J.D. Air pollution and daily mortality: Associations with particulates and acid aerosols. *Environ. Res.* v. 59, p. 362-73, 1.992.
- Dolan CM, Reimann JD, Safrim S, Flick RB Jr. Serum IgE distributions in normal and asthmatic suspects. in: Flick RB Jr, Jardieu PM, editors. *IgE and Anti-IgE therapy in asthma and allergic disease*. 1st ed. Marcel Dekker; 2002. p. 7-21.
- Dolganov, G., Bort, S., Lovett, M., Burr, J., Schubert, L., Short, D., et al. Coexpression of interleukine-13 and interleukine-4 correlates with their physical linkage in the cytokine gene cluster on human chromosome 5q23-31. *Blood*, 87: 3316-26, 1996.
- DORIA AS; CASTRO CC; KISS MH et al. Inter- and intrareader variability in the interpretation of two radiographic classification systems for juvenile rheumatoid arthritis. *Pediatr Radiol.* 2003 Oct; 33(10):671-2.
- DÓRIA AS; SILVA CAA; BOULOS M. Artrite reumatóide juvenil: etiopatogenia viral? *JBM.* 76:19-21, 1999
- Döring G, Conway SP, Heijerman HGM, Hodson ME, Hoiby N, Smith A, Touw DJ, for the Consensus Committee. Antibiotic therapy against *Pseudomonas aeruginosa* in cystic fibrosis: a European consensus. *Eur Resp Journal* 2000;16:749-67.
- DÖRING, G.; CÖNWAY, H.G.M.; Antibiotic therapy against *Pseudomonas aeruginosa* in cystic fibrosis: a European consensus. *Eur Respir J*, 16 (4): 749 -767, 2000.
- DORLÖCHTER, L.; HELGHEIM, V .; ROCKSUND, O.;; ROSENDAHL, K.; FLUGE, G.; Shwachman-Kulcyckim score and resting energy expenditure in cystic fibrosis. *J Cyst Fibros* 2(3): 148-151, 2003.
- DORLÖCHTER, L.; ROCKSUND, O.; HELGHEIM, V.; ROSENDAHL, K.; FLUGE, G.;
- DORNELAS.E.C.; FERNANDES, M.I.M; GALVÃO,C.L.; SILVA, G.A.: Study of lung involvement in patients with cystic fibrosis. *J Pediatr (Rio J)*, 2000; 76(4): 295-299.
- Dowbrowicz D, Capron M. Eosinophils, allergy and parasites. *Curr Opin immunol* 2001;13(7): 716-720.
- DOWSETT, J.; Nutrition in the management of cystic fibrosis. *Nutr Rev* 54(1): 31-33, 1996.
- Dreizen et al. A comparison of skeletal growth and maturation in undernourished and well-nourished girls before and after menarche. *J Pediatr* 1967. 70:256-63.
- Dutau G. Asthma in children. *Rev Pneumol clin* 1996; 52:111-116.
- DYKEWICZ, M. S. Rhinitis and Sinusitis (Allergic Disorders). *The Journal of Allergy and Clinical Immunology*, 2003; 111: 520-529.
- Edwards CA, Parret AM. Intestinal flora during the first months of life: new perspectives. *Br J Nutr.* 2002, 88(1): S11-S18.
- Ehnert B, Lau-Schadendorf S, Weber A, Buettner P, Schou C, Wahn U. Reducing domestic exposure to dust mite allergen reduces bronchial hyperreactivity in sensitive children with asthma. *J Allergy Clin Immunol* 1992;90:135-8.

- Eisenber GJ, Pepe M, Williams-Warren J, et al. A comparison of peak sputum tobramycin concentration in patients with cystic fibrosis using jet and ultrasonic nebulizer systems. *Chest* 1997; 11: 995-962.
- Ejzenberg B, Fernandes VO, Rodrigues Neto AJ, Baldacci ER, Belizzia Neto L. Pesquisa da etiologia bacteriana em 102 crianças internadas por pneumonia aguda. *Pediatr.(S Paulo)* 8, 99-106. 1986.
- Ekborm A, Adami HO, Helmick CG. Perinatal risk factors for inflammatory bowel disease: a case-controlled study. *American Journal of Epidemiology*. 1990; 132: 1111.
- ENGLISH, D. & ANDERSEN, B.R. Single-step separation of red blood cells. Granulocytes and mononuclear leukocytes on discontinuous density gradients of Ficoll-Hystopaque. *J. Immunol. Methods*, 5: 249-52, 1974.
- ERB, K.J., HOLLOWAY, J.W.; SOBECK, A.; MOLL, H.; LE GROS, G. Infection of mice with *Mycobacterium bovis-bacillus Calmette-Guérin* suppresses allergen-induced airway eosinophilia. *J. Exp. Med.*, 187:561-569, 1998.
- ESCHENBACHER, W.L.; GRAVELYN, T.R.; A technique for isolated airway segment lavage. *Chest.*, 92: 105-109, 1987.
- ETTELDORF JN, ROY 5, SUMMIT RL. Cyclophosphamide in the treatment of idiopathic lipid nephrosis. *J. Pediatr.* 1967;70:758-61.
- EZEKOWITZ, R.A.; AUSTYN, J.; STAHL, P.D.; GORDON, S. Surface properties of bacillus Calmette-Guérin-activated mouse macrophages: reduced expression of mannose-specific endocytosis, Fc receptors, and antigen F4/80 accompanies induction of Ia. *J. Exp. Med.*, 154:60, 1981.
- FAERK, J.; PETERSEN, S.; PEITERSEN, B.; MICHAELSEN, K.F. Bone mineralisation in premature infants cannot be predicted from serum alkaline phosphatase or serum phosphate. *Pediatr. Res.*, v. 87, p 133-136, 2002.
- FAERK, J.; PETERSEN, S.; PEITERSEN, B.; MICHAELSEN, K.F. Diet and bone mineral content at term in premature infants. *Pediatr. Res.*, v. 37, n. 1, p 148-156, 2000.
- Fan, L., Qing, X., Cheng, Q, et al. Cytotoxic T lymphocyte associated antigen-4 polymorphisms confer susceptibility to primary biliary cirrhosis and autoimmune hepatitis in Chinese population. *World J. Gastroenterol.*, 10(20):3056-9, 2004.
- Fanaro S, Chierici R, Guerrini, Vigi V. Intestinal microflora in early infancy: composition and development. *Acta Paediatr Suppl*, 2003; 441: 48-55.
- FARHAT,S.C.L. Efeitos da poluição atmosférica na cidade de São Paulo sobre doenças do trato respiratório inferior em uma população pediátrica São Paulo, 1.999, 180 p. Tese (Doutorado) - Faculdade de Medicina Universidade de São Paulo
- Ferferbaum R, Falcão MC. *Nutrição do Recém-nascido*. São Paulo: Atheneu; 2002. p.315-28
- Ferferbaum R, Quintal VS. *Nutrição do recém nascido pré-termo*. *Pediatr Mod* 2000;36:133(N Espec).
- Ferraz SBT. Estudo sobre o atendimento Fonoaudiológico na Unidade neonatal: o bebê, mãe e fonoaudiólogo. [Dissertação de Mestrado]. São Paulo: PUC-SP; 2003.
- FESCINA, R. Metanálise sobre o método mãe-canguru. In: Reunião do lançamento da norma de atenção humanizada ao recém-nascido de baixo peso – método mãe-canguru. Rio de Janeiro: 2001.
- Figueira F & Alves JGB – *Doenças do adulto com raízes na infância*. Ed. Bagaço, Recife, 1998 (69 páginas)
- Figueiredo Filho PP, Penna FJ. Ecologia microbiana do trato gastrointestinal. In: Francisco José Penna, Joaquim Antônio César Mota, ed. *Medsj*, Rio de Janeiro. 1994. p.1-6.
- FIOCCHI C. Inflammatory bowel disease pathogenesis: therapeutic implications. *Chinese Journal of Digestive Diseases* 2005; 6; 6–9.

- FIOCCHI C. Inflammatory bowel disease: new insights into mechanism of inflammation and increasingly customized approaches to diagnosis and therapy. *Curr Opin Gastroenterol*, 2004; 20(4):309-310.
- Fiorelli LR, Krebs VLJ, Vaz FAC. Características clínicas de recém-nascidos filhos de mães adolescentes em hospital universitário (resumo). *Anais do XVIII Congresso Brasileiro de Perinatologia, XV Reunião de Enfermagem Perinatal, São Paulo, de 13 a 16 de novembro de 2004.*
- Fischer A. *Nature Immunology*, 2004; 5(1):23-30.
- Fischer GB, Camargos PA, Mocelin HT. The burden of asthma in children: a Latin American perspective. *Paediatr Respir Rev*. 2005 Mar; 6(1):8-13.
- Fiser RT, Torres A, Butch AW, Valentine J. Ionized magnesium concentrations in critically ill children. *Crit Care Med* 1998;26:2048-52.
- Fitzhardinge PM, Steven EM. The small for date infant I – Later growth patterns. *Pediatrics* 1972;49:671.
- Fitzhardinge PM, Steven EM. The small for date infant II – Neurologic and intellectual sequelae. *Pediatrics* 1972;50:50.
- Floros J, FAN R, DIANGELO S, GUO X, WERT J, LUO J. Surfactant protein (SP) B associations and interactions with SP-A in white and black subjects with respiratory distress syndrome. *Pediatr Intern* 2001;43:567-76.
- Floros J, Kala P. Surfactant proteins: molecular genetics of neonatal pulmonary diseases. *Ann Rev Physiol* 1998;60:365-84.
- FOLOMEEV M, ALEKBEROVA Z. Impotence in systemic lupus erythematosus. *J Rheumatol* 1990;17:117-8.
- FOMSGAARD, A. antibody to lipopolysaccharides: some diagnostic and protective aspects. *AMPIS*, 1990; 98 (suppl. 18): 5-38.
- FOMSGAARD, A.; HOYBY, N.; SHAND, G. H.; CONRAD, R. S.; GALANOS, C. Longitudinal study of antibody response to lipopolysaccharides during chronic *Pseudomonas aeruginosa* lung infection in cystic fibrosis. *Infection and Immunity*, 1988; 56(9): 2270-2278.
- Ford JE, Marshall VME, Reiter B. Influence of the heat treatment of human milk on some of its protective constituents. *J Pediatr* 1977;90(1):29-35
- Franco A, Barnaba V, Ruberti G, Benvenuto R, Balsano C, Musca A. Liver-derived T cell clones in autoimmune chronic active hepatitis: accessory cell function of hepatocytes expressing class II major histocompatibility complex molecules. *Clin Immunol Immunopathol*. 1990 Mar;54(3):382-94.
- Frankenburg, & Doods, J.B. (1967). The Denver Developmental Screening Test. *Pediatrics*. 71(2): 181-191.
- Fried TR, Van Doorn C, O'Leary et al. Older person's preference for home vs hospital care in the treatment of acute illness. *Archives of Internal Medicine* 2000; 160: 1501-6
- Frisancho AR. Anthropometric standards for the assessment of growth and nutritional status. Ann Arbor, University of Michigan Press, 1993.
- Frisancho AR. New norms of upper limb fat and muscle areas for assessment of nutritional status. *Am J Clin Nutrition*. 1981; 34: 2540-5.
- Frisch RE, Revelle R. The height and weight of girls and boys at the time of initiation of the adolescent growth spurt in height and weight and the relationship to menarche. *Hum Biol* 1971. 43:140-59.
- FROST, A. E. Role of Infections, Pathogenesis, and Management in Lung Transplantation. *Transplantation Proceedings*, 1999; 31: 175-177.

- Fujita K, Kaku M, Yanagase Y, Ezaki T, Furuse K, Ozawa A, et al. Physicochemical characteristics and flora of diarrhoeal and recovery faeces in children with acute gastro-enteritis in Kenya. *Ann Trop Paediatr.* 1990; 10(4): 339.
- Gabbe SG. Intrauterine growth retardation. In: Gabbe SG, Niebyl JR, Simpson, JL. *Obstetrics – normal and problem pregnancies.* 3rd ed. New York: Churchill Livingstone; 1996.
- Galler et al. Pubertal adipose tissue: is it really necessary for normal sexual maturation? *Eur J Endocrinol* 2001. 145:807-8.
- Gardosi J, Chang A, Kalyan B, Sahota D, Symonds EM. Customized antenatal growth charts. *Lancet* 1992;339:83.
- Garenne M. Sex differences in health indicators among children in African DHS surveys. *J Biosoc Sci.* 2003;35:601-14.
- Garenne M. Sex differences in health indicators among children in African DHS surveys. *J Biosoc Sci.* 2003;35:601-14.
- Gastroenteritis and its sequale. In : Walker-Smith J, Murch S. *Diseases of the Small Intestine in Childhood*, fourth ed. Oxford: Isis medical Media, 1999. p.119-195.
- Geller DE, Pitlick HW, Nardella PA, Tracewell WG, Ramsey BW. Pharmacokinetics and bioavailability of aerosolized tobramycin in cystic fibrosis. *Chest* 2002;122 219-26.
- Gendo K, Lodewick MJ – Asthma economics: focusing on therapies that improve costly outcomes. *Curr Opin Pulm Med* 2005, 11:43-50
- Georgieff MK, Schmidt RI, Mills MM, Radmer WJ, Widness JA. Fetal iron and cytochrome c status after intrauterine hypoxemia and erythropoietin administration. *Am J Physiol* 1996;262:485.
- Gereda JE, Leung DYM, Thatayatikom A, Stret JE, Price MR, Klinnert MD, Liu AH, Relation between house-dust endotoxin exposure, type 1 t-cell development, and allergen sensitization in infants at high risk of asthma. *Lancet* 2000, 355: 1680-83.
- Gern JE, Busse WW. The role of viral infections in the natural history of asthma. *J Allergy Clin Immunol* 2000; 106(2):201-212.
- GERRITSEN, M.E.; WILLIAMS, A.J.; NEISH, A.S.; MOORE, S.; SHI, Y.; COLLINS, T. CREB-binding protein/p300 are transcriptional co-activators of p65. *Proc. Natl. Acad. Sci. USA*, 94: 2927–2932, 1997.
- Gesell, A. (1996). *A Criança de 0 a 5 Anos.* 4ª ed. São Paulo: Martins Fontes.
- Gherpelli JLD. Evolução neurológica do recém-nascido pequeno para a idade gestacional. Estudo dos fatores de risco relacionados com o prognóstico neurológico durante o 1o ano de vida. [Tese de Doutorado]. São Paulo: Faculdade de Medicina da Universidade de São Paulo; 1988.
- Gherpelli JLD. Evolução neurológica do recém-nascido pequeno para a idade gestacional. Estudo dos fatores de risco relacionados com o prognóstico neurológico durante o 1o ano de vida. [Tese de Doutorado]. São Paulo: Faculdade de Medicina da Universidade de São Paulo; 1988.
- Gianini NM, Vieira AA, Moreira ME. Avaliação dos fatores associados ao estado nutricional na idade corrigida de termo em recém-nascidos de muito baixo peso. *J Pediatr (Rio J)*. 2005;81:34-40.
- GIANNINI EH; RUPERTO N; RAVELLI A; LOVELL DJ; FELSON DT; MARTINI A. Preliminary definition of improvement in juvenile arthritis. *Arthritis Rheum.* 40:1202-9, 1997.
- GIBSON, L. E. ; COOKE R. E. ; A test for concentration of eletrolytes in sweat in cystic fibrosis of the pancreas utilizing pilocarpine by iontophoresis. *Pediatrics* (23): 545-549, 1959.
- GILLIGAN, P.H.; GAGE, P.A.; BRADSHAW, L.M.; SCHIDLOW, D.V. & decido, B. T. Isolation Medium for the Recovery of *Pseudomonas cepacia* from Respiratory Secretions of Patients with Cystic Fibrosis. *Journal of Clinical Microbiology*, 1985; 22(1): 5-8.

GINSBURG KA, MOHISSI KS, ABEL EL. Computer-assisted human semen analysis. Sampling errors and reproducibility. *J. Androl.* 1998;9:82-90.

Giugliani E, Issler R, Kreutz G, Meneses C, Justo E, Kreutz V, Pires M. Breast pattern in a population with different level of poverty in Southern Brazil. *Acta Paediatr.* 1996;85:1499-500.

GLADMAN D, GINZLER E, GOLDSMITH C, FORTIN P, LIANG M, UROWITZ M, et al. The development and initial validation of the Systemic Lupus International Collaborating Clinics/American College of Rheumatology Damage Index for systemic lupus erythematosus. *Arthritis Rheum* 1996;39:363-9.

Global Initiative for Asthma – GINA Workshop Report, Global Strategy for Asthma Management and Prevention. NIH Publication No 02-3659. Atualizado em 2004. 197 p. Disponível em: <http://ginasthma.com/ginawr20.pdf>. Acessado em: 14/04/2005.

Gluckman PD, Cutfield W, Harding JE, Milner D, Jensen E, Woodhall S, Gallaher B, Bauer M, Breier BH. Metabolic consequences of intrauterine growth retardation. *Acta Paediatr.* 1996;417(Suppl):3-7.

Gluckman PD, Harding JE. The physiology and pathophysiology of intrauterine growth retardation. *Horm Res.* 1997;48(Suppl. 1):11-6.

Goldberg, A.C., Bittencourt, P.L., Mougi, B., Cançado, L.R., Porta.G., Carrilho, F., Kalil, J. Analysis of HLA haplotypes in autoimmune hepatitis type 1: indentifying the major susceptibility locus. *Human Immunology*, 62(2):165-9, 2001

GONCALVES FG, CHIMELLI L, SALLUM AM, MARIE SK, KISS MH, FERRIANI VP. Immunohistological analysis of CD59 and membrane attack complex of complement in muscle in juvenile dermatomyositis. *J Rheumatol.* 2002;29:1301-7.

GONÇALVES, A.B. Efeito de duas dietas a base de leite humano enriquecidas com “complemento especial” ou “fórmula especial para prematuros” sobre o crescimento e o metabolismo ósseo de recém nascidos de muito baixo peso. Ribeirão Preto, 2002. 195p. Dissertação (Mestrado) – Faculdade de Medicina de Ribeirão Preto – Universidade de São Paulo.

GONZALES-BARCELONA D, KASTIN AJ, COY DH. Induced changes in the release of LH and FSH after LHRH administration in human beings. *J. Steroid Biochem*, 1974;5:388.

Gorbach SL, Chang TW, Goldin B. Successful treatment of relapsing *Clostridium difficile* colitis with *Lactobacillus GG*. *Lancet.* 1987; 2:1519.

GORDON, S. The macrophage. *Bioessays*, 17: 977-986, 1995.

Goto K, Wayakama K, Sonoda H: Sequential changes in electroencephalogram continuity in very premature infants. *Electroencephalogr. Clin Neurophysiol* 1992; 82:197-202.

Gouvea A F T B, de Moraes-Pinto M I, Ono E, Dinelli M I S, Machado DM, Weckx LY, Succi RCM. Immunogenicity and Tolerability of Hepatitis A Vaccine in HIV-1-Infected Children. *Clin Infect Dis*, in press.

GOUVEIA, N; FLETCHER, T. Respiratory diseases in children and outdoor air pollution in São Paulo, Brazil: a time series analysis. *Occup. Environ. Med.*

GOVAN, J.R.W. & DERETIC, V.: Microbial Pathogenesis in Cystic Fibrosis: Mucoid *Pseudomonas aeruginosa* and *Burholderia cepacia*. *Microbiological Reviews*, 1996; 60(3): 539-574.

Green DW, Mimouni, F. Nucleated erythrocytes in healthy infants and in infants of diabetic mothers. *J Pediatr* 1989;116:129.

GREENBERG, M.E.; GREENE, L.A.; ZIFF, E.B. Nerve growth factor and epidermal growth factor induce rapid transient changes in proto-oncogene transcription in PC12 cells. *J. Biol. Chem.*, 260(26):14101-10, 1985.

GREENBERGER, P.A. & PATTERSON, R. Diagnosis and Management of Allergic Bronchopulmonary Aspergillosis. *Ann Allergy* ,1986; 56: 444-452.

Gregorio, G.V., Mieli-Vergani, G. Autoimmune liver disease in childhood. *Indian J. Gastroenterol.*, 16(2):60-3, 1997.

Gregorio, GV, Portman, B, Reid, E, Donaldson, PT, /doherty, DG, McCaryney, Me t al. Autoimmune hepatitis in childhood – a 20 year experience. *Hepatology*, 25: 541-7, 1997.

Grieco SFM. *Breastfeeding, wet nursing and infant mortality in Europe (1400-1800)*. In: Historical perspectives on breastfeeding. Florence: UNICEF, Istituto degli Innocenti; 1991.

GRIFFIN JE, WILSON JD. Disorders of the testes and the male reproductive tract. In: WILSON JD, FOSTER DW, KRONENBERG HM, LARSEN PR. *Williams Textbook of Endocrinology*. 9 ed. Philadelphia, W.B.Saunders Company,1999;819-875.

Groh, V., Rhinehart, R., Secrist, H., Bauer, S., Grabstein, K.H., Spies, T. Broad tumor-associated expression and recognition by tumor-derived gamma delta T cells of MICA and MICB. *Proc. Natl. Acad. Sci. USA*, 96(12): 6879:84, 1999.

Grolund M, Lehtonen O, Erola E, Kero P. Fecal microflora in healthy infants born by different methods of delivery: Permanent changes in intestinal flora after cesarean delivery. *J Pediatr Gastroenterol Nutr.* 1999; 28(1):19-25.

Gronenberg IA, Baerts W, Hop WC, Wladimiroff JW. Relationship between fetal cardiac and extracardiac Doppler flow velocity waveforms and neonatal outcome in intrauterine growth retardation. *Early Hum Dev* 1991;26:185.

Gross SJ, Buckley RH, Wakil SS, McAllister DC, David RJ, Faix RG. Elevated IgA concentration in milk produced by mothers delivered of preterm infants. *J Pediatr* 1981;99:389-393

GROSS SJ. Growth and biochemical response of preterm infants fed human milk or modified infant formula. *N Engl J Med* 308; 237 - 41, 1983.

GROSSI,P.; FARINA,C.; FIOCCHI,R.; GASPERINA, D. D. Prevalence and outcome of invasive fungal infections in 1963 thoracic organ transplant recipients. *Transplantation*, 2000; 70(1): 112-116.

Gupta V.B.; Nwosa N.M. et All. Externalizing behaviours and television viewing in children of low-income minority parents. *Clin Pediatr* 40(9):337-41, 2001.

Guarner F, Malagelada J-R. Gut flora in health and disease. *Lancet*. 2003; 361: 512-19.

Guohua C, Jidi C. Effects of dietary zinc on free radical generation, lipid peroxidation, and superoxide dismutase in trained mice. *Arch Biochem Biophys.* 1991;291:147-53.

Gutbrod T. Effects of gestation and birth weight on the growth and development of very low birth weight small-for-gestational-age infants: a matched-group comparison. *Arch Dis Fetal Child Neonatol* Ed.2000;82:208-14.

Guttmacher AE, Collins FS, Carmona RH – The family history – more important than ever. *N Engl J Med*, 351(22): 2333-6, 2004

GUYER, B.; GALLAGHER, S.S. – An approach to the epidemiology of childhood injuries. *Pediatr. Clin. North Am.*, 32:5, 1985.

HoBY, N. Pseudomonas in cystic fibrosis: past, present, future. The Joseph Levy Memorial Lecture in association with the Cystic Fibrosis Trust (Ed.). UK, 1998.

Haataja, R.; Hallman, M. Surfactant proteins as genetic determinants of multifactorial pulmonary diseases. *Ann. Med.*, v. 34, p. 324-33, 2002.

- Hack M. Follow-up for high-risk neonates. In Fanaroff AA, Martin RJ. Ed. Neonatal- Perinatal Medicine. Diseases of the fetus and infant. 6th ed. St. Louis: Mosby, 1997; pp. 952-7.
- Hadlock FP, Harrist RB, Martinez-Poyer J. In utero analysis of fetal growth: a sonographic weight standard. *Radiology* 1999;181:129.
- Hadlock FP, Harrist RB, Martinez-Poyer J. In utero analysis of fetal growth: a sonographic weight standard. *Radiology* 1999;181:129.
- Haggerty PA, Rutstein SO. Demographic and Health Surveys Comparative Studies n°30. *Breastfeeding and complementary infant feeding and the postpartum effects of breastfeeding*. Macro International Inc.;1999.
- Hales CN. Metabolic consequences of intrauterine growth retardation. *Acta Paediatr Suppl* 1997;423:184-7.
- HALLAK J, HENDIN BN, THOMAS AJ, AGARWAL A. Why cancer patients request disposal of cryopreserved semen specimens posttherapy: a retrospective study. *Fertil. Steril.*, 1998b;69:889-93.
- HALLAK J, HENDIN BN, THOMAS JR AJ, AGARWAL A. Investigation of the fertilizing capacity of cryopreserved spermatozoa from patients with cancer. *J Urol* 1998a;159:121 7-9.
- HALLAK J, KOLETTIS PN, SEKHON VS, THOMAS JR AJ, AGARWAL A. Sperm cryopreservation in patients with testicular cancer. *Urology* 1999;54:894-9.
- HALLAK J. Creatinina quinase como um novo marcador de função espermática em sêmen fresco e criopreservado e a sua relação com a infertilidade masculina. São Paulo, 1999. 148p. Tese (Doutorado) - Faculdade de Medicina, Universidade de São Paulo.
- HALONEN, M.; STERN, D.A.; LOHMAN, C.; WRIGHT, A.L.; BROWN, M.A.; MARTINEZ, F.D. Two subphenotypes of childhood asthma that differ in maternal and paternal influences on asthma risk. *Am. J. Resp. Crit. Care Med.*, 160: 564-70.
- HAMERMAN, J. & ADEREM, A. Functional transitions in macrophages during in vivo infection with *Mycobacterium bovis* Bacillus Calmette-Guérin. *J. Immunol.*, 167: 2227-2233, 2001.
- HAMILTON A. Sexual problems in arthritis and allied conditions. *Int Rehabil Med* 3:38-42,1981
- HANCOCK, J.T. Superoxide hydrogen peroxide and nitric oxide as signalling molecules; their production and role disease. *Brit. J. Biom. Sci.*, 54: 38-46, 1997
- Hanlon-Lundberg KM, Kirby RS. Nucleated red blood cells as a marker of acidemia in term neonates. *Am j Obstet Gynecol* 1999;181:196.
- HARBOE, M.; MSHANA, R.N.; CLOSS, O. KRONVALL, G.; AXELSEN, N.H. Cross-reactions between mycobacteria. II. Crossed immunoelectrophoretic analysis of soluble antigens of BCG and comparison with other mycobacteria. *Scand. J. Immunol.*, 9: 115-124, 1979.
- HARDY, K. A.; A Review of airway clearance: new techniques, indications and recommendations. *Respiratory Care*, 39 (5):440 - 452, 1994.
- Harpavat M, Keljo D J. Perspectives on osteoporosis in pediatric inflammatory bowel disease. *Current Gastroenterology Reports* 2003, 5:225-232.
- HASKILL, S.; BEG, A.A.; TOMPKINS, S.M.; MORRIS, J.S.; YUROCHKO, A.D.; SAMPSON-JOHANNES, A.; MONDAL, K.; RALPH, P.; BALDWIN JR, A.S. Characterization of an immediate-early gene induced in adherent monocytes that encodes I κ B-like activity. *Cell*, 65: 1281-89, 1991.
- Hayden MJ, Wildhaber JH, LeSouef PN. Bronchodilator responsiveness testing using raised volume forced expiration in recurrently wheezing infants. *Pediatr Pulmonol* 1998; 26: 35-41.
- Hecher L, Snijders R, Campbell S, Nicolaidis KH. Fetal venous, intracardiac and arterial blood flow measurements in intrauterine growth retardation with fetal blood gases. *Am J Obstet Gynecol* 1995;173:10.
- HEIMBURGER, D.C.; WEINSIER, R.L.: Handbook of clinical nutrition, ed 3, St.Louis, 1997, Mosby.

- Heinzmann, A., Mao, X.Q., Akaiwa, M., Kreomer, R.T., Gao, P.S., Ohshima, K., et al. Genetic variants of IL-13 signalling and human asthma and atopy. *Hum Mol Genet*, 9:549-59, 2000.
- Heird WC. The role of polyunsaturated fatty acids in term and preterm infants and breastfeeding mothers. *Pediatr Clin North Am* 2001;48:173-88.
- HENDERSON, L. M.; CHAPPELL, J. B. NADPH oxidase of neutrophils. *Biochim. Biophys. Acta. Bio-Energetics*, 1273: 87-107, 1996.
- HENGSTUM, M.; FESTEN, J.; Conventional physiotherapy and forced expiration manoeuvres have similar effects on tracheobronchial clearance. *Eur Resp J*, 1 (8): 758-761, 1988.
- Henrickson KJ. Advances in the laboratory diagnosis of viral respiratory disease. *Pediatr Infect Dis J* 2004; 23(1 Suppl):S6-10.
- HENRY, D. A.; CAMPBELL, M. E.; LIPUMA, J. J.; SPEERT, D. P. Identification of Burkholderia cepacia Isolates from Patients with Cystic Fibrosis and Use of a Simple New Selective Medium. *Journal of Clinical Microbiology*, 1997; 35(3): 614-619.
- Hermansen MC. Nucleated red blood cells in the fetus and newborn. *Arch Dis Child Fetal Neonatal* 2001;84:11.
- Hernandez AM. Atuação fonoaudiológica com o sistema estomatognático e a função de alimentação. In: Hernandez AM. Conhecimentos essenciais para atender bem o neonato. São José dos Campos: Editora Pulso; 2003.
- Heward J, Gough SC. Genetic susceptibility to the development of autoimmune disease. *Clin Sci (Lond)* Dec;93(6):479-91,1997.
- Hide DW, Matthews S. Allergen avoidance in infancy and allergy at 4 years of age. *Allergy* 1996; 51:89-93.
- HILÁRIO MOE; LEN CA; SATO EI; TERRERI MT; SACCHETTI S; OKUDA EM et al. Lúpus eritematoso sistêmico juvenil: resultados do estudo multicêntrico nacional. *Rev Bras Reumatol* 42: 85-89, 2002.
- HILLARD PJA. Pediatric and adolescent gynecology, In: SCOTT JR; SAIA PJD; HAMMOND CB; SPELLACY WN. *Danforth's Obstetrics & Gynecology*, 1999.
- HINSON, K.F.K.; MOON, A.J.; PLUMMER N.S.: Broncopulmonary aspergillosis - a review and report of eight new cases. *Thorax*, 1952; 7: 317-333.
- Hintz SR, Poole WK, Wright LL, et al. (2005) Changes in mortality and morbidities among infants born at less than 25 weeks during the post-surfactant era. *Arch Dis Child Fetal Neonatal Ed*, 90: F128-F133.
- Hobbs, K., Negri, J., Klinnert, M., Rosenwasser, L.J., Borish, L. Interleukin-10 and Transforming growth factor- β promoter polymorphism in allergies and asthma. *Am. J. Respir. Crit. Care Med.*, 158:1958-62, 1998.
- HOCHBERG MC. Systemic Lupus Erythematosus. In: CASSIDY JT, PETTY RE. *Textbook of Pediatric Rheumatology*. 4 ed. Philadelphia, W.B. Saunders Company, 2001 :396-449.
- HOCHBERG MC. The Epidemiology of Systemic Lupus Erythematosus. In: WALLACE DJ, HAHN BH. *Dubois' Lupus Erythematosus*. 5 ed. Baltimore, Williams & Wilkins, 1997:49-65.
- HOCHBERG MC. Updating the American College of Rheumatology revised criteria for the classification of systemic lupus erythematosus. *Arthritis Rheum* 40: 1725, 1997.
- HOCHBERG MC; CHANG RW; DWOSH I et al. The American College of Rheumatology 1991 revised criteria for the classification of global functional status in rheumatoid arthritis. *Arthritis Rheum* 35: 498, 1992.

- Hofman PL et al. The metabolic consequences of prematurity. *Growth Horm IGF Res.* 2004;14 Suppl A:S136-9.
- HOIBY, N. Microbiology of lung infections in cystic fibrosis. *Acta Paediatr. Scand (supl.)*, 1982; 301: 33-54.
- Hokken-Koelega ACS et al. Children born small for gestational age: do they catch-up?. *Pediatr Res* 1995;38:267-71.
- HOLTZMAN, M.J.; MORTON, J.D.; SHONICK, L.P. Immunity, inflammation, and remodeling in the airway epithelial barrier: epithelial-viral-allergic paradigm. *Physiol. Rev.*, 82: 19-46, 2002.
- HOMNICK, D. N.; ANDERSON, K.; Comparison of the flutter device to standard chest physiotherapy in hospitalized patients with cystic fibrosis. *Chest*, 114 (4): 993-997, 1998.
- Hoog, M. Newborn hearing screening: tobramycin and vancomycin are not risk factors for hearing loss. *J. Pediatr* 2003; 142:41-6.
- Hrachovy RA, Mizrahi EM, Kellaway P: Electroencephalography of the newborn. In Daly DD; Pedley TA: *Current practice of Clinical Electroencephalography*. 2nd ed. New York: Raven Press; 1990.
- HUBEAU, C.; SINGER, M.; LAGRANDERIE, M.; MARCHAL, G.; VARGAFTIG, B. Extended freeze-dried *Mycobacterium bovis* Bacillus Calmette-Guérin induces the release of interleukin-12 but not tumor necrosis factor- α by alveolar macrophages, both in vitro and in vivo. *Clin. Exp. Allergy*, 33: 386-393, 2003.
- HUDSON RW. The endocrinology of varicoceles. *Fertil Steril* 1988;49:199-208.
- Hugot, J.P., Chamaillard, M., Zouali, H., Lesage, S., Cezard, J.P., Belaiche, J., Almer, S., Tysk, C., O'Morain, C.A., Gassul, M., Binder, V., Finkel, Y., Cortot, A., Modigliani, R., Laurent-Puig, P., Gower-Rousseau, C., Macry, J., Colombel, J.F., Sahbatou, M., Thomas, G. Association of NOD2 leucine-rich repeat variants with susceptibility to Chron's disease. *Nature*, 411(6837): 599-603, 2001.
- Hutchinson J. On the capacity of the lungs, and on the respiratory functions, with a view of establishing a precise and easy method of detecting disease by spirometer. *Med Chir Soc (Lond) Trans* 1846; 29:137-145,170,184,219-220,234,236,247-252.
- Hutton JL et al. Differential effects of preterm birth and small gestational age on cognitive and motor development. *Arch Dis Childh* 1997;76:F75-F81.
- HYAMS JS, MARKOWITZ JF. Can we alter the natural history of Crohn's disease in children? *JPGN* 2005; 40: 262-272
- Ibañez et al. Reduced uterine and ovarian size in adolescent girls born small for gestational age. *Pediatr Res* 2000;57:5-7.
- III Consenso Brasileiro no Manejo da Asma. *J Pneumol* 2002; 28: S1-28.
- Ilowite, JS, Gorvoy, JD, Smaldone GC. Quantitative deposition of aerosolized gentamicin in cystic fibrosis. *Am Rev Resp Dis* 1987; 136: 1445-1449.
- Infância e Adolescência. 1º Ed Atheneu. 2001. p. 5-12.
- INFANTE-RIVARD, C.; AMRE, D.; GAUTRIN, D.; MALO, J.L. Family size, daycare attendance, and breastfeeding in relation to the incidence of childhood asthma. *Am. J. Epidemiol.*, 153: 653-658, 2001.
- Innis, M.A., Gelfand, D.H., Sninsky, J.J., White, T.J. *PCR Protocols*. Academic Press, 1990.
- INOUE, T., YOSHIKAI, Y.; MATSUZAKI, G.; NOMOTO, K. Early appearing $\gamma\delta$ -bearing T cells during infection with Calmette Guérin bacillus. *J. Immunol.*, 146:2754, 1991.
- International Study of Asthma and Allergies in Childhood (ISAAC) Steering Committee. Worldwide variation in prevalence of symptoms of asthma, allergic rhinoconjunctivitis, and atopic eczema: ISAAC. *Lancet* 1998; 351:1225-32.

Investigation of the probable causes of specific childhood disabilities in eastern Afghanistan (preliminary report). *Cent Eur J Public Health*. 2004;12:53-7.

JACOB A, BARKER H, GOODMAN A, HOLMES J. Recovery of spermatogenesis following bone marrow transplantation. *Bone Marrow Transplant* 1998;22:277-9.

JACOB A, GOODMAN A, HOLMES J. Fertility after bone marrow transplantation following conditioning with cyclophosphamide and total body irradiation. *Bone Marrow Transplant* 1995;15:483-4.

Jacob CO, Aiso S, Michie SA, McDevitt HO, Acha-Orbea H. Prevention of diabetes in nonobese diabetic mice by tumor necrosis factor (TNF): similarities between TNF-alpha and interleukin 1. *Proc Natl Acad Sci U S A*. Feb;87(3):968-72, 1990.

JAFFÉ, .A.; BUSH, A.; Cystic fibrosis: review of the decade. *Monaldi Arch Chest Dis* 56(3): 240-247, 2001.

JANCZEWSKI Z, BABLOK L. Semen characteristic in pubertal boys. 1. Semen quality after first ejaculation. *Arch. Androl*. 1985; 15:199-295.

JANG, A.S.; SON, M.H. The association of airway hyperresponsiveness and tuberculin responses. *Allergy*, 57: 341-345, 2002.

JARDIM CRF, DA ROS CT, LORENZI F. Fatores de risco e prevenção da infertilidade no homem. In: GLINA 5, DAMIÃO R. 1 Consenso Brasileiro de Infertilidade Masculina. Ed. São Paulo, BG Editora e Produções Culturais Ltda, 1999;1 1-5.

Jiang A. One-third of term babies after perinatal hypoxia-ischemia have transient hearing impairment: dynamic change in hearing threshold during the neonatal period. *Acta Paediatr* 2004;93:82-87.

Jimenez, MAR., Martin, AR, Garcia, JRF. Comparing the biological and psychosocial risks of pregnancy between groups of adolescents and adults. *Eur J Epidemiol* 2000;16:527-32.

Johnson CC, Ownby DR. Parental history of atopic disease and concentration of cord blood IgE. *Clin Exp Allergy* 1996; 26:624-629.

JOHNSTON, R.B. Enhancement of phagocytoses-associated oxidase metabolism as a manifestation of macrophage activation. *Lymphokines*, 3: 33-56, 1981.

Jones M, Castile R, Davis S, Kisling JA, Filbrun D, Flucke R et al. Forced expiratory flows and volumes in infants. Normative data and lung growth. *Am J Respir Crit Care Med* 2000; 161 (2pt1): 353-9.

JONES, A.M.; DODD, M.E. & WEBB, A. K.: Burkholderia cepacia: current clinical issues, environmental controversies and ethical dilemmas. *European Respiratory Journal*, 2001; 17(2): 295-301.

JONG, W.; KAPTEIN, A.A.; van der SCHANS, C.P.; MANNES, G.P.M.; van AALDEREN, W.M.C.; GREVINK, R.G.; KOËTER, G.H.; Quality of life in patients with cystic fibrosis. *Pediatr Pulmonol* 23: 95-100, 1997.

JORENS, P.G.; MATTHYS, K.E.; BULT, H. Modulation of nitric oxide synthase activity in macrophages. *Mediators of inflammation*, 4: 75-89. 1995.

Kalliomaki M, Isolauri E. Role of intestinal flora in the development of allergy. *Curr Opin Allergy Immunol*. 2003; 3(1): 15-20.

Kalliomäki M, Kirjavainen P, Eerola E, Kero P, Salminen S, Isolauri E. Distinct patterns of neonatal gut microflora in infants in whom atopy was and was not developing. *J Allergy Clin Immunol*. 2001; 107 (1): 129-34.

Kalliomäki M, Salminen S, Arvilommi H. Probiotics in the primary prevention of atopic disease: a randomised placebo-controlled trial. *Lancet*. 2001; 357: 1076-9.

KALUNIAN KC. Definition, Classification, Activity and Damage indices. In: WALLACE DJ, HAHN BH. *Dubois' Lupus Erythematosus*. 5 ed. Baltimore, Williams & Wilkins, 1997:19-29.

KANGA, J.; KURHM, R.; CFCS: A new scoring system to evaluate acute pulmonary exacerbation. *Clinical Therapeutics*, 21(8) : 1343-1356,1999.

KANGA, J.; WILSON, J.; The efficacy of reported symptoms and physical findings in indentifying children with clinically significant deteriorating pulmonary function. *Pediatr Pulmonol* (5): 258, 1990.

Karlberg I, Albertsson-Wikland K. Growth in fullterm, small-for gestational age infant: from birth to final weight. *Pediatr Res* 1995;38:733-9.

Kartasamita CB, Rosmayudi O, Demedts M. Total serum and eosinophil count in children with and without a history of asthma, wheezing, or atopy in na urban community in indonesia. *J Allergy Clin Immunol* 1994;94: 981-988.

Kassu A, Mohammad A, Fujimaki Y, Moges F, Elias D, Mekonnen F, Mengistu G, Yamato M, Wondmikun Y, Ota F . Serum IgE levels of tuberculosis patients in a tropical setup with high prevalence of HIV and intestinal parasitoses. . *Clin Exp Immunol*. Oct;138(1):122-7,2004.

KATZ, DV et al *Acidentes na Infância* In: Marcondes E. (Coord.) *PediatriaBásica Tomo II 9ª Ed.* São Paulo, Sarvier, 2003

Kawashiro N. :Delayed post-neonatal intensive care unit hearing disturbance. *Int. J. Pediatr. Otorhinolaryngol* 1996;34:35-43.

Kawashiro N. :Delayed post-neonatal intensive care unit hearing disturbance. *Int. J. Pediatr. Otorhinolaryngol* 1996;34:35-43.

Keller MB, Lowenstein SR. Epidemiology of Asthma. *Sem Respir Crit Care Med* 2002; 23:317-29.

KELLY, B.; SEIN, C.; McCARTHY, P.L. – Safety educations in a pediatric primary care setting. *Pediatrics*, 79:818, 1987.

Kilbride HW, Thorstad K, Daily DK. Preschool outcome of less than 801-gram preterm infants compared with full-term siblings.

Kim JN, Namgung R, Chang W et al. Prospective evaluation of perinatal risk factors for cerebral palsy and delayed development in high risk infants. *Yonsei Med J* 1999;40:363-70.

Kingdom JCP, Kaufmann P. Oxygen and placental villous development: Origins of fetal hypoxia. *Placenta* 1997;18: 613-21

KIRSCHNING, C.J.; WESCHE, H.; MERRILL AYRES, T; ROTHE, M. Human toll-like receptor 2 confers responsiveness to bacterial lipopolysaccharide. *J. Exp. Med.*, 188:2091, 1998.

KISKA, D. L.; KERR, A.; JONES, M.C.; CARACCILO, J.A.; ESKRIDE, B.; JORDAN, M.; MILLER, S.; HUGHES, D.; KING, N.; GILLIGAN, P.H. Accuracy of Four Commercial Systems for Identifications of *Burholderia cepacia* and Other Gran-Negative Nonfermenting Bacilli Recovered from Patients with Cystic Fibrosis. *Journal of Clinical Microbiology*, 1996; 34(4): 886-891.

KJELDSSEN, L.; BAINTON, D.F.; SENGELOV, H.; BORREGAARD, N. Structural and functional heterogeneity among peroxidase-negative granules in human neutrophils: Identification of a distinct gelatinase-containing granule subset by combined immunocytochemistry and subcellular fractionation. *Blood*, 82: 3183-3191, 1993.

Kleiderlein JJ, Nisson PE, Jessee J, Li WB, Becker KG, Derby ML, Ross CA, Margolis RL. CCG repeats in cDNAs from human brain. *Hum Genet*. 1998 Dec;103(6):666-73. Erratum in: *Hum Genet* Jan;104(1):113, 1999.

Kliegman RM. Intrauterine growth retardation. In: Fanaroff AA, Martin RJ. *Neonatal-perinatal medicine disease of the fetus and infant*. 6.ed. Saint Louis: Mosby;1997. p.202-40.

Knoblock, H. & Passamanick, B. (2000). *Gesell e Amatruda: Psicologia do Desenvolvimento do Lactente e Criança Pequena – Bases Neuropsicológicas e Controversas*. São Paulo: Atheneu

- Knoles MR, Stutts MJ, Yankaskas JR – Abnormal respiratory epithelial ion transport in cystic fibrosis. *Clin.Chest.Med.* 1986;7:285
- KNUSTEN, A.P.; MUELLER, K.R.; HUTCHESON, P.S.; SLAVIN, R.G.: Serum-Aspergillus fumigatus antibodies by immunoblot and ELISA in cystic fibrosis with allergic bronchopulmonary aspergillosis. *J Allergy Clin Immunol*, 1994; 93 (5): 926-31
- KNUTSEN, A. P. & SLAVIN R.G. Allergic bronchopulmonary mycosis complication cystic fibrosis. *Seminars in Respiratory Infections*, 1991; 7(3): 179-192.
- Koch C, Hoiby N. Pathogenesis of cystic fibrosis. *Lancet* 1993; 341: 1065-1069.
- KOCH, C. & HØIBY, N.: Pathogenesis of cystic fibrosis. *The Lancet*, 1993 April 24; 341: 1065-1969.
- Kohen G. Anatomy of the stem villus. IUGR. (Eds) Baker P, Kingdom JCP. London: Springer-Verlag;1999.
- KOLETZKO, S.; REINHARDT, D.; Nutritional challenges of infants with cystic fibrosis. *Early Hum Dev* 65: 53-61, 2001.
- KOLLER, D.Y.; GOTZ, M.; Relationship between disease severity and inflammatory markers in cystic fibrosis. *Arch Dis Child*, 57 (8): 587-589, 1982.
- Konstan MW, Berger M. Infection and inflammation in the lung in cystic fibrosis. In: Davis P,B; ed. *Lung biology in health and disease (vol64)*. /new york; N Y; Marcel Dekker,1993: 219-276.
- KONSTAN, M.W. & BERGER, M.: Current understanding of inflammatory process in cystic fibrosis: onset and etiology. *Pediatric Pneumol.*, 1997; 24: 137-141.
- KOROSOV, M.R.; ZENG, L.; WEST, S.E.H.; ROCK, M. J. SPLAINGARD, M.L.; LAXOVA, A.; GREEN, C.G.; COLLINS, J. AND FARREL, P.M. Acceleration of lung disease in children with cystic fibrosis after *Pseudomonas aeruginosa* acquisition. *Pediatric Pulmonology*, 2001; 32: 277-287.
- Kosman DJ, Henkin RI. Plasma and serum zinc concentrations. *Lancet*. 1979;1:1410.
- Kotowska M, Albrecht P, Szajewska H. *Saccharomyces boulardii* in the prevention of antibiotic-associated diarrhea in children: a randomized double-blind placebo-controlled trial. *Aliment Pharmacol Ther.* 2005; 21 (5): 583-90.
- Koumbourlis AC, Motoyama EK. Longitudinal follow-up of lung function from childhood to adolescence in prematurely born patients with neonatal chronic lung disease. *Pediatr Pulmonol* 1996; 21:28-34.
- Kraemer R, Graf Bigler U. Clinical and physiological improvement after inhalation of low-dose beclomethasone dipropionate and salbutamol in wheezy infants. *Respiration* 1997; 64:342-349.
- Kramer MS, Mclean FH, Olivier M, Willis D, Usher R. Body proportionality and head and length "sparing" in growth retarded neonates: a critical reappraisal. *Pediatrics* 1989; 84:717-23.
- KRAPPMANN, D.; WULCZYN, F.G.; SCHEIDEREIT, C. Different mechanisms control signal-induced degradation and basal turnover of the NF κ B inhibitor I κ B in vivo. *EMBO J.*, 15: 6716–6726, 1996.
- Krawitt EL. Autoimmune hepatitis. Evolving concepts and treatment strategies. *Dig Dis Sci*, 40:232-26s, 1994.
- Krebs VLJ , Grassi MS, Diniz, EMA.; Ceccon MEJ, Vaz FAC. Pathologies related to the death of preterm newborn by the CRIB score in a neonatal intensive care unit. *Proceedings of the Renaissance Congress of the 210 Century on The woman and child before, during and after pregnancy*, Rome, 2001, p.317-21.
- Krebs VLJ, Ceccon, MEJ, Silva MH, Diniz EMA, Melluzzi MP, Vaz FAC. Very low birth weight morbidity after neonatal intensive care unit discharge (abstract). *J Perinat Med* 2003;31(suppl.1):325.

- Krebs VLJ, Diniz EMA, Marques-Dias MJ, Ceccon MEJR, Mangini NN, Ramos JLA, VAZ, F.A.C. Secuelas auditivas de meningitis bacteriana neonatal: estudio de 32 recién nacidos de término. *Bol Med Hosp Infant Mex* 1997 ;54: 369-73
- Krebs VLJ, Diniz EMA, Vaz FAC, Marques-Dias MJ, Ceccon MEJR, Ramos JLA. Neonatal bacterial meningitis: prospective study of the long-term outcome of 55 children. *Pediatr. Res* 1996;39:297A.
- Krebs VLJ, Meluzzi M, Diniz EMA, Ceccon MEJR, Kim CA, Vaz FAC. Fetal-alcohol syndrome in a newborn: a case report (abstract). *Prenat. Neonatal Med* 2001;6 (suppl.1):127.
- Krebs VLJ, Taricco, LD. Fatores de risco para meningite bacteriana no recém-nascido. *Arq Neuropsiquiatr* 2004;62(3-A):630-6.
- KRESTER DM, McLACHLAN RI, ROBERTSON DM, WREFORD NO. Control of spermatogenesis by follicle stimulating hormone and testosterone. *Bailliers clin. Endocrinol. Metab.* 1992;6:335-54.
- Kristiansen, M; Aggerbeck, H; Heron, I (1997). Improved ELISA for determination of anti-diphtheria and/or anti-tetanus antitoxin antibodies in sera. *Acta Pathol. Microbiol. Scand.*, 105: 843-53.
- KRUGER TF, ACOSTA AA, SIMMONS KF, SWANSON RJ, MATTA JF, OEHNINGER S. Predictive value of abnormal sperm morphology in vitro fertilization. *Fertil. Steril.* 1988;49: 112-7.
- KUCZYNSKI E; SILVA CA; CRISTÓFANI LM; KISS M; ODONE FILHO V; ASSUMPÇÃO JR F. Evaluación de la calidad de vida en niños y adolescentes portadores de enfermedades crónicas y/o incapacitadoras: un estudio brasileño. *An Pediatr* 58:550-5, 2003.
- Kuni C C, Regelman WE, duCret RP, Boudreau RJ, Budd JR. Aerosol scintigraphy in the assessment of therapy for cystic fibrosis . *Clin Nucl Med* 1992; 17: 90-93.
- KURUP, V.P.; GRUNING, G.; KNUTSEN, A.P.; MURALI., P.S.: Cytokines in Allergic bronchopulmonary aspergillosis. *Res immunol*, 1998; 149 (4-5): 466-477.
- Kuzma-O'Reilly B, Duenas ML, Greecher C, Kimberlin L, Mujsce C, Miller D, et al. Evaluation, development and implementation of potentially better practices in neonatal intensive care nutrition. *Pediatrics* 2003; 111: e461-70.
- KWIATKOWSKY, C.A.; DECKER, R.T.; O'SULLIVAN-MAILLET, J. – Aspectos nutricionais da saúde da criança. IN SCANLAN, L.C.; WILKINS, R.L.; STOLLER, J.K. - Fundamentos da Terapia Respiratória de Egan. São Paulo, 7ª edição, Editora Manole, 2000.
- LAFORGIA, J.; WITHERS, R.T. Measurement of total body water using 2H dilution: impact of different calculations for determining body fat. *British Journal of Nutrition*, v 88, p 325-329, 2002.
- LAHITA RG. The role of sex hormones in systemic lupus erythematosus. *Cur. Opin. Rheumatol.* 1999; 11:352-6.
- Lalvani A (2003). Spotting latent infection: the path to a better tuberculosis control. *Thorax*, 58: 916-8.
- Landau LI. Bronchiolitis and Asthma: are they related? *Thorax* 1994; 49:293-296.
- Landau LI. Lung function and responsiveness in infancy. *Monaldi Arch Chest Dis* 1996; 51:303-305.
- Landau LI. What must treat in childhood asthma : symptoms and/or abnormal function. . *Pediatr Pulmonol Suppl* 1997; 16:94-55.
- Landgraf, J.M., Abetz, L., and Ware, J.E. (1999). The CHQ User's Manual. Second printind MA: HealthAct.
- Lange P, Parner J, Vestbo J, Schnohr P, Jensen G. A 15-year follow-up study of ventilatory function in adults with asthma. *N Engl J Med.* 1998 Oct 22;339(17):1194-200.
- LANNEFORS, L.; BUTTON, B.M.; McILWAINE, M.; Physiotherapy in infants and young children with cystic fibrosis: current practice and future developments. *J R Soc Med* 97(44): 8-25, 2004.

LAPILLONNE, A.A.; GLORIEUX, F.H.; SALLE, B.L.; BRAILLON, P.M.; CHAMBON, M.; RIGO, J.; PUTET, G.; SENTERRE, J.. Mineral balance and whole body mineral content in very low-birth-weight infants. *Acta Paediatr. Suppl.* v.405, p.117-22, Dec. 1994.

LARON Z, ARAD J, GUREWITZ R, GRUNEBAUM M, DICKERMAN Z. Age of first conscious ejaculation: a milestone in male puberty. *Helv Paediatr Acta* 1980;35:13-20.

Latini G, De Mitri B, Del Vecchio A, Chitano G, De Felice C, Zetterström. Foetal growth of kidneys, liver and spleen in intrauterine growth restriction: "programming" causing "metabolic syndrome" in adult age. *Acta Paediatr* 2004;93:1635-9.

Laube BL, Links JM, La France ND, Wagner HN Jr, Rosenstein BJ. Homogeneity of bronchopulmonary distribution of ⁹⁹Tc aerosol in normal subjects and in cystic fibrosis patients. *Chest* 1989; 95:822-830.

LAWARENCE, C.; NAUCIEL, C. Production of interleukin-12 by mouse macrophages in response to bacterial peptidoglycan. *Infect. Immun.*, 66(10): 4947- 9, 1998.

Lazarus, M., Hajeer, A.H., Turner, D., Sinnott, P., Worthington, J., Ollier, W.E., Hutchinson, I.V. Genetic variation in the interleukin 10 gene promoter and systemic lupus erythematosus. *J Rheum* 24:2314-7, 1997.

Laznik-Penot, M-C. (1997). Poderíamos pensar numa prevenção da síndrome autística? *Em Wanderley, D. Palavras em Torno do Berço.* Salvador: Ágalma.

LE GROS, G.; ERB, K.; HARRIS, N.; HOLLOWAY, J.; McCOY, K. RONCHESE, F. Immunoregulatory networks in asthma. *Clin. Exp. Allergy*, 28 (5): 92-96, 1998.

Le Souëf PN, England SJ. Passive respiratory mechanics in newborn and children. *Am Rev Respir Dis* 1984; 129:727-729.

LEAL MM. Caracterização da espermarca: um projeto piloto. São Paulo, 1994. 187p. Dissertação (Mestrado). Faculdade de Medicina da Universidade de São Paulo.

LEBRÃO, M.L.; CARANDINA, L.; MAGALDI, C. et al. Análise das condições de saúde e de vida da população urbana de Botucatu, São Paulo (Brasil). IV. Morbidade referida em entrevistas domiciliares, 1983-1984. *Rev. Saúde Pública*, v.25, p.452-60, 1991.

LEMONS, J. A., BAUER, C. R., OH, W. et al. Very low birth weight outcomes of th National Institute of Child Health and Human Development Neonatal Research Network, January 1995 through December 1996. *Pediatrics*, v.107, n.1, 2001.

LIN, C.A.; MARTINS, M.A.; FARHAT, SCL; POPEIII, C.A.; CONCEIÇÃO, G.M.S.; ANASTÁCIO, V.M.; HATANAKA, M.; ANDRADE, W.C.; HAMAUE, W.R.; BÖHM, G.M.; SALDIVA, P.H.N. Air pollution and respiratory illness of children in São Paulo, Brazil. *Paediatr. Perinat. Epidemiol.* v 13, p 475-488, 1999.

Ljungberg H, Gustafsson PM- infant lung function testing:available and useful methods.*Breathe* 2004, 1:13-23

Lucas A – Programming by early nutrition in man. In: Bock GR, Whelan J (eds). *The childhood environment and adult disease* (CIBA Foundation symposium 156). Chichester, Wiley, 1991, p. 38-55

Lucas A, Cole TJ. Breast milk and neonatal necrotising enterocolitis. *Lancet* 1990;336:1519-23

Lucas A, Fetwtrell MS, Cole TJ. Fetal origins of adult diseases-the hypothesis revisited. *BMJ* 1999;245-9.

LUKASKI, H.C. Soft tissue composition and bone mineral status: evaluation by dual-energy X-ray absorptometry. *J of Nutrition*, v 123, p 438-443, 1993.

Lundequist B, Nord CE, Winberg J. The composition of faecal microflora in breastfed and bottle fed infants from birth to eight weeks. *Acta Paediatr Scand*, 1985; 74: 45-51.

Lyczak JB, Cannon CL, Pier GB. Lung infections associated with cystic fibrosis. *Clinical Microbiology Reviews* 2002; 14 (2): 194-222.

- MACARA LM, KINGDOM JCP, KAUFMANN P, KOHEN G, HAIR J, MORE IRA, LYALL F, GREER IA. Structural analysis of placental terminal villi from growth-restricted pregnancies with abnormal umbilical artery Doppler waveforms. *Placenta* 1996;17:37-48
- MACHADO CS et al. The Brazilian version of the Childhood Health Assessment Questionnaire (CHAQ) and the Child Health Questionnaire (CHQ). *Clin Exp Rheumatol.* 2001;19:S25-9.
- MACHADO CS; RUPERTO N; SILVA CH; FERRIANI VP; ROSCOE I; CAMPOS LM; OLIVEIRA SK; KISS MH; BICA BE; SZTAJNBOK F; LEN CA; MELO-GOMES JA. Paediatric Rheumatology International Trials Organisation. The Brazilian version of the Childhood Health Assessment Questionnaire (CHAQ) and the Child Health Questionnaire (CHQ). *Clinical & Experimental Rheumatology.* 19(4 Suppl 23):S25-9, 2001 Jul-Aug.
- MACKIE RI, SGHIR A, GASKINS HR. Developmental microbial ecology of the neonatal gastrointestinal tract. *Am J Clin Nutr.* 1999; 69 (suppl): 1035S-45S.
- MACLUSKY I, LEVISON H, GOLD R, MCLAUGHLIN J. Inhaled antibiotics in cystic fibrosis: Is there a therapeutic effect?. *J. Pediatrics,* 1986; 108:861-65.
- MADSEN KL, DOYLE JS, JEWELL LD. Lactobacillus species prevents colitis in interleukin-10 gene-deficient mice. *Gastroenterology.* 1999; 116 : 1107-14.
- MAEHR JC, LIZARRAGA, JL, WINGARD, DL, FELICE, ME. A comparative study of adolescent and adult mothers who intend to breastfeed. *J Adolescent Health* 1993;14:453-7.
- MAJOR, T.J.; WOHLLEBEN, G.; REIBETANZ, B.; ERB, J.K. Application of heat killed *Mycobacterium bovis*-BCG into the lung inhibits the development of allergen-induced Th2 responses. *Vaccine,* 20: 1532-1540, 2002.
- MANABE, K., HIBBERD, M.L., DONALDSON, P.T., UNDERHILL, J.A., DOHERTY, D.G., DEMAINE, A.G., MIELI-VERGANI, G., EDDLESTON, A., WILLIAMS, R. T-cell receptor constant β germline polymorphisms and susceptibility to autoimmune hepatitis. *Gastroenterology,* 106:1321-5, 1994.
- MANDRUZZATO G, MEIR YJ, NATALE R, MASO G. Antepartal assessment of IUGR fetuses. *J. Perinat. Med* 29: 222, 2001.
- MANNING FA, HOHLER C. Intrauterine growth retardation: diagnosis, prognostication, and management based on ultrasound methods. In: Fleischer AC, Romero R, Manning FA, Jeanty P, James AE. *The principles and practices of ultrasonography in Obstetrics and Gynecology.* 4th ed. Norwalk: Appleton and Lange; 1991.
- MARCHANT, A.; GOETGHEBUER, T.; OTA, M.O.; WOLFE, I.; CEESAY, S.J.; DE GROOTE, D.; CORRAH, T.; BENNETT, S.; WHEELER, J.; HUYGEN, K.; AABY, P.; MCADAM, K.P.; NEWPORT, M.J. Newborns develop a Th1-type immune response to *Mycobacterium bovis* bacillus Calmette-Guérin vaccination. *J. Immunol.,* 163(4):2249-55, 1999.
- MARCONDES E – Ser Puericultor. In Marcondes E, Vaz FAC, Ramos JLA, Okay Y – *Pediatria Básica.* Ed. Sarvier, São Paulo, 9^a ed, 2003 p. 117-24
- MARCUS JC, VALENCIA GB, ALTURA BT, CRACCO RQ, JEAN-BAPTISTE D, SINHA K, ALTURA B. Serum ionized magnesium in premature and term infants. *Pediatr Neurol* 1997; 18:311-4.
- MARIN ML, SAVIOLI CR, YAMAMOTO JH, KALIL J, GOLDBERG AC. MICA polymorphism in a sample of the Sao Paulo population, Brazil. *Eur J Immunogenet.* 31(2):63-71, 2004.
- MARIN, V.B.; VELANDIA, S.; HUNTER, B.; GATTAS, V.; FIELBAUM, O.; HERRERA, O.; DIAZ, E.; Energy expenditure, nutrition status and body composition in children with cystic fibrosis. *Nutrition* 20(2): 181-186, 2004.
- MARTINEZ FD – What have we learned from Tucson children's respiratory study ? *Pediatric Respiratory Reviews,* 3: 193-7, 2002
- MARTINEZ FD, WRIGHT AL, TAUSSIG LM, HOLBERG CJ, HALONEN M, MORGAN WJ, Group Health Medical Associates. Asthma and wheezing in the first six years of life. *N Engl J Med* 1995; 332:133-138.

- MARTINEZ FD, WRIGHT AL, TAUSSING LM, HOELBERG CJ, HALONEN M, MORGAN WJ. Asthma and wheezing during the first six years of life. *N Engl J Med* 1995; 332: 133-8.
- MARTINEZ FD. Role of viral infections in the inception of asthma and allergies during childhood: could they be protective? *Thorax* 1994; 49:1189-1191.
- Martinez FD. The relationship between impaired lung growth and onset of bronchial asthma in early life. *Pediatr Pulmonol Suppl* 1997; 16:84-85.
- MARTTILA R, HAATAJA R.; GUTTENTAG S, HALLMAN M. Surfactant protein A and B polymorphism Genetic Variants in Respiratory distress syndrome in singletons and twins. *Am J Respir Crit Care Med* 2003;168:1216-22.
- MATHUR NB, DWARKADAS AM, SHARMA VK, SAHA K, JAIN N. Anti-infective factors in preterm human colostrum. *Acta Paediatr Scand* 1990;79:1039-44
- MATRICARDI, P.M.; ROSMINI, F.; RIONDINO, S. Exposure to foodborne and orofecal microbes versus airborne viruses in relation to atopy and allergy asthma: epidemiological study. *B. M. J.*, 320: 412-417, 2000.
- MAUAD FILHO F, RANGEL MAR, FERNANDEZ ACP. Crescimento Intra-uterino Retardado. In Neme, B. *Obstetria Básica*. São Paulo: Sarvier 1994; 670-4.
- MC CARTON CM et al. Cognitive and neurologic development of the premature, small-for-gestational-age infant through age 6, comparison by birth weight and gestational age. *Pediatrics* 1996;98:1117-78.
- MCBURNEY RD. The undernourished full term infant: case reports. *Western J Surg*. 1947;55:363.
- MCCANCE, D.R.; PETTIT, D.J.; HANSON, R.L.; JACOBSSON, L.T. H.; KNOWLER, W.C.; BENNETT, P.H. Birth weight and non-insulin dependent diabetes: thrifty genotype, thrifty phenotype, or surviving small baby genotype ? *Br Med J* 1994;308:942-5.
- McCLAVE, S.A.; SNIDER, H.L.; GREENE, L. Effective utilization of indirect calorimetry during critical care. *Intensive Care World* 9: 194-200, 1992.
- McCORD, J.M.; FRIDOVICH, I. Superoxide dismutase. An enzymatic function for erythrocyte (hemocuprein). *J. Biol. Chem.*, 244: 6049-55, 1969
- MCCRAE WM, RAEBURN JA, HANSON EJ. Tobramycin therapy of infections due to *Pseudomonas aeruginosa* in patients with cystic fibrosis: effect of dosage and concentration of antibiotic in sputum. *J Infect Dis* 1976;134:S191-S93.
- McCRAY, P.B. Difficulties of gene therapy. *Lancet (supl.)*, 2001; 358: S19.
- MCFARLAND LV, BRANDMARKER SA, GUANDALINI S. Pediatric *Clostridium difficile*: a phantom menace or clinical reality? *Journ Pediatr Gastroenterol Nutr*. 2000; 31: 220-31.
- MCGILL HC, MCMAHAN A, ZIESKE, AW, SLOOP GD, WALCOTT JV, TROXCLAIR DA, MALCOM GT, TRACY RE, OALMANN MC, STRONG JP – Associations of coronary heart disease risk factors with the intermediate lesion of atherosclerosis in youth. *Arterioscler Thromb Vasc Biol*, 20: 1998-2004, 2000
- MCINTOSH K. Community-acquired pneumonia in children. *N Engl J Med* 2002; 346(6):429-437.
- McKAY, L.I.; CIDLOWSKI, J.A. Molecular control of immune/inflammatory responses: interactions between nuclear factor- κ B and steroid receptor-signalling pathways. *Endoc. Rev.*, 4:435-59.
- MCLAUGHLIN FJ, MATTHEW WJJR, STRIEDER DJ, et al. Clinical and bacteriological responses to three antibiotic regimens for acute exacerbation of cystic fibrosis: ticarcillin-tobramycin, azlocilin-tobramycin, and azlocilin-placebo. *J. Infect Dis*. 1983;147:559-567.
- MCLELLAN, F. Do violent movies make violent children? *Lancet*; 359(9305):502; 2002.
- MCWHIRTER JP, PENNINGTON CR. Incidence and recognition of malnutrition in hospital. *BJM* 1994: 308:945-958.

- MEANS, T. K., WANG, S.; LIEN, E.; YOSHIMURA, A.; GOLENBOCK, D.T.; FENTON, M.J. Human Toll-like receptors mediate cellular activation by Mycobacterium tuberculosis. *J. Immunol.*, 163:3920, 1999.
- MEARNS, M.; LONGBOTTOM, J.; BATTEN, J.: Precipitating antibodies to *Aspergillus fumigatus* in cystic fibrosis. *The Lancet*, 1967; 1: 53.
- MEISTRICH ML, CHAWLA SP, DA CUNHA MF, JOHNSON SL, PLAGER C, PAPADOPOULOS NE. Recovery of sperm production after chemotherapy for osteosarcoma. *Cancer*, 1989;63:21 15-23.
- MEISTRICH ML, WILSON G, BROWN BW, DA CUNHA MF, LIPSHULTZ LI. Impact of cyclophosphamide on long-term reduction in sperm count in men treated with combination chemotherapy for Ewing and soft tissue sarcomas. *Cancer* 1992;70:2703-12.
- MEISTRICH ML. Stage specific sensitivity of spermatogonia to different chemotherapeutic drugs. *Biomed. Pharmacother.* , 1984; 137-42.
- MELTZER, EO; et al. Rhinosinusitis: Establishing definitions for clinical research and patient care. *Otolaryngol Head Neck Surg* 2004; 131:1-62.
- MENDELMAN PM, SMITH AL, LEVYJ, WEBER A, RAMSEY BW, DAVIS RL. Aminoglycoside penetration, inactivation, and efficacy in cystic fibrosis sputum. *Am Rev Resp Dis* 1985; 132:761-65.
- Mendes, E. V. Um novo paradigma sanitário. Uma agenda para saúde, primeira edição, Hucitec, 1997, 233-300.
- MENDEZ-SAMPERIO, P.; PALMA-BARRIOS, J.; VAZQUEZ-HERNANDEZ, A.; GARCIA-MARTINEZ, E. Secretion of interleukin-8 by human-derived cell lines infected with *Mycobacterium bovis*. *Mediators Inflamm.*, 13(1):45-9, 2004.
- MERCURIO, F.; ZHU, H.; MURRAY, B.W.; SHEVCHENKO, A.; BENNETT, B.L.; LI, J.; YOUNG, D.B.; BARBOSA, M.; MANN, M.; MANNING, A.; RAO, A. IKK-1 and IKK-2: cytokine activated I κ B kinase essential for NF κ B activation. *Science*, 278: 860–866, 1997.
- METCALF MG, SKIDMORE DS, LOWRY GF, MACKENZIE JA. Incidence of ovulation in the years after the menarche. *J. Endocrinol.*, 1983;97:213-9.
- MICHELL, I.; NAKIELNA, E.; TULLIS, E.; ADAIR, C. ; Cystic Fibrosis. *Chest* 118 (1): 80-84, 2000.
- MIDVEDT A-C, CARLSTEDT-DUKE B, NORIN KE, SAXERHOLT H, MIDTVEDT T. Development of five metabolic activities associated with the intestinal microflora of healthy infants. *J Pediatr Gastroenterol Nutr.* 1988; 7(4): 559-67.
- MILLA, C.E. Allergic Bronchopulmonary Aspergillosis and Cystic Fibrosis. *Pediatric Pneumol*, 1999; 27: 71-73.
- MILLA, C.E.; WIELINSKI, C.L.; REGELMANN, W.E.: Clinical Significance of recovery of *Aspergillus* Species from the Respiratory Secretions of Cystic Fibrosis Patients. *Pediatric Pneumol.*, 1996; 21: 6-10.
- MILLER MH. Impotence in systemic lupus erythematosus. *J. Rheumatol.*, 1990;17:1 18.
- Milne DB, Sims RL, Shuler TR, Ash KO. Section 1: general clinical tests. In: Tietz NW, editor. *Clinical guide to laboratory tests*. 3rd ed. Philadelphia: W.B. Saunders; 1995. p.650-3.
- MILNE DB, SIMS RL, SHULER TR, ASH KO. Section 1: general clinical tests. In: Tietz NW, editor. *Clinical guide to laboratory tests*. 3rd ed. Philadelphia: W.B. Saunders; 1995. p.650-3.
- MINAYO, M.C.S. O desafio do conhecimento: pesquisa qualitativa em saúde. Rio de Janeiro: Abrasco - Hucitec, 2000.
- MINIOR VK, SHATZKIN E, DIVON MY. Nucleated red blood cell count in the differentiation of fetuses with pathologic growth restriction from healthy small-for-gestational-age fetuses. *Am J Obstet Gynecol* 2000;182:1107.

Ministério da Saúde do Brasil. Sistema de informação sobre mortalidade no período de 1979 a 1996. Dados de declarações de óbitos (em CD-ROM). 1997. Brasília, Fundação Nacional de Saúde.

Ministério da Saúde. *Pesquisa de prevalência do aleitamento materno nas capitais e DF*. Relatório. Brasília: Ministério da Saúde; 2001.

MIYAO CR, GILIO AE, VIEIRA SE, HEIN N, PAHL MM, BETTA SL et al. Infecções virais em crianças internadas por doença aguda do trato respiratório inferior. *J.Pediatr.(Rio J.)* 75[5], 334-344. 1999.

MMWR: Recommendation and Reports January 16,2004/53(RR01); 1-29 Applying Public Health Strategies to Primary Immunodeficiency Diseases.

MOK CC, LAU CS. Profile of sex hormones in male patients with systemic lupus erythematosus. *Lupus* 2000;9:252-7.

MONGELLI M, GARDOSI J. Fetal growth. *Curr Opin Obstet Gynecol.* 2000;12:111.

MONGEY AB, HESS EV. The role of Environment in Systemic Lupus Erythematosus and Associated Disorders. In: WALLACE DJ, HAHN BH. *Dubois' Lupus Erythematosus.* 5 ed. Baltimore, Williams & Wilkins, 1997:31-47.

MONSEN ER. The 10th edition of Recommended Dietary Allowances: What's new in the 1989 RDAs / *J Am Diet Assoc* 1989; 89 (12):1748-52.

MONSET-COUCHARD M, DE BETHMANN , KASTLER B. Mid-and long term outcome of 166 premature infants weighing less than 1000 g at birth, all small for gestational age. *Biol Neonate* 2002;81:244-54.

MONTAGNE P, CUILIERE ML, MOLÉ C, BÉNÉ MC, FAURE G. Immunological and nutritional composition of human milk in relation to prematurity and mothers' parity during the first 2 weeks of lactation. *J Pediatr Gastroenterol Nutr* 1999;29(1):75-80

MONTEIRO CA - Evolução da nutrição infantil nos anos 90. In *Velhos e novos males da saúde no Brasil.* Ed Hucitec, São Paulo, 2ª ed, 2000d p. 375-392

MONTEIRO CA, BENICIO, MHA, GOUVEIA NC – Evolução da altura dos brasileiros . In Monteiro CA. *Velhos e novos males da saúde no Brasil.* Ed Hucitec, São Paulo, 2ª ed, 2000a p. 126-140

MONTEIRO CA, IUNES RF, TORRES AM – A evolução do país e de suas doenças: síntese, hipóteses e implicações. In Monteiro CA. *Velhos e novos males da saúde no Brasil.* Ed Hucitec, São Paulo, 2ª ed, 2000b p. 349-356

MONTEIRO CA, MONDINI L, COSTA RBL – Mudanças na composição e adequação nutricional da dieta familiar nas áreas metropolitanas do Brasil entre 1988 e 1996. In Monteiro CA. *Velhos e novos males da saúde no Brasil.* Ed Hucitec, São Paulo, 2ª ed, 2000c p. 359-374

MONTGOMERY, AB; RAMSEY B, PITLICK W, QUAN J, NARDELLA P, OTTO K. The relationship of age, gender, and baseline lung function to serum and sputum tobramycin concentration after administration of tobramycin solution for inhalation. *Pediatr Pulmonol* 1998; (supl 17):321

MONTZOROS CS et al. A longitudinal assessment of hormonal and physical alterations during normal puberty in boys: Rising leptin levels may signal the onset of puberty. *J Clin Endocrinol Metab* 1997. 8:1066-70.

MOORLEY R, BROOKE OG, COLE TJ, POWELL R, LUCAS A. Birthweight ratio and outcome in preterm infants. *Arch Dis Child* 1990;65:30-4.

MOSS, R. B.; HSU, Y.; SULLIVAN, M. & LEWISTON, N. J. Altered antibody isotype in cystic fibrosis: possible role in opsonic deficiency. *Pediatric Research*, 1986; 20(5): 453-459.

MOUNTTLOURIS KC, MCCARTNEY AL, GIBSON GR. Intestinal microflora of human infants and current trends for its nutritional modulation. *Br J Nutr.* 2002; 87:405-20.

MUHHOPADHYAY S, STADDON GE, EASTMAN C, PALMER M, DAVIES ER, CARSWELL F. The quantitative distribution of nebulised antibiotic in the lung in cystic fibrosis. *Resp Med* 1994; 88: 203-211.

MUKHOPADHYAY S, SINGH M, CATER J L, OGSTON S, FRANKLIN M, OLVER R E. Nebulised antipseudomonal antibiotics therapy in cystic fibrosis: a meta-analysis of benefits and risks. *Thorax* 1996; 51: 364-68.

MUNOZ R, LAUSSEN P, PALACIO G, ZIENKO L, PIERCEY G, WESSEL DL. Whole blood ionized magnesium: age-related differences in normal values and clinical implications of ionized hypomagnesemia in patients undergoing surgery for congenital cardiac disease. *J Thorac Cardiovasc Surg* 2000;119:891-8.

NADEAU L, TESSIER R, LEFEBVRE F, ROBAEY P, NARANAYAN I, PRAKASH K, MURTHY NS, GUJRAI VV. Randomised controlled trial of effect of raw and holder pasteurised human milk and of formula supplements on incidence of neonatal infection. *Lancet* 1984; ii:1111-3

NAEYE RI, LOCALIO AR. Determining the time before birth when ischemia and hypoxemia initiated cerebral palsy. *Obstet Gynecol* 1995;86:713.

NAKAJIMA, K.; POWERS, J.C.; ASHE, B.M.; ZIMMERMAN, M.: Mapping the extended spectrum binding site of cathepsin and human leukocyte elastase. *J Biol Chem*, 1979; 254:4027-4031.

NAKAMURA, H.; YOSHIMURA, K.; Mc ELVANEY, N.G.; CRYSTAL, R.G.: Neutrophils elastase in respiratory epithelial lining fluid of individual with cystic fibrosis interleukin-8 gene expression in human bronchial epithelial cell line. *J Clin Invest.*, 1992; 89: 1478-1484.

Nasir JA, Chanmugham P, Tahir F, Ahmed A, Shinwari F, Obladen M, Loui A, Kampmann W, Renz H. Zinc deficiency in rapidly growing preterm infants. *Acta Paediatr.* 1998;87:685-91.

NELSON EW, RICHARD EB, ROBERT MK, ANN MA – Cystic fibrosis in Textbook of pediatrics 1997;2: 1433-6

NETER J, WASSERMAN W, KUTNER MH. Applied linear statistical models. 3th ed. Homewood: Illinois: Irwin; 1990.

NEUVÉGLISE, C.; SAFARTI, J.; DEBEAUPUIS, H.; VU THIEN, H.; JUST, J.; TOURNIER, G. et al. Longitudinal Study of *Aspergillus fumigatus* Strains Isolated from Cystic fibrosis Patients. *Eur J Clin Microbial Infect Dis*, 1997; 16 (10): 747-50.

NEVES PA, SAMPAIO FJB, VANNUCHI EH. Espermograma (análise seminal). 1 Congresso Brasileiro de Infertilidade Masculina. Ed. São Paulo, BG Editora e Produções Culturais Ltda, 1999;27-34.

NEWHOUSE, P.A.; WHITE, F.; The intrapulmonary percussive ventilator and flutter device compared to standard chest physiotherapy in patients with cystic fibrosis. *Clin Pediatr* 37(7): 427-432, 1998.

NEWMAN SP, PELLOW PGD, CLARKE SW. Droplet size distribution of nebulised aerosol for inhalation therapy. *Clin Phys Physiol Meas* 1986; 7:139-146.8.

NEWMAN SP, WOODMAN G, CLARKE SW. Deposition of carbenicillin aerosols in cystic fibrosis: effect of nebuliser system and breathing pattern. *Thorax* 1988; 43:318-322.

NEWTON, D.A.G.; Effect of physiotherapy on pulmonary function. A Laboratory study. *The Lancet* (29):228:230, 1978.

NICHOLL, R.M.; GAMSU, H.R. Changes in growth and metabolism in very low birth weight infants fed with fortified breast milk. *Acta Paediatr.*, v. 10, p. 1056-61, Oct., 1999.

NICHOLSON HS, BYRNE J. Fertility and pregnancy after treatment for cancer during childhood or adolescence. *Cancer*, 1993;71 :3392-9.

NIKAPOTA, A.D. (1991). Child Psychiatry in Developing Countries. *British Journal of*

- NISTICO, L., BUZZETTI, R., PRITCHARD, L.E. et al. CTL-4 gene region of chromosome 2q33 is linked to, and associated with type 1 diabetes. Belgian Diabetes Registry. *Hum Mol Genet*, 7:1075-80, 1996.
- NOLAN G, MCIVOR P, LEVISON H, ET AL. Antibiotics prophylaxis in cystic fibrosis: inhaled cephaloridine as an adjunct to oral cloxacilin. *J Pediatrics* 1982; 101: 626-30.
- NOTARANGELO L, CASANOVA JL, FISCHER A, PUCK J, ROSEN F, SEGER R, ANd Geha Rf Primary Immunodeficiency diseases For the International Union of Immunological Societies Primary Immunodeficiency diseases classification committee *Journal of Allergy Clinical Immunology* 2004;114:677-87.
- NOWROUZIAN F, HESSELMAR B, SAALMAN R, STRANNERGARD I-L, ABERG N, WOLD AE, et al. Escherichia coli in infants'intestinal microflora: colonization rate, strain turnover, and virulence gene carriage. *Pediatr Res*. 2003; 54: 8-14.
- NUKUMIZU LK; BARROS PC; LIPHAUS BL; SALLUM AM; SILVA CA. Sobreposição de dermatomiosite juvenil e lúpus eritematoso sistêmico. Relato de caso. *Rev Bras Reumatol* 42: 407-10, 2002.
- NUNLEY, D. R.; OHORI, N.P.; GRGURICH, W.F.; IACONO, A.T.; WILLIAMS, P.A.; KEENAN, R. J.; DAUBER, J.H. Pulmonary aspergillosis in cystic fibrosis lung transplant recipients. *Chest*, 1998; 114: 1321-1329.
- NYBERG G; ERIKSSON O; WESTBERG NG. Increased incidence of cervical atypia in women with systemic lupus erythematosus treated with chemotherapy. *Arthritis Rheum* 24: 648-650, 1981.
- O'SHEA JJ, HOLLAND S & CANDOTTI F. Primary immunodeficiencies and the rheumatologist. *Current Opinion in Rheumatology* 2003, 15:413-416.
- OBERHELMAN RA, GILMAN RH, SHEEN P, TAYLOR DN, BLACK RE, CABRERA L,et al. A placebo-controlled trial of Lactobacillus GG to prevent diarrhea in undernourished Peruvian children. *J Pediatr*. 1999; 134:15-20.
- O'CONNELL EJ. The burden of atopy and asthma in children. *Allergy*. 2004 Aug;59 Suppl 78:7-11
- ODELRAM H, LEANDER E. Predictors of atopy in newborn babies. . *Allergy* 1995; 50:585-92.
- ODONE V – Dados do ambulatório de crianças fora de tratamento oncológico há 5 ou mais anos. Departamento de Pediatria da FMUSP. Comunicação pessoal, 2005
- OERMANN, C.M.; SWANK, P.R.; SOCKRIDER, M.M.; Validation of an instrument measuring patient satisfaction with chest physiotherapy. *Chest* 118(1): 92-97, 2000.
- OGDEN CL, KUCZMARSKI RJ, FLEGAL KM, MEI Z, GUO S, WEI R et al. Centers for disease control and prevention 2000 growth charts for the United States: improvements to the 1977 National Center for Health Statistics Version. *Pediatrics* 2002; 109 (1): 45-60.
- OHNO H, DOI R, YAMAMURA K, YAMASHITA K, IIZUKA S, TANIGUCHI N. A study of zinc distribution in erythrocytes of normal humans. *Blut*. 1985;50:113-6.
- OKAMOTO, K., MAKINO, S., YOSHIKAWA, Y., et al. Identification of kappa BL as the second major histocompatibility complex-linked susceptibility locus for rheumatoid arthritis. *Am. J. Hum. Genet.*, 72(2): 303-12, 2003.
- OLAUSSON PO, HAGLUND BR, WEITOF GR,CNATTINGIUS S. Premature death among teenage mothers. *Intern J Obstetr Gynaecol* 2004,111:793-9.
- OLINSKY A, BRYAN AC. A siple method for measuring total respiratory system compliance in newborn infants. *S Afr Med J* 1976;50:128-130.
- OLIVEIRA, M.M.; CHARLAB, R.; PESSOLANI, M.C. Mycobacterium bovis BCG but not Mycobacterium leprae induces TNF α secretion in human monocytic THP-1 cells. *Mem. Inst. Oswaldo Cruz*, 96(7): 973-978, 2001.

- OLSHANSKY SJ, CARNES BA, DÉSESQUELLEs A – Prospects for human longevity. *Science*, 291: 7491-2, 2001
- OLSHANSKY SJ, DOUGLAS DJ, HERSHOW RC, LAYDEN J, CARNES BA, BRODY J, HAYFLICK L, BUTLER RN, ALLINSON DB, LUDWIG DS – A potential decline in life expectancy in the United States in the 21st century. *N Engl J Med*, 352(11): 1138-45, 2005
- OMENAAS, E.; JENTOFT, H.F.; VOLLMER, W.M.; BUIST, A.S.; GULSVIK, A. Absence of relationship between tuberculin reactivity and atopy in BCG vaccinated young adults. *Thorax*, 55: 454-458, 2000.
- OMRAN AR. The epidemiologic transition in the Americas. Maryland ed, Panamerican Health Organization, World Health Organization; 1996. p.5-11; 189-99.
- OMS/UNICEF. Proteção, promoção e apoio ao aleitamento materno: o papel especial dos serviços materno-infantis. Genebra: WHO; 1989.
- ONO E, LAFER MM, WECKX LY, GRANATO C, DE MORAES-PINTO MI (2004). A simple and cheaper in house varicella zoster virus antibody indirect ELISA. *Rev Inst Med Trop São Paulo*, 46: 165-8.
- OPAS / OMS – Relatório sobre a saúde no mundo 2001 – Saúde Mental: nova concepção, nova esperança. World Health Report WHO Genebra, 2001.
- ORME, I.M.; ANDERSEN, P.; BOOM, W.H. T cell response to *Mycobacterium tuberculosis*. *J. Infec. Dis.*, 167: 1481-1497, 1993.
- OSTENSEN M; ALMBERG K; KOKSVIK HS. Sex, Reproduction, and Gynecological Disease in Young Adults with a History of Juvenile Chronic Arthritis. *The Journal of Rheumatology* 2000; 27(7):1783-7
- OTA, M, KATSUYAMA, Y, KIMURA, A , et al. A second susceptibility gene developing rheumatoid arthritis in human MHC is localized within a 70kb interval telomeric of TNF genes in the HLA class III region. *Genomics*, 71(3): 263-70, 2001.
- OtT WJ. The diagnosis of altered fetal growth. *Obstet Gynecol Clin North Am* 1988;15:237.
- OTTEN, F.W.A; GROTE, J. J. Treatment of Chronic Maxillary Sinusitis in Children. *Int J Pediatr Otorhinolaringol*, 1988; 15: 269-278.
- OVERSTREET JW, KATZ DF. Semen analysis. *Urol. Clin. North Am.*,1987;14:441-8.
- OYAMA, N.; NOBUYUKI, S.; SOGAWA, H.; CHIHARO, K. Antibiotic use during infancy promotes a shift in the Th1/Th2 balance toward Th2-dominant immunity in mice. *J. Allergy Clin. Immunol.*, 117: 153-159, 2001.
- OZAKI, K, OHNISHI,Y, IIDA, A, et al. Functional SNPs en the lymphotoxin-alpha gene that are associated with susceptibility to myocardial infarction. *Nat. Genet.*, 32(4): 650-4, 2002.
- OZMEN, S.; TOMAC, N.;UYSAL, A.; ARSLAN, Z.; KUYUCU, N.; YONEY, A. Tuberculin responses in children with allergic diseases. *Allergy*, 57: 1059-1062, 2002.
- PACHON I, AMELA C, DE ORY F (2002). Age-specific seroprevalence of poliomyelitis, diphtheria and tetanus antibodies in Spain. *Epidemiol Infect*,129:535-541.
- PADADOWSKI, L.J. Saprophytic fungal infections and lung transplantation revisited. *J Heart Lung Transplantation*, 1997; 16: 524-531.
- PAMBLANCO M, TEN A, COMIN J. Proteins in preterm and term milk from mothers delivering appropriate or small-for-gestational age infants. *Early Hum Develop* 1986;14:267-272
- PANDO, M, LARRIBA, J, FERNANDEZ, G.C, et al. Pediatric and adults forms of type I autoimmune hepatitis in Argentina: Evidence for differential genetic predisposition. *Hepatology*, 30:1374-1380, 1999.

- PARAT S, MORIETTE G. Long-term pulmonary functional outcome of bronchopulmonary dysplasia and premature birth. *Pediatr Pulmonol* 1995; 20:289-296.
- PARDOLL, D.M. Immunology. Stress, NK receptors, and immune surveillance. *Science*, 294(5542): 534-6, 2001.
- PARKOS, C.A.; ALLEN, R.A.; COCHRANE C.G.; JESAITIS, A.J. The quaternary structure of the plasma membrane b-type cytochrome of human granulocytes. *Biochim. Biophys. Acta.*, 932(1):71-83, 1988.(b)
- PARKOS, C.A.; ALLEN, R.A.; COCHRANE, C.G.; JESAITIS, A.J. Purified cytochrome b from human granulocyte plasma membrane is comprised of two polypeptides with relative molecular weights of 91,000 and 22,000. *J. Clin. Invest.*, 80: 732-42, 1987.
- PARKOS, C.A.; DINAUER, M.C.; WALKER, L.E.; ALLEN, R.A.; JESAITIS, A.J.; ORKIN, S.H. Primary structure and unique expression of the 22-kilodalton light chain of human neutrophil cytochrome b. *Proc. Natl. Acad. Sci. U S A*, 85: 3319-23, 1988.(a)
- PASQUALOTTO FF, AGARWAL A. Should we offer semen cryopreservation to men with testicular cancer? *Cleve. Clin. J. Med.*, 2001;68:101-2.
- PATRICEVICH, V.L.; UEDA, C.; ALVES, R.C.B.; SILVA, M.A.; MORENO, C.; MELO, A.R.; DIAS DA SILVA, W. A single strain of *Mycobacterium bovis* bacillus Calmette-Guérin grown in two different media evokes distinct humoral immune responses in mice. *Brazilian J. Med. Biol. Res.*, 34: 81-92, 2001.
- PAUNIER L. Effect of magnesium on phosphorus and calcium metabolism. *Monatsschr Kinderheilkd* 1992;140:17-20.
- PEAT JK, TOELLER BG, MARKS GB et al. Continuing the debate about measuring asthma in population studies. *Thorax* 2001; 56:406-11.
- PEDERSEN S. Clinical issues in paediatric asthma. *Respir Med* 1997; 91 Suppl A:40-41.
- PEDERSEN, S. S.; HOIBY, N.; ESPERSEN, F.; KOCH, C. Role of alginate in infection with mucoid *Pseudomonas aeruginosa* in cystic fibrosis. *Thorax*, 1992; 47:6-13.
- PEDERSEN, S. S.; KHARANMI, A.; SEPERSEN, F.; HOIBY, N. *Pseudomonas aeruginosa* alginate in cystic fibrosis sputum and the inflammatory response. *Infection and Immunity*, 1990; 58(10): 3363-3368.
- PEKKANEN J, PEARCE N. Defining asthma in epidemiological studies. *Eur Resp J* 1999; 104:600-8
- PENA et al. The premature small-for-gestational-age infant during the first year of life: comparison by birth-weight and gestational age. *J Pediatr* 1988;113:1066-73.
- PENCHARZ, P.B.; DURIE, P.R.; Pathogenesis of malnutrition in cystic fibrosis and its treatment. *Clin Nutr* 19 (6): 387-394, 2000.
- PENNA FJ, NICOLI JR. Influência do Colostro na colonização bacteriana normal do trato digestivo do recém-nascido. *J Pediatr*. 2001; 77 (4): 251-2.
- PENNA FJ, Nicoli JR. Microbiota intestinal normal: Conceitos, composição e funções. *Temas de Pediatria*, nº 76. Nestlé Nutrição; 2003.
- PENNINGTON JE. Penetration of antibiotics into respiratory secretions. *Rev Infect Dis*. 1981; 3: 67-73.
- PETRI V. Doenças de transmissão sexual. In *Adolescência e Saúde- Comissão de Saúde do Adolescente*, 3ª ed, Secretaria de Estado da Saúde de São Paulo, 1999, p. 143-182.
- PETTY RE; SOUTHWOOD T; MANNERS P; BAUM J; GLASS DN; GOLDENBERG J; HE X; MALDONADO-COCCO J; OROZCO-ALCALA J; PRIEUR AM; SUAREZ-ALMAZOR ME; WOO P. International League of Associations for Rheumatology classification of juvenile idiopathic arthritis: second revision, Edmonton, 2001. *J Rheumatol*. 2004 Feb;31(2):390-2.
- PHELAN JP, AHNN MO, KORST LM, MARTIN GI. Nucleated red blood cells: a marker for fetal asphyxia? *Am J Obstet Gynecol* 1995;173:1380.

- PHILIP AG, TITO AM. Increased nucleated red cell counts in small for gestational age infants with very low birth weight. *Am J Dis Child* 1989;143:164.
- PHYLACTOS AC, LEAF AA, COSTELOE K, CRAWFORD MA. Erythrocyte cupric/zinc superoxide dismutase exhibits reduced activity in preterm and low-birthweight infants at birth. *Acta Paediatr.* 1995;84:1421-5.
- PHYLACTOS AC, LEAF AA, COSTELOE K, CRAWFORD MA. Erythrocyte cupric/zinc superoxide dismutase exhibits reduced activity in preterm and low-birthweight infants at birth. *Acta Paediatr.* 1995;84:1421-5.
- PINHEIRO GR; GOLDENBERG J; ATRA E; PEREIRA RB; CAMANO L; SCHMIDT B. Juvenile dermatomyositis and pregnancy: report and literature review. *J Rheumatol* 19:1798-801, 1992.
- PINTO e SILVA JL. Anticoncepção. In *Adolescência e Saúde – Comissão de Saúde do Adolescente*, 3ª ed São Paulo, Secretaria de Estado da Saúde de São Paulo, 1999, p. 123-130.
- Pinto, FS Indicadores do estado nutricional da gestante e do recém-nascido e suas relações. [Tese de Doutorado]. Botucatu: UNESP; 1998.
- POCIOT F, BRIANT L, JONGENEEL CV, et al. Association of tumor necrosis factor (TNF) and class II major histocompatibility complex alleles with the secretion of TNF-alpha and TNF-beta by human mononuclear cells: a possible link to insulin-dependent diabetes mellitus. *Eur J Immunol.* Jan;23(1):224-31, 1993.
- POLGAR G, PROMADHAT V. Pulmonary function testing in children: techniques and standards. Philadelphia: Saunders, 1971.
- POLLACK RN, DIVON MY. Intrauterine growth retardation: definition, classification, and etiology. *Clin Obstet Gynecol.* 1992;35:99-107.
- POPKIN BM. The nutrition transition in low-income countries: An emerging crisis. *Nutrition Reviews* 1994. 52(9):285-98.
- PORTA, G. Hepatite auto-imune na infância. Análise clínico-laboratorial, histológica e evolutiva. São Paulo, 1993. 189p. Tese (Livre-Docência) – Faculdade de Medicina, Universidade de São Paulo.
- PRADER A. Testicular size: assessment and clinical importance. *Triangle* 1966;7:240-3.
- PREMER DM, GEORGIEFF MK. Nutrition for Ill Neonates. *Pediatr Rev.* 1999; 20: e56-62.
- PRESSLER, T. IgG subclasses and chronic bacterial infection. Subclass antibodies and the clinical course of chronic *Pseudomonas aeruginosa* lung in cystic fibrosis. *APMIS*, 1996; 104 (suppl. 66): 1-44.
- PRESSLER, T.; PEDERSEN, S. S.; ESPERSEN, F.; HOIBY, N.; KOCH, C. IgG subclass antibody responses to alginate from *Pseudomonas aeruginosa* in patients with cystic fibrosis and chronic *P. aeruginosa* infection. *Pediatric pulmonology*, 1992; 14: 44-51.
- PRESTIDGE, L.L. et al. Effect of parenteral calcium and phosphorus therapy on mineral retention and bone mineral content in very-low-birth-weight infants. *J. Pediatr.* v. 122, p.761-8, May 1993.
- PRICE WA, STILES AD, MOATS-STAATS BM, et al: Gene expression of the insulin-like growth factors (IGFs), the type 1 IGF receptor, and IGF-binding proteins in dexamethasone-induced fetal growth retardation. *Endocrinology* 1992;130:1424-32.
- PRICE, P, WITT, P, ALLCOCK, R, et al. The genetic basis for the association of the 8.1 ancestral haplotype (A1, B8, DR3) with multiple immunopathological diseases:.. *Immunol Ver.*, 167: 257-74, 1999.

Primary Immune Deficiency Diseases in America – The first national survey of patients and specialists. Immune Deficiency Foundation. Available at http://www.primaryimmune.org/pid/patient_survey_publication.pdf_2003.

Primary Immunodeficiency Diseases – Report of an IUIS Scientific Group. *Clinical & Experimental Immunology*, 1999;118(suppl 1):1-28.

Prober CG, Walson PD, Jones J, and the Committee on Infectious Disease and Committee on Drugs. Technical report: Precautions regarding the use of aerosolized antibiotics. *Pediatrics* 2000;106: 1–6.

Psychiatry. 158:743-751.

PUCK JM. Primary Immunodeficiency diseases. *JAMA* 1997; 278:1835-41.

PUNNONEN, J, DE WAAL MALEFYT, R, VAN VLASSELAE, P, et al. IL-10 and viral IL-10 prevent IL-4 induced IgE synthesis by inhibiting the accessory cell function of monocytes. *J Immunol.*, 151:1280-89, 1993.

PUTET G, SALLE B, RIGO J, SENTERRE J. Supplementation of pooled human milk with casein hydrolysate: energy and nitrogen balance and weight gain composition in very low- birth weight infants. *Pediatr Res* 1987;21:458-61.

QUANJER PHH, HELMS P. Standardized lung function testing in paediatrics. *Eur Respir J* 1989; (Suppl 4):121S-264S.

RADFORD JA, CLARK S, CROWTER D, SHALET SM. Male fertility after VAPECB chemotherapy for Hodgkin's disease non-Hodgkin's lymphoma. *Br. J. Cancer*, 1994;69:379-81.

RAIS-BAHRAMI. Use of furosemide and hearing loss in neonatal intensive care survivors. *Am J Perinatol* 2004;21:329-32.

RAKES GP, ARRUDA E, INGRAM JM, HOOVER GE, ZAMBRANO JC, HAYDEN FG et al. Rhinovirus and respiratory syncytial virus in wheezing children requiring emergency care. IgE and eosinophil analyses. *Am J Respir Crit Care Med* 1999; 159(3):785-790

Ramos JLA. Avaliação do crescimento intra-uterino por medidas antropométricas do recém-nascido. [Tese de Doutorado]. São Paulo: Faculdade de Medicina da Universidade de São Paulo;1983. 156p.

RAMSEY B, BURNS J, SMITH AL. Safety and efficacy of tobramycin solution for inhalation in patients with cystic fibrosis. The results of two phase III placebo controlled clinical trials. *Pediatr Pulmonol*. 1997; 24(suppl 14): 137-138.

RAMSEY BW, DORKIN HL, EISENBERG JD, GIBSON RL, HARWOOD IR, KRAVITZ RM, SCHIDLOW DV. Efficacy of aerosolized tobramycin in patients with cystic fibrosis. *N Engl J Med* 1993;328:1740-6.

RAMSEY BW, PEPE MS, QUAN JM, OTTO KL, MONTGOMERY AAB, WILLIAMS-WARREN J, VASILJEV M. Intermittent administration of inhaled tobramycin in patients with cystic fibrosis. *N Engl J Med* 1999;340:23-30.

RAMSEY, B.W.; ASTLEY, S.J.; AITKEN, M.L.; BURKE, W.; COLIN, A.A.; DORKIN, H.L.; EISENBERG, J.D.; GIBSON, R.L.; HARWOOD, I.R.; SCHIDLOW, D.V.; Efficacy and safety of short-term administration of aerosolized recombinant human deoxyribonuclease in patients with cystic fibrosis. *Am Rev Resp Dis* 148(1): 145-151, 1993.

RAPHAEL R; YVES D, GISELLE C, MAGALI M, ODILE CM. Cancer treatment at home or in the hospital: what are the costs for French public health insurance? Findings of a comprehensive – cancer centre. *Health policy* 72 (2005) 141-148.

RASKIN S, PHILIPS JA, KRISHNAMANI MRS, JONES C, PARKER RA, ROZOV T – DNA analysis of cystic fibrosis in Brazil by direct PCR amplification from Guthrie cards. *Am. J. Med. Gen.* 1993;46:665-9.

Recomendações Técnicas para o Funcionamento de Bancos de Leite Humano. Ministério da Saúde. Secretaria de Políticas de Saúde. 4ª edição. Brasília: Ministério da Saúde; 1999. 48p.

REED, C.E.; MILTON, D.K. Endotoxin-stimulated innate immunity: a contributing factor for asthma. *J. Allergy Clin. Immunol.*, 108 (1): 157-166, 2001.

REGEV R; LUSKY A. Excess mortality and morbidity among small-for-gestational-age premature infants: a population-based study. *J Pediatr*; 2003;186-91.

REIJONEN TM, KORPPI M, KLEEMOLA M, SAVOLAINEN K, KUIKKA L, MONONEN I et al. Nasopharyngeal eosinophil cationic protein in bronchiolitis: relation to viral findings and subsequent wheezing. *Pediatr Pulmonol* 1997; 24(1):35-41.

REIS MAB, REYES FGR, SAAD MJA, VELLOSO LA. Magnesium deficiency modulates the insulin signaling pathway in liver but not muscle of rats. *J Nutr* 2000; 130:133-8.

REIS, F.C. & DAMACENO, N. : Cystic Fibrosis. *J Pediatr (Rio J)*, 1988; 74 (supl.1): S76-S94.

REISINGER, K.S. et al. – Effect of pediatricians counseling on infant restraint use. *Pediatrics*, 67:201, 1981.

RENTSCHLER, D. D. Pregnant adolescents' perspectives of pregnancy. *Am J. Matern Child Nurs* 2003;28:377-83.

RESINO S, RIVERO L, RUIZ-MATEOS E, et al (2004). Immunity in HIV-1-infected adults with a previous state of moderate-severe immune-suppression and more than 500 CD4+T cell after highly active antiretroviral therapy. *J Clin Immunol*, 24: 379-88.

Resting energy expenditure and lung disease in cystic fibrosis. *J Cyst Fibros* 1(3): 131-136,2002.

RICCO RG, SANTORO JR, ALMEIDA CAN, DEL CIAMPO LA – Atenção à saúde da criança e Puericultura. In *Puericultura: Princípios e Prática*. Ed. Atheneu, São Paulo, 2000, p. 1-4

RICE, N.R.; MACKICHAN, M.L.; ISRAEL, A. The precursor of NF κ B p50 has I κ B-like functions. *Cell*, 71: 243–253, 1992.

RICHMAN-EISENSTAT, J.; Cytokine Soup: Making Sense of Inflammation in Cystic Fibrosis. *Pediatric Pneumol.*, 1996; 21: 3-5.

RIFFO-VASQUEZ, Y.; SPINA, D.; PAGE, C.; TORMAY, P.; SINGH, M.; HENDERSON, B.; COATES, A. Effect of Mycobacterium tuberculosis chaperonins on bronchial eosinophilia and hyper-responsiveness in a murine model of allergic inflammation. *Clin. Exp. Allergy*, 34: 712-719, 2004.

RIGO, J.; DE CURTIS, M.; PIELTAIN, C.; PICAUD, J.C.; SALLE, B.L.; SENTERRE, J. Bone mineral metabolism in the microprime. *Clin. Perinatol.* v. 1, p. 147-70, Mar. 2000.

RIGO, J.; DE CURTIS, M.; PIELTAIN, C.; PICAUD, J.C.; SALLE, B.L.; SENTERRE, J. Bone mineral metabolism in the microprime. *Clin. Perinatol.* v. 1, p. 147-70, Mar. 2000.

RIGO,J; BOBOLI,H; FRANCKART,GG; PIELTAIN,C; DE CURTIS,M Surveillance de l'ancien premature: croissance et nutrition. *Arch Pédiatr* 1998;5:449-53

RIZZO G, CAPPONI A, ARDUINI D, ROMANINI C. Doppler indices from inferior vena cava and ductus venosus in predicting Ph and oxygen tension in umbilical blood at cordocentesis in growth retarded fetuses. *Ultrasound Obstet Gynecol* 7: 401, 1996.

ROBINSON, P. – Cystic Fibrosis. *Thorax* 56:237-241, 2001.

RODGERS, H.C. & KNOX, A.J. Pharmacological treatment of the biochemical defect in cystic fibrosis airways. *European Respiratory journal*, 2001; 17(6): 1314-1321.

RODRIGUES JC, CARDIERI JMA, BUSSAMRA MHCF, NAKAIE CMA, ALMEIDA MB, SILVA FILHO LVF, et al. Provas de função pulmonar em crianças e adolescentes. *J Pneumol.* 2002; 28(Suppl 3): S207-S21

RODRIGUES JC, ROZOV T, MELLES CE, BRANDILEONE MC, BORCARDIN NB, OKAY Y. Derrames pleurales parapneumônicos en la infancia: análisis de la importancia de los métodos

de laboratorio en el diagnóstico etiológico. In: Benguigui Y, editor. Investigaciones operativas sobre el control de las infecciones respiratorias agudas (IRA) en Brasil. Washington, D.C.: OMS / OPAS, 1999: 173-190.

ROEDINGER WEW. The colonic epithelium in ulcerative colitis: an energy deficient disease? *Lancet*. 1980; II:712-5.

ROMALDINI CC, MARGARIDO MT, BUENO L, TANIKAWA CE et al. Avaliação o estado nutricional de crianças hospitalizadas. *Rev Paul Pediatría* 1996; 14:149-152.

ROMMERTS FFG. How much androgen is required for maintenance of spermatogenesis? *J. Endocr.*, 1988; 116:7-9.

ROSENFELD M, GIBSON R, MC NAMARA S, EMERSON J, et al. Early pulmonary infection, inflammation, and clinical outcomes in infants with cystic fibrosis. *Pediatr Pulmonol* 2001; 32. In press.

ROSENFELD M, GIBSON R, MC NAMARA S, EMERSON J, et al. Serum and lower respiratory tract drug concentration after tobramycin inhalation in young children with cystic fibrosis. *J Pediatr* 2001; 139: 572-7.

ROSOV T. Capítulo: "A Síndrome do Lactente Chiador" do livro "Alergia e Imunologia em Pediatría" – Carneiro-Sampaio MMS: Editora Savier – 1992

ROYER-POKORA, B.; KUNKEL, L.M.; MONACO, A.P. Cloning the gene inherited disorder – chronic granulomatous disease, on the basis of its chromosomal. *Nature*, 322: 32-38, 1986.

ROZOV, T. Mucoviscidose (fibrose cística do Pâncreas). In: ROZOV, T. (ed.) Doenças Pulmonares em Pediatría - Diagnóstico e Tratamento. São Paulo: Ateneu, 1999.

RYTILÄ, P.H.; LINDQVIST, AE.; LITINEM, L.A.: Safety of sputum induction in chronic obstructive pulmonary disease. *Eur Respir J*, 2000: 15(6): 1116-1119.

S, von MUTIUS E, BERGMAN R, LAU S, NIGGEMAN B, WAHN U et al. Early childhood infectious diseases and the development of asthma up to school age. *BMJ* 2001; 322:390-5.

SACCA, R., CUFF, C.A., LESSLAUER, W., et al. Differential activities of secreted lymphotoxin-alpha 3 and membrane lymphotoxin-alpha 1 beta 2 in lymphotoxin-induced inflammation: critical role of TNF receptor 1 signaling. *J. Immunol.*, 160(1): 485-91, 1998.

SAITO MI et al. Estado nutricional de adolescentes brasileiros: indicadores socioeconômicos, antropométricos y de maduración sexual. In: Madaleno M et al. La Salud del adolescente e de joven. Washington, OPAS, 1995. p.479-97.

SAITO OC, CERRI GG. Bolsa scrotal. In: SAITO OC, CERRI GG. led. Ultrasonografia. Pequenas partes. São Paulo, Sarvier, 1999; 116-76.

SALDIVA, P.H.N.; LICHTENFELS, A.J.F.C.; PAIVA, P.S.O.; BARONE, I.A.; MARTINS, M.A.; MASSAD, E.; PEREIRA, J.C.R.; XAVIER, V.P.; SINGER, J.M.; BÖHM, G.M. Association between air pollution and mortality due to respiratory diseases in children in São Paulo, Brazil. *Environ. Res.*, v. 65, p. 218-25, 1.994.

SALDIVA, P.H.N.; POPE, C.A. III.; SCHWARTZ, J.; DOCKERY, D.W.; LICHTENFELS, A.J.; SALGE, J.M.; BARONE, I.; BÖHM, G.M. Air pollution and mortality in elderly people: a time-series study in São Paulo, Brazil. *Arch. Environ. Health*, v. 50, p. 159-63, 1.995.

Salgueiro MJ, Zubillaga MB, Lysionek AE, Caro RA, Weill R, Boccio JR. The role of zinc in the growth and development of children. *Nutrition*. 2002;18:510-9.

SALLUM AM, KISS MH, SACHETTI S, RESENDE MB, MOUTINHO KC, CARVALHO MDE S, SILVA CA, MARIE SK. Juvenile dermatomyositis: clinical, laboratorial, histological, therapeutical and evolutive parameters of 35 patients. *Arq Neuropsiquiatr*. 2002;60:889-99.

SALLUM AM, MARIE SK, WAKAMATSU A, SACHETTI S, VIANNA MA, SILVA CA, KISS MH. Immunohistochemical analysis of adhesion molecule expression on muscle biopsy specimens from patients with juvenile dermatomyositis. *J Rheumatol*. 2004;31:801-7.

- SALTO JUNIOR JJ, WANDALSEN G, NASPITZ CK, SOLE D. Asthma and respiratory disease mortality rates in the state of Sao Paulo, Brazil: 1970-1996. *Allergol Immunopathol (Madr)*. 2002 Jan-Feb; 30(1):30-5.
- SAITO OC, CERRI GG. Bolsa scrotal. In: SAITO OC, CERRI GG. led. *Ultrasonografia. Pequenas partes*. São Paulo, Sarvier, 1999; 116-76.
- SALVA, P.; DOYLE, N.; EIGEIN, H.; DOERSCHUNK, C.: TNF- α , IL-8, soluble ICAM-1, and neutrophils in sputum of cystic fibrosis patients. *Pediatric Pneumol.*, 1996; 21: 11-19.
- SARICI SU, SERDAR MA, ERDEM G, ALPAY F. Evaluation of plasma ionized magnesium levels in neonatal hyperbilirubinemia. *Pediatr Res* 2004; 55:243-7.
- Sas T et al. Growth hormone treatment in children with short stature born small for age: 5-years results of a randomized, double-blind, dose-response trial. *J Clin Endocrinol Metab* 1999; 84:3064-70.
- Sasaki S, Oshima T, Matsuura H, Ozono R, Higashi Y, Sasaki N, Matsumoto T, Nakano Y, Ueda A, Yoshimizu A, Kurisu S, Kambe M, Kajiyama G. Abnormal magnesium status in patients with cardiovascular diseases. *Clin Sci* 2000; 98:175-81.
- SAVIOLI C; SILVA C.A; CHING L.H; CAMPOS L.M.A; PRADO E.F. Dental aspects in patients with juvenile idiopathic arthritis. *Rev. Hosp. Clin. Fac. Med. S. Paulo* 2004 (in press).
- SAYPOL DC. Varicocele. *J. Androl.*, 1981; 2:61.
- SCHALET SM, HANN IM, LENDOM M, MORRIS-JONES PH, BEARDWELL CG.
- SCHANLER R. The role of human milk fortification for premature infant. *Clin Perinatol* 1998; 25:645.
- SCHANLER RJ The use of human milk for premature infants. *Pediatr Clin. North. Am*, 2001; 48:207-19.
- SCHIFFRIN EJ, BLUM S. Interactions between the microbiota and the intestinal mucosa. *Eur J Clin Nutr*, 2002; 56(suppl 3):S60-S4.
- SCHIFFRIN EJ. Funções de defesa e homeostática dos probióticos no sistema immune.. In: Trabulsi LR, Schiffrin EJ, Carneiro-Sampaio MMS, Saavedra JM, editores. *Os probióticos e a saúde infantil. Temas de Pediatria – número especial*. Nestlé Nutrição; 2000.
- SCHNEIDER D. International trends in adolescent nutrition. *Social Science & Medicine* 2000. 51:955-67.
- SCHULTZ M, VELTKAMP C, DIELEMAN LA, WYRICK PB, TONOKOGY SL, SARTOR RB. Continuous feeding of *Lactobacillus plantarum* attenuates established colitis in interleukin-10 deficient mice. *Gastroenterology*. 1998; 114: A1081.
- SCHWANDNER, R.; DZIARSKI, R.; WESCHE, H.; ROTHE, M.; KIRSCHNING, C.J. Peptidoglycan- and lipoteichoic acid-induced cell activation is mediated by toll-like receptor 2. *J. Biol. Chem.*, 274:17406, 1999.
- SCHWARTZ, J. Air pollution and hospital admissions for respiratory disease. *Epidemiol.*, v. 7, p. 20-8, 1.996.
- SCOTT, P. IL-12: initiation cytokine for cell-mediated immunity. *Science*, 260: 496-497, 1993.
- SCRIVNER S, YEMANEBERHAN H, ZEBENIGUS M, TILABUN D, GIRMA S, Ali S, et al. Independent effects of intestinal parasite infection and domestic allergen exposure on risk of wheeze in Ethiopia: a nested case-control study. *Lancet* 2001; 358(9292): 1493-9.
- SEEP E, JULGE K, VASAR M, NAABER P, BJÖRKSTEN, MIKELSAAR M. Intestinal microflora of Estonian and Swedish infants. *Acta Paediatr.* 1997; 86: 956-61.
- SEKI, T, KIYOSAWA, K, INOKO, H, OTA, M. Association of autoimmune hepatitis with HLA-Bw54 and DR4 in Japanese patients. *Hepatology* 12:1300-1304, 1990.

- SELLON RK, TONKONOGY S, SCHOLTZ M. Resident enteric bacteria are necessary for development of spontaneous colitis and immune system activation in interleukin-10-deficient mice. *Infect Immun*. 1998; 66:5224-31.
- SEMENZA GL, AGANI F, IYER N, KOTCH L, LAUGHNER E, LEUNG S, Yu A. Regulation of cardiovascular development and physiology by hypoxia-inducible factor 1. *Ann N Y Acad Sci* 1999;874:262-8
- SEN, R.; BALTIMORE, D. Multiple nuclear factors interact with the immunoglobulin enhancer sequences. *Cell*, 46: 706-16, 1986.
- SHAHEEN, S.; AABY, P.; HALL, A. Measles and atopy in Guinea-Bissau. *Lancet.*, 347 (9018): 77-79, 1996.
- SHANN F. Etiology of severe pneumonia in children in developing countries. *Pediatr Infect Dis* 1986; 5(2):247-252.
- SHARMA , O.P. & CHWOGULE, R.: Many faces of pulmonary aspergillosis. *Eur respir J*, 1998; 12: 705-715.
- SHARMA, G. D.; TOSI, M. F.; Progression of pulmonary disease after disappearance of *Pseudomonas* in cystic fibrosis. *Am J Resp Crit Care Med* 152 (1): 169-173, 1995.
- SHEPHERD, R.; Energy expenditure in infants in health and disease. *Can J Gastroenterol* 11(1): 101-104, 1997.
- SHIMADA M, SEGAWA M, Higurashi M: Development of the sleep and wakefulness rhythm in preterm infants discharged from a neonatal care unit. *Pediatr Res* 1993; 33:159-63.
- SHIRAKAWA, T.; ENOMOTO, T.; SHIMAZU, S.; HOPKIN, J.M. The inverse association between tuberculin responses and atopic disorder. *Science*, 275: 77-79, 1997.
- SHIRTCLIFFE, S.E.; EASTHOPE, M.; WEATHERALL, M.; BASLEY, R. Effect of repeated intradermal injections of heat-inactivated *Mycobacterium bovis* bacillus Calmette-Guérin in adult asthma. *Clin. Exp. Allergy*, 34: 207-212, 2004.
- SHÖNI, M.H.; CASAULTA- AEBISCHER, C.; Nutrition and lung function in cystic fibrosis patients: review. *Clin Nutr* 19(2): 79-85, 2000.
- SHORNIKOVA AV, CASAS IA, ISOLAURI E, MYKKANEN H, VERSIKARI T. *Lactobacillus reuteri* as a therapeutic agent in acute diarrhea in young children. *J Pediatr Gastroenterol Nutr*. 1997; 24: 399-404.
- SHUTE, J.: Airway inflammation and ion channel abnormalities in cystic fibrosis. *Clinical and Experimental allergy*, 2000; 30: 1676-1681.
- SHWACHMAN, H.; Long term study of one hundred five patients with cystic fibrosis. *Am J Dis Child* (96): 6-15, 1958.
- SHWEIKI D, ITIN A, SOFFER D, KESHET E. Vascular endothelial growth factor induced by hypoxia may mediate hypoxia-initiated angiogenesis. *Nature* 1992;359:843-5.
- SIBILLE, Y. & REYNOLDS, H.Y.: Macrophages and pulmonary neutrophils in lung defense and injury. *Am Rev Resp Dis.*, 1990; 141: 471-501.
- SIGURS N .A cohort of children hospitalized with acute RSV bronchiolitis: impact on later respiratory disease. *Paediatr Respir Rev*. 2002 Sep;3(3):177-83.
- SIGURS N, BJARNASON R, SIGURBERGSSON F, KJELLMAN B, BJORKSTEN B. Asthma and immunoglobulin E antibodies after respiratory syncytial virus bronchiolitis: a prospective cohort study with matched controls. *Pediatrics* 1995; 95(4):500-505.
- SILVA CA; HALLAK J; PASQUALOTTO FF; BARBA MF; SAITO MI; KISS MH. Gonadal function in male adolescents and young males with juvenile systemic lupus erythematosus. *J Rheumatol* 29:2000-5, 2002a.
- SILVA CA; LEAL MM; CAMPOS LMM; LIPHAUS BL; BARROS VIP; TAKIUTI AD; SAITO MI; KISS MB. Aspectos da sexualidade e gravidez de adolescentes e adultos jovens com lúpus eritematoso sistêmico juvenil (LES). *Rev Bras Reumatol* 41:213-219, 2001.

SILVA CA; LEAL MM; SIMONE VP; LEONE C; TAKIUTI AD; SAITO MI; KISS MH. Gonadal function in adolescents and young female with systemic lupus erythematosus. *Lupus* 11:419-25, 2002b.

SILVA CAA; KISS MHB. Manifestações extra-articulares iniciais em 80 pacientes com artrite reumatóide juvenil (ARJ) forma sistêmica. *Pediatria (São Paulo)*. 20(2): 83-92, 1998.

SILVA, C.A.; HALLAK, J.; PASQUALOTIO, F.F.; BARBA, M.F.; SAITO, M.I.; KISS, M.H.B. Gonadal function in adolescents and young men with systemic lupus erythematosus. *J Rheumatol*, 2002a;29 :2000-5.

SILVA, C.A.; LEAL, M.M; SIMONE, V.P.; LEONE, C.; TAKIUTI, A.D.; SAITO, M.I.; KISS, M.H.B. Gonadal function in adolescents and young female with systemic lupus erythematosus. *Lupus*, 2002b;11:419-25.

SILVA, C.A.A.; LEAL, M.M.; CAMPOS, L.M.M.A.; LIPHAUS, B.L., BARROS, V.I.P.V.L.; TAKIUTI, A.D.; SAITO, M.I.; KISS, M.H.B. Aspectos da sexualidade e gravidez de adolescentes e adultos jovens com lúpus eritematoso sistêmico juvenil (LES). *Rev. Bras. Reumatol*,2001;41:213-9.

SILVA, L.C., CARRILHO, F.J., DI PIETRO, A. et al. Chronic hepatitis in São Paulo, Brazil. General data and clinical forms. *Gastrointest Hepatol*, 9: 340-3, 1986.

SINGHAI A, COLE TJ, LUCAS A – early nutrition in preterm infants and later blood pressure: two cohorts after randomized trials. *Lancet*, 357: 413-19, 2001

SINGHAL A, FEWTRELL MCTJ, LUCAS A. Low nutrient intake and early growth for later insulin resistance in adolescents Born preterm. *Lancet* 2003;361:1089-97.

SINGLETON JA, GREBY SM, WOOTEN KG, WALKER FJ, STRIKAS R. Influenza, Pneumococcal and tetanus toxoid vaccination of adults – United States, 1993-1997 (2000). Centers for Disease Control and Prevention. *MMWR Morb Mortal Wkly Rep*;49(SS09):39-62.

SIRCILI MP, TRABULSI LR. Fatores de virulência I: adesão, invasão e sideroforos. In: Trabulsi LR, Althertum F, editores. *Microbiologia*. 4ª ed, São Paulo: Atheneu, 2004. p. 101-109.

SKALNIK, D. G. Transcriptional mechanisms regulating myeloid-specific genes. *Science*, 284: 1-21. 2002.

SKOV, M.; PRESSLER, T.; JENSEN, H.E.; HØIBY, N.; KOCH, C.: Specific IgG subclass antibody pattern to *Aspergillus fumigatus* in patients with cystic fibrosis with allergic bronchopulmonary aspergillosis (ABPA). *Thorax*, 1999; 54: 44-50.

SLAVIN, R.G.: ABPA in CF: Devastating combination. *Pediatric Pneumol.*, 1996; 21: 1-2.

SMITH AL, RAMSEY BW, HEDGES DL, et al. Safety of aerosol tobramycin administration for 3 months to patients with cystic fibrosis. *Pediatr Pulmonol* 1989; 7: 265-271.

SMITH AL. Inhaled antibiotic therapy: What drug? What dose? What regimen? What formulation? *J Cystic Fibrosis* 2002;1: 189-93.

SNIJIDERS RJM, ABBAS A, MELBY O, IRELAND RM, NICOLAIDES Kh. Fetal plasma erythropoietin concentration in severe growth retardation. *Am J Obstet Gynecol* 168: 615, 1993.

SOARES CX. Avaliação dos Padrões de Sucção em recém-nascidos Prematuros visando a Transição da alimentação de sonda gástrica para via oral. [tese de Doutorado]. São Paulo: Instituto de Psicologia da Universidade de São Paulo; 2002.

SOBRAL, H.R. Air pollution and respiratory diseases in children in São Paulo, Brazil. *Soc. Sci. Med.*, v. 29, p. 959-64, 1.989.

SOCKRIDER, M.M.; Measuring clinical status in cystic fibrosis: internal validity and variability of a modified NIH Score. *Pediatr Pulmonol* (17): 86 - 89, 1994.

SOGABE, T.; SILVA, C.A.A.; KISS, M.H.B. Clinical and laboratory characteristics of 50 children with dermato/polymyositis. *Rev Bras Reumatol*, 1996; 36:351-58.

- Solé D, Vanna AT, Yamada E, Rizzo MCV, Naspitz CK. International Study of Asthma and Allergies in Childhood (ISAAC) written questionnaire: validation of the asthma component among Brazilian children *J Invest Allergol Clin Immunol* 1998; 8:376-82.
- Solé D, Yamada E, Vana AT, Werneck G, Solano de Freitas L, Sologorin MJ, Brito M, Rosario Filho, NA, Stein RT, Mallol J – International Study of Asthma and Allergies in Childhood (ISAAC): prevalence of asthma and asthma-related symptoms among Brazilian school children. *Journal of Investigational Allergology and Clinical Immunology*, 11: 123-128, 2001
- Solé, D, Carneiro-Sampaio, MMS & Naspitz, CK – Serum levels of immunoglobulins (G, M e A and E) in patients with respiratory allergy. *Revista da Associação Médica Brasileira* 31: 236-240, 1985.
- Solé, D, Carneiro-Sampaio, MMS & Naspitz, CK – Serum levels of immunoglobulins (G, M e A and E) in patients with respiratory allergy. *Revista da Associação Médica Brasileira* 31: 236-240, 1985.
- SONG, C.H.; LEE, J.S.; KIM, H.J.; PARK, J.K.; PAIK, T.H.; JO, E.K. Interleukin-8 is differentially expressed by human-derived monocytic cell line U937 infected with *Mycobacterium tuberculosis* H37Rv and *Mycobacterium marinum*. *Inf. and Immun.*, Oct.: 5480-5487, 2003.
- Soothill PW, Nicolaidis KH, Campbell S. Prenatal asphyxia, hyperlactaemia, hypoglycemia and erythroblastosis in growth retarded fetuses. *BMJ* 1987;294:1051.
- SPEERT, D. P.; HENRY, D.; VANDAMME, P.; COREY, M. & MAHENTHIRALINGAM, E. Epidemiology of *Burkholderia cepacia* Complex in Patients with Cystic Fibrosis, Canada. *Emerging Infectious Diseases*, 2002; 8(2): 181-187.
- SPEERT, D. P.; LAWTON, D. & MUTHARIA, L. M. Antibody to *Pseudomonas aeruginosa* mucoid exopolysaccharide and to sodium alginate in cystic fibrosis serum. *Pediatric Research*, 1984; 18(5): 431-433.
- Speich M, Bousquet B, Auget JL, Gelot S, Laborde O. Association between magnesium, calcium, phosphorus, copper, and zinc in umbilical cord plasma and erythrocytes, and the gestational age and growth variables of full-term newborns. *Clin Chem* 1992;38:141-3.
- Spengler U. Unravelling complexity--the scientific basis of genetic predisposition in autoimmune liver disease. *J Hepatol*. Jul;35(1):127-9, 2001.
- Sporik R, Holgate ST, Platts-Mills TAE, Cogswell JJ. Exposure to house-dust mite allergen (Der p 1) and the development of asthma in childhood. *N Engl J Med* 1990;323:502-7.
- Stark K, Schönfeld C, Barg J, Molz B, Vornwald A, Bienzle U (1999). Seroprevalence and determinants of diphtheria, tetanus and poliomyelitis antibodies among adults in Berlin, Germany. *Vaccine* 17:844-850.
- Stein RT, Sherrill D, Morgan WJ, Holberg CJ, Halonen M, Taussig LM et al. Respiratory syncytial virus in early life and risk of wheeze and allergy by age 13 years. *Lancet* 1999; 354(9178):541-545.
- STEIN, B.; YANG, M. X. Repression of interleukin-6 promoter by estrogen receptor is mediated by NF κ B and C/EBP β . *Mol. Cell Biol*. 15: 4971–4979, 1995.
- STEIN, M.; GORDON, S. Regulation of tumor necrosis factor (TNF) release by murine peritoneal macrophages: role of cell stimulation and specific phagocytic plasma membrane receptors. *Eur. J. Immunol.*, 21:431, 1991.
- STEINBROCKER O; TRAEGER CH; BATTERMAN RC. Therapeutic criteria in rheumatoid arthritis. *JAMA* 1949;140:659-62.
- Stephens, H.A.F., Vaughan, R.W., Collins, R., et al. Towards a molecular phototyping system for allelic variants of MICA, encoded by polymorphisms in exons 2,3 and 4 of MHC class I chain-related genes. *Tissue Antigens*, 53(2): 167-74, 1999.

- Stocks J, Sly PD, Morris MG, Frey U. Standards for infant respiratory function testing: What(ever) next? *Eur Respir J* 2000; 16:581-4.
- Stoll BJ, Kliegman RM. The High- Risk Infant. In: Berhman RE, Kliegman RM, Jenson HB editors. *Nelson Textbook of pediatrics*. 17th ed. Philadelphia: Saunders; 2004.
- STOTLAND, P.K.; RADZIOCH, D.; STEVENSON, M.M.: Inflammation in the Cystic Fibrosis. *UTMJ*, 1998; 76(1): 6-11.
- Strachan DP. Hay fever, hygiene, and household size. *BMJ* 1989; 299:1259-60.
- STRACHAN, D.P. Family size, infection and atopy: the first decade of the "hygiene hypothesis". *Thorax*, 55 (1): 2-10, 2000.
- STRACHAN, D.P. HARKINS, L.S.; GOLDING, J. Sib ship size and self-reported inhalant allergy among adult women. *Clin. Exp. Allergy*, 27: 151-155, 1997.
- Strope GL, Stewart PW, Henderson FW, Ivins SS, Stedman HC, Henry MM. Lung function in school-age children who had mild lower respiratory illnesses in early childhood. *Am Rev Respir Dis* 1991; 144(3 Pt 1):655-662.
- Stuber, F., Petersen, M., Bokelmann, F., Schade, U. A genomic polymorphism within the tumor necrosis factor locus influences plasma tumor necrosis factor-alpha concentrations and outcome of patients with severe sepsis. *Crit. Care Med.*, 24(3): 381-4, 1996.
- STUEHR, D.J.; MARLETTA, M.A.; Induction of nitrite/nitrate synthesis in murine macrophages by BCG infection, lymphokines, or interferon- γ . *J. Immunol.*, 139:518, 1987.
- SUBRAHMANYAM, Y.V.; BASKARAN, N.; NEWBURGER, P.E.; WEISSMAN, S.M. A modified method for the display of 3'-end restriction fragments of cDNAs: molecular profiling of gene expression in neutrophils. *Methods Enzymol.*, 303:272-97, 1999.
- SUCUPIRA, ACSL; SCHVARTSMAN, S.; Prevenção de acidentes e atendimento inicial da criança acidentada. In: Sucupira, E (Coord.) 4ª ed. SãoPaulo, Sarvier, 2000
- Sucupira, ACSL, Figueira, BD. Os fundamentos para o seguimento da criança de alto risco. *Caderno Temático da Criança*. Secretaria Municipal de Saúde de São Paulo; 2003..
- Sudo N, Sawamura S, Tanaka K. The requirement of intestinal bacterial flora for the development of an IgE production system fully susceptible to oral tolerance induction. *J Immunol* 1997; 159: 1739-45.
- SUSAN GB; ABRAHAM ZN; LAURENCE SM; PETRI M. Patterns of disease activity in systemic Lupus Erythematosus. *Arthritis Rheum* 42: 2682-2688, 1999.
- Sutphen JL. Growth as a measure of nutritional status. *J Pediatr Gastroenterol Nutr* 1985 4:169-81.
- SUTTON, P.P.; PARKER, R.A.; Assessment of the forced expiration technique, postural drainage and directed coughing in chest physiotherapy. *Eur J Respir Dis* (64): 62 - 68, 1983.
- SUZUKI S, LUCAS A, LUCAS PJ, COOMBS RRA. Immunoglobulin. concentrations and bacterial antibody titres in breast milk from mothers of preterm and term infants. *Acta Paediatr Scand* 1983;72: 671-7
- SVANES C, OMENAAS E, JARVIS D, CHINN S, GULSVIK A, Burney P. Parental smoking in childhood and adult obstructive lung disease: results from the European Community Respiratory Health Survey. *Thorax*. 2004 Apr;59(4):295-302
- SWIFT DL. Aerosols and humidity therapy: generation and respiratory deposition of therapeutic aerosols. *Am Rev Resp Dis* 1982; 125(4,pt 2):94.
- SWINAMER, D.L.; PHANG, P.T.; JONES R.L.; GRACE, M.; KING, E.G.; Effect of routine administration of analgesia on energy expenditure in critically ill patients. *Chest* 93(1): 4-10, 1988.
- SWINAMER, D.L.; PHANG, P.T.; JONES R.L.; GRACE, M.; KING, E.G.; Twenty four hour energy expenditure in critically ill patients. *Crit Care Med* 15(7): 637-643, 1987.

- TABERNERO V.S.; GONZALEZ, L.Y.; LAMA, M.R.; MARTINEZ, C.M.C.; ANTELO, L.M.C.; JARA, V.P.; Chronic liver disease associated with cystic fibrosis: energy expenditure at rest, risk factors and impact of the course of the disease. *Nutr Hosp* 19(1): 19-27, 2004.
- TABLAN, O.C.; CARSON, L.A.; CUSICK, L.B.; BLAND, L.A.; MARTONE, W.J.; JARVIS, W.R. Laboratory Proficiency Test Results on Use of Selective Media for isolating *Pseudomonas cepacia* from Simulate Sputum Specimens of Patients with Cystic Fibrosis. *Journal of Clinical Microbiology*, 1987; 25(3): 485-487.
- TAGER IB, NGO L. Maternal smoking during pregnancy. Effects on lung function during the first 18 months of life. *Am J Crit Care Med* 1995; 152:977-983.
- TAK, P.P.; FIRESTEIN, G.S. NF κ B: A key role role in inflammatory diseases. *J. Clin. Invest.*, 107: 7-11. 2001.
- TAKAGI K. Limit of antenatal management of intrauterine growth retarded fetus. *Nippon Sanka Fujinka Gakkai Zashi* 1993;45:808-14.
- TAKAHASHI E. Growth and environmental factors in Japan. *Hum Biol* 1966. 38:112-30.
- TAKAYA J, YAMAFO F, HIGASHINO H, KOBAYASHI Y. Relationship of intracellular magnesium of cord blood platelets to birth weight. *Metabolism* 2004;53:1544-7.
- TAKAYA J, YAMAFO F, HIGASHINO H, KOBAYASHI Y. Relationship of intracellular magnesium of cord blood platelets to birth weight. *Metabolism* 2004;53:1544-7.
- TANASKI, S., NONAKA, R., XING, Z., et al. Interleukin 10 inhibits lipopolysaccharide-induced survival and cytokine production by human peripheral blood eosinophils. *J Exp Med.*, 180:711-15, 1994.
- TANNER JM. Growth at adolescence. 2 ed. Oxford, Blackwell SSCIENIFIC publications ,1962.
- TANNOCK GW. The normal microflora: an introduction. In: Tannock GW, editor. *Medical Importance of Normal Microflora*. Netherlands: Kluwer Academic Publishers; 1999. p. 1-23.
- TARANGER J, ENGSTROM 1, SEVENNBERG-REDEGREN 1. The somatic development of chilgren in a Swedish urban community. A prospective longitudinal study. VI Somatic pubertal development. *Acta Paediatr. Scand.*, 1 976;suppl.258: 121-35.
- TAUROG JD, RICHARDSON JA, CROFT JT. The germfree state prevents development of gut and joint inflammatory disease in prevents development of gut and joint inflammatory disease in HLA-B27 transgenic rats. *J Exp Med*. 1994; 180: 2359-64.
- TAUSSIG LM, CHERNICK V. Standardization of lung function testing in children. *J Pediatr* 1980; 97:668-676.
- TAUSSIG LM, LANDAU LI. Determinants of forced expiratory flows in newborn infants. *J Appl Physiol* 1982; 53:1220-1227.
- TAUSSIG LM, WRIGHT AL, HOLBERG CJ, HALONEN M, MORGAN WJ, MARTINEZ FD. Tucson Children's Respiratory Study: 1980 to present. *J Allergy Clin Immunol* 2003; 111:661-75.
- TAUSSIG, L. M.; KATTWINKEL, J.; A new prognostic score and clinical evaluation system for cystic fibrosis. *The Jornal of Pediatrics* 82 (3): 380 - 390, 1973.
- TAUSSIG, L. M.; The score is.... *Pediatr Pulmonol* (17): 279 - 280, 1994.[Editorials].
- TEPPER RS, MORGAN WJ. Physiologic growth and development of the lung during the first year of life. *Am Rev Respir Dis* 1986; 134:513-519.
- TEPPER RS. Assessment of the respiratory status of infants and toddlers whit cystic fibrosis. *J Pediatr* 1998; 132:380-381.
- TOBIAS, G.J. et al. Endogenous creatinine clearence. *New Engl. J. Med.*, v. 266, n. 7, p. 317-23, 1962.
- TOMASI E, VICTORA CG, POST PR, OLINTO MTA, BÉHAGUE D. Uso de chupetas em crianças, contaminação fecal e associação com diarréia. *Rev Saúde Públ.* 1994;28:373-9.

TOMMISKA V; TUOMINEN R, FELLMAN, V. Economic costs of care in extremely low birthweight infants during the first 2 years of life. *Pediatr Critical Care Med* 2003;4

TOSI, M.F.; ZAKEM, H.; BERGER, M. ; Neutrophils elastase cleaves C3 bi on opsonized *Pseudomonas* as well as CR1 on neutrophils to create a functionally important opsonin receptor mismatch. *J Clin Invest.*, 1990; 86: 300-308.

TRABULSI LR, CARNEIRO-SAMPAIO MMS. Microbiota ou flora normal do corpo humano. In: Trabulsi LR, Althertum F, editores. *Microbiologia*. 4^a ed. São Paulo: Atheneu; 2004. p. 101-109.

TRACEY, D.E., WOLFE, S.A.; DURDIK, J.M.; HENNEY, C.S. BCG-induced murine effectors cells. I. Cytolytic activity in peritoneal exudates: an early response to BCG. *J. Immunol.*, 119:1145, 1977.

TRAENCKNER, E.B.; WILK, S.; BAEUERLE, P. A proteasome inhibitor prevents activation of NF κ B and stabilizes a newly phosphorylated form of I κ B that is still bound to NF κ B. *EMBO J.*, 13: 5433–441, 1994.

TRINCHIERI, G. Cytokines acting on or secreted by macrophages during intracellular infection (IL-10, IL-12, IFN- γ). *Curr. Opin. Immunol.*, 9:17, 1997.

TRINCHIERI, G. Interleukin-12: a proinflammatory cytokine with immunoregulatory functions that bridge innate resistance and antigen-specific adaptive immunity. *Annu. Rev. Immunol.*, 13: 251-276, 1995.

TRIPP BM, CHU F, HALVANI F, HASOSUNA MM. Necrotizing vasculitis of the penis in systemic lupus erythematosus. *J. Urol.*, 1995;154:528-9.

TSUI LC, ROMMENS J, KEREM BS, ZIELENSKI J, CHOU J, BOZON D – Molecular genetics of cystic fibrosis. *Pediatr. Pulmonol* 1990; (supl.5):58-9.

UMETSU, D.; DeKRUYFF, R. Th1 and Th2 CD4+ cells in human allergic diseases. *J. Allergy Clin. Immunol.*, 100 (1): 1-6, 1997.

UNANUE, E.R. Inter-relationship among macrophages, natural killer cells and neutrophils in early stages of *Listeria* resistance. *Curr. Opin. Immunol.*, 9:35, 1997.

UNDERHILL, D.M.; OZINSKY, A.; HAJJAR, A.M.; STEVENS, A.; WILSON, C.B.; BASSETTI, M.; ADEREM, A. The Toll-like receptor 2 is recruited to macrophage phagosomes and discriminates between pathogens. *Nature*, 401:811, 1999.

UNDERHILL, D.M.; OZINSKY, A.; SMITH, K.D.; ADEREM, A. Toll-like receptor-2 mediates mycobacteria-induced proinflammatory signaling in macrophages. *Proc. Natl. Acad. Sci. USA*, 96:14459, 1999.

USHER R, MCLEAN F, SCOTT KE. Judgement of fetal age. II. Clinical significance of gestational age and na objective method for its assessment. *Pediatr Clin North Am* 1966;13:835-48.

VAIDYA, B., IMRIE, H., PERROS, P., ET AL. The cytotoxic T lymphocyte associated antigen-4 is a major Grave's disease locus. *Hum Mol Genet*, 8: 1195-9, 1999.

VALLEE BL, FALCHUK KH. The biochemical basis of zinc physiology. *Physiol Rev.* 1993;73:79-118.

VAN DEN AKKER-VAN MARLE ME, BRUIL J, DETMAR SB. Evaluation of cost of disease: assessing the burden to society of asthma in children in the European Union. *Allergy*. 2005Feb;60(2):140-9.

van der SHANS, C.; PRASAD, A.; Chest physiotherapy compared to no chest physiotherapy in cystic fibrosis. *Cochrane Database* (2), 2000.

VAN SWEDEN B, KOENDEREINK M, WINDAU G. Long term ECG monitoring in the early premature: Development and chronobiological aspects. *Electroencephalography*. 1991; 79: 94-100;

- VASQUEZ-GARCIA, M.N., ALAEZ, C., OLIVO, A., ET AL. MHC class II sequences of susceptibility and protection in Mexicans with autoimmune hepatitis. *J Hepatol*, 28: 985-90, 1998.
- VELONA T, ABBIATI L, BERETTA B, GAIASCHI A, FLAUTO U, TAGLIABUE P, ET AL. Protein profiles in breast milk from mothers delivering term and preterm babies. *Pediatr Res* 1999;45:658-63
- VENABLES, K.M.; CHANG-YEUNG, M. Occupational asthma. *Lancet*, 349: 1465-9, 1997.
- VENKATARAMAN, P.S.; AHLUWALIA, B.W. Total bone mineral content and body composition by x-ray densitometry in newborns. *Pediatr.*, v. 90, n. 5, p. 767-770, Nov., 1992.
- VERMA, I.M.; STEVENSON, J. I κ B kinase: beginning, not the end. *Proc. Natl. Acad. Sci. USA*, 94: 11758–11760, 1997.
- VERMA, I.M.; STEVENSON, J.K.; SCHWARZ, E.M.; MIYAMOTO, S. Rel/NF κ B I κ B family: intimate tales of association and dissociation. *Genes Dev.*, 9: 2723–735, 1995.
- VICTORA CG, BARROS FC, VAUGHAN JP. *Epidemiologia da desigualdade*. São Paulo: Ed. Hucitec; 1988.
- VICTORA CG, BEHAGUE DP, BARROS FC, OLINTO MTA, WEIDERRPAISS E. Pacifier use and short breastfeeding duration: cause, consequence or coincidence? *Pediatrics*. 1997;99:445-453.
- VIEIRA SE, STEWIEN KE, QUEIROZ DA, DURIGON EL, TOROK TJ, ANDERSON LJ ET AL. Clinical patterns and seasonal trends in respiratory syncytial virus hospitalizations in Sao Paulo, Brazil. *Rev Inst Med Trop Sao Paulo* 2001; 43(3):125-131.
- VIGNOLA, A.M.; BONNANO, A.; MIRABELLA, A.; RICCOBONO, L.; MIRABELLA, F; PROFITA, M.; BELLIA, V.; BUSQUET, J & BONSIGMORE, G. Increased levels of elastase and alpha antitrypsin in sputum of asthmatic patients. *Am. J. Res. Crit. Care Med.*, 157: 505-511, 1998.
- VILARINHO ST, COSTALLAT LTL. Evaluation of the hypothalamic-pituitarygonadal axis in males with systemic lupus erythematosus. *J Rheumatol* 1998;25:1097-103.
- VINTON, N.E.; PADMAN, R.; DAVIS, M.; HARCCKE, H.T.; Effects of pseudomonas colonization on body composition and resting energy expenditure in children with cystic fibrosis. *J Parenter Enteral Nutr* 23(4): 233-236, 1999.
- VON HERTZEN, L.C.; HAAHTELA, T. Cold the risk of asthma and atopy be reduced by a vaccine that induces a strong T helper type 1 response? *Am. J. Respir. Cell Mol. Biol.*, 22: 139-142, 2000.
- VON MUTIUS E, MARTINEZ FD, FRITSCH C, NICOLAI T, REITMEIR P, THIEMANN HH. Skin test reactivity and number of siblings. *BMJ* 1994; 308:692-5.
- VON MUTIUS, E., C BRAUN-FAHRLANDER, R.SCHIERL, J.RIEDLER EHLERMANN, S.MAISCH, M.WASER, AND D NOWAK. 2000. Exposure to endotoxin or other bacterial components might protect against the development of atopy. *Clin Exp Allergy* 30:1230-1.
- VONK JM, BOEZEN HM, POSTMA DS, SCHOUTEN JP, VAN AALDEREN WMC, BOERSMA ER. Perinatal risk factors for bronchial hyperresponsiveness and atopy after a follow-up of 20 years. *J Allergy Clin Immunol* 2004; 114:270-6.
- VOTER KZ, HENRY MM, STEWART PW, HENDERSON FW. Lower respiratory illness in early childhood and lung function and bronchial reactivity in adolescent males. *Am Rev Respir Dis* 1988; 137(2):302-307.
- WACKER WEC, PARISI AF. Magnesium metabolism. *N Engl J Med* 1968;278:658-61.
- WAHN U, LAU S, BERGMAN R ET AL. Indoor Allergen exposure is a risk factor for sensitization during the first three years of life. *J Allergy Clin Immunol* 1997; 99: 763-9
- WAHRLICH, V.; ANJOS, L.A.; Aspectos históricos e metodológicos da medição estimativa da taxa metabólica basal: uma revisão da literatura. *Cad Saúde Pública* 17(4): 810-817, 2001.

- WAKAYAMA K, OGAWA T, GOTO K: Development of ultradian rhythm of EEG activities in premature babies. *Early Hum Dev* 1993;32:11-30.
- WALD, E. R. Microbiology of Acute and Chronic Sinusitis in Children and Adults. *The American Journal of the Medical Sciences*, 1998; 316: 13-20.
- WALLIS, C.; PRASAD, A.; Who needs chest physiotherapy ? Moving from anecdote to evidence. *Arch Dis Child* (80): 393 - 397, 1990.
- WANG Y. Is obesity associated with early sexual maturation? A comparison of the association in American boys versus girls. *Pediatrics* 2002. 110:903-10.
- WANNER A, RAO A. Clinical indications for and effects of blind, mucolytic and antimicrobial aerosols. *Am Rev Resp Dis* 1980; 122:79-103.
- WARD MM, PYUN E; STUDENSKI S. Mortality risks associated with specific clinical manifestations of systemic lupus erythematosus. *Arch Intern Med* 156: 1337-44, 1996.
- WARDLAW, A. & GEDDES, D.M.: Allergic Bronchopulmonary aspergillosis: a Review. *J R Soc Med*, 1992; 85 (12): 747-751.
- WARSHAW J. Intrauterine growth retardation: adaptation or pathology? *Pediatrics* 1985;76:998
- WATERS E, WRIGHT M, WAKE M, LANDGRAF J.M., SALMON L. Measuring the health and well being children and adolescents: A preliminary comparative evaluation of the Child Health Quest (CHQ-PF50). *Ambulatory Child Health* 1999;5:131-141
- WEBER A, SMITH A, WILLIAMS-WARREN J, ET AL. Nebulizer delivery of tobramycin to the lower respiratory tract. *Pediatr Pulmonol* 1994;17:331-339.
- WEEB, A. K. & EGAN, J. Should Patients with Cystic Fibrosis Infected with *Burkholderia cepacia* Undergo Lung Transplantation? *Thorax*, 1997;52: 671-673.
- WEISS ST 2002 Eat Dirt – The hygiene hypothesis and allergies diseases. *N Engl J Med* 2002. 347: 930-931.
- WEINER CP, WILLIAMSON RA. Evaluation of severe growth retardation using cordocentesis – hematologic and metabolic alterations by etiology. *Obstet Gynecol* 1989;73:225.
- WELCH, D. F.; MUSZYNSKY, M. J.; PAI, C.H.; MARCON, M. J.; HRIBAR, M.M.; GILLIGAN, P.H.; MATSEN, J.M.; AHLIN, P.A.; HILMAN, B. C. & CHARTRAND, S.A. Selective and Differential Medium for Recovery of *Pseudomonas cepacia* from the Respiratory Tracts of Patients with Cystic Fibrosis. *Journal of Clinical Microbiology*, 1987; 25(9): 1730-1734.
- WELLIVER RC, SUN M, RINALDO D, OGRA PL. Predictive value of respiratory syncytial virus-specific IgE responses for recurrent wheezing following bronchiolitis. *J Pediatr* 1986; 109(5):776-780.
- WHITACRE, C.C., REINGOLD, S.C., O'LOONEY, P.A. A gender gap in autoimmune. *Science*, 283:1277-8, 1999.
- WHITE, K.R.; MUNRO, C.L.; PICKLER, R.H.; Therapeutic implications of recent advances in cystic fibrosis. *Am J matern Child Nurs* 20 (6): 304-308, 1995.
- WHITTINGHAM S, MATHEWS JD, SCHANFIELD MS, ET al. Interaction of HLA and Gm in autoimmune chronic active hepatitis. *Clin Exp Immunol* Jan;43(1):80-6, 1981.
- WICKENS K, PEARCE N, CRANE J, BEASLY R. Antibiotic use in early childhood and the development of asthma. *Clin Exp Allergy* .1999; 29: 766-71.
- WIDNESS JA, CLEMONS GK, GARCIA JF. Increased immunoreactive erythropoietin in cord serum after labor. *Am J Obstet Gynecol* 1984;148:194.
- WILKIN TJ. Early nutrition and diabetes mellitus. Nutrition during fetal life and infancy may be crucial to the development of diabetes mellitus. *Br Med J* 1993;306:283-4.
- WILLIAMS J, KLINEPETER K, PALMES G, PULLEY A, FOY JM – Diagnosis and treatment of behavioral health disorders in pediatric practice. *Pediatrics*, 114: 601-606, 2004.

WILLIAMS LO, DECOUFLE P. Is maternal age a risk factor for mental retardation among children? *Am J Epidemiol* 1999;149:814-23

WILLIAMS, M.T.; PARSONS, D.W.; FRICK, R.A. ELLIS, E.R.; MARTIN, A.J.; GILES, S.E.; GRANT, E.R. Acute respiratory infection patients with cystic fibrosis with mild pulmonary impairment: comparison of two physiotherapy regimens. *Aust J Physiother* 47(4): 227-236, 2001.

WILLIAMS, M.T.; Chest physiotherapy and cystic fibrosis: why is the most effective form of treatment still unclear. *Chest* 1106 (6): 1872 - 1883, 1994.

WILLINSKI, C. L.; WARWICK, W.J.; BUDD, J.R.; Mortality and progression of the NIH clinical and prognostic score. *Pediatr Pulmonol* (5): 259 - 260, 1990.

WILLS-KARP, M. IL-12/IL-13 axis in the allergic asthma. *J. Allergy Clin. Immunol.*, 107: 9-18, 2001.

Winer, B.J. *Statistical principles in experimental designs*. 2nd ed. New York: McGraw-Hill;1971.

WINICK M, NOBLE A. Cellular response in rats during malnutrition at various ages. *J Nutr* 1966;89:300-6.

WIZLA- DERAMBURE, N.; MICHAUD, L.; SARDET, A.; DESCHILDRE A., LOEUILLE, G.A.; BUSINE, C.; BOUTRY, E.; DIAS, J.; HECQUET, F.; TURCK, D. Effect of rhDNase on the respiratory function and nutritional status of children and adolescents with mucoviscidosis. *Arch Pediatr* 5(4): 378-383, 1998.

WOLFE, S.A., TRACEY, D.E.; HENNEY, C.S. BCG-induced murine effector cells. II. Characterization of natural killer cells in peritoneal exudates. *J. Immunol.*, 119:1152, 1977.

WORD REPORT ON VIOLENCE. GENEVA, WORLD HEALTH ORGANIZATION, 2002. CANTOR, J. Media Violence. *J Adoles health* 27:30-4; 2000.

WORLD HEALTH ORGANIZATION (WHO) *Laboratory manual for the examination of human semen and sperm-cervical mucus interaction*. 4th edition. New York: Cambridge University Press; 1999; 4-22.

WORLD HEALTH ORGANIZATION. The incidence of low birth weight. A critical review of available information. *World Hlth Stat Quart* 1980;33:197-224.

WRIGHT AL, TAUSSIG LM, RAY G, HARRISON HR, HOLBERG CJ, GROUP HEALTH MEDICAL ASSOCIATES. The Tucson Children's Respiratory Study II. Lower respiratory tract illness in the first year of live. *Am J Epidemiol* 1989; 129:1232-1246.

WYNN, T.A. IL-13 effector functions. *Annu. Rev. Immunol*, 21:425-56, 2003.

XAVIER, C. C.; ANCHIETA, L. M.; ORNELAS, S. L. Crescimento do recém-nascido pré-termo. *Temas de Pediatria*, n.77, 2004.

YAMADA RT, LEONE CR. Evolução do zinco plasmático e intra-eritrocitário em recém-nascidos de termo durante o período neonatal e a influência do crescimento intra-uterino restrito. *Rev Paul Pediatr*. 2004;22(Suppl):41. [Abstract]

YANG, R.B.; MARK, M.R.; GRAY, A.; HUANG, A.; XIE, M.H.; ZHANG, M.; GODDARD, A.; WOOD, W.I.; GURNEY, A.L.; GODOWSKI, P.J. Toll-like receptor-2 mediates lipopolysaccharide-induced cellular signalling. *Nature*, 395:284, 1998.

YANNEY M, MARLOW N. Paediatric Consequences of fetal growth restriction. *Semin Fetal Neonatal Med* 2004;9:411-8.

YAZDANBAKHS M, KREMSNER PG, VAN REE R. Allergy, parasites and the hygiene hypothesis. *Science*, 2002; 296(5567): 490-494

YEH, T.F.; LILIE, L.D.; PILDES, R.S.; Increased O₂ consumption and energy loss in premature infants following medical care procedures. *Biol Neonate* 46(4): 157-162, 1984.

YERUCHIMOVICH M, DOLLBERG S, GREEN DW. Nucleated red blood cells in infants of smoking mothers. *Obstet Gynecol* 93:403,1999.

- YLMAZ, M.; BINGOL, G.; ALTINTAS, D.; KENDIRLI, S.G. Correlation between atopic diseases and tuberculin responses. *Allergy*, 55: 664-667, 2000.
- YOSHIMURA, A.; LIEN, E.; INGALLS, R.R.; TUOMANEN, E.; DZIARSKI, R.; GOLENBOCK, D. Recognition of Gram-positive bacterial cell wall components by the innate immune system occurs via Toll-like receptor 2. *J. Immunol.*, 163:1, 1999.
- YOUNG S, O'KEEFFE PT. Lung function, airway responsiveness and respiratory symptoms before and after bronchiolitis. *Arch Dis Child* 1995; 72:16-24.
- YU, V.Y. Enteral feeding in the preterm infant. *Early Human Dev.*, v. 56, p. 89-115, Dec., 1999.
- ZACCARELLI-FILHO, C. A.; MACHADO, D. M.; SUCCI, R.; ONO, E.; KALLAS, E. G.; SALOMAO, R.; BRUNIALTI, M.; DE MORAES-PINTO, M. I.. HIV-1 INFECTED CHILDREN ON HAART: Immunologic Features of Three Different Levels of Viral Suppression. Apresentado no 44o ICAAC, 2004, como pôster H-856.
- ZACH, M. S.; OBERWALDNER, B.; Chest physiotherapy – The mechanical approach to antiinfective therapy in cystic fibrosis. *Infection* 15: 381-384, 1987.
- ZACH, M.S.; Lung disease in cystic fibrosis: an update concept. *Pediatric Pulmonol*(8): 186 - 202, 1990.
- ZAK B, NALBANDIAN RM, WILLIAMS LA, COHEN J. Determination of human erythrocyte zinc: hemoglobin ratios. *Clin Chim Acta*. 1962;7:634-8.
- ZAPATA AL, SALLUM AME, LOTITO APN, VEOCHI AP, CAMPOS LMA, LIPHAUS BL, ARAUJO LM, SILVA CAA, KISS MHB. Doenças da tiróide em crianças e adolescentes com lupus eritematoso sistêmico. *Rheuma. Abstracts XV Jornada Paulista de Reumatologia*, 1 999;26.
- ZELASKO, M; CARNEIRO-SAMPAIO, MMS, CORNEJO DE LUIGI, M; OLARTE, DG; MADRIGAL, OP; PEREZ, RB; CABELLO, A; ROSTAN, MV; SORENSEN, RU - Primary Immunodeficiency Diseases in Latin America: First report from eight Countries participating in the LAGID. *Journal of Clinical Immunology*, 18: 161-166, 1998
- ZEMEL, B.S.; JAWAD, F.A.; FITZSIMMONS, S.; STALLINGS, A.V.; Longitudinal relationship among growth, nutritional status, and pulmonary function in children with cystic fibrosis: Analysis of the Cystic Fibrosis Foundation National CF Patient Registry. *J Pediatrics* 137: 374-380, 2000.
- ZEMEL, B.S.; KAWACHAK, D.A.; CNAAN, A.; ZHAO, H.; SCANLIN, T.F.; STALLINGS, V.A.; Prospective evaluation of resting energy expenditure, nutritional status, pulmonary function and genotype in children with cystic fibrosis. *J Pediatr Res* 40(4): 578-586, 1996.
- . WASHINGTON: NATIONAL CENTER FOR INFANTS, TODDLERS AND FAMILIES. Zero to three (1994). *Diagnostic Classification: 0-3*
- ZHONG, H.; SUYANG, H.; ERDJUMENT-BROMAGE, H.; TEMPST, P.; GHOSH, S. The transcriptional activity of NF- κ B is regulated by the I κ B-associated PKAc subunit through a cyclic AMP-independent mechanism. *Cell*, 89: 413-424, 1997.
- ZUCKERMAN, B.S.; DUBY, J.C. – Developmental approach to injury prevention. *Pediat. Clin. North Am.*, 32:17, 1985.
- ZWIRNER NW, DOLE K, STASTNY P. Differential surface expression of MICA by endothelial cells, fibroblasts, keratinocytes, and monocytes. *Hum Immunol*. 1999 Apr;60(4):323-30.